BIOCHEMICAL JOURNAL

BIJOAK

AUTHOR AND
KEYWORD INDEXES
for volumes
385–392 (2005)

The Biochemical Society, London © 2006

Portland Press » publishing innovation

cell signallingbiology

– an outstanding new online reference work from one of the world's leading experts

Professor Sir Michael J Berridge
(Cambridge)

Shaw Laureate in Life Science and Medicine 2005

This major new contribution to the field of cell signalling biology provides researchers, teachers and students alike with an essential online resource. Emerging information on cell signalling pathways is integrated and presented within the context of specific cell types and processes.

Contents

1 Introduction
2 Generation of second messengers
3 Ion channels
4 Sensors and effectors
5 Off reactions
6 Cellular processes
7 Spatial and temporal aspects of signalling
8 Development
9 Proliferation
10 Neuronal signalling
11 Cell stress, inflammatory response(s) and cell death
12 Signalling defects and disease

Visit www.cellsignallingbiology.org
to register your interest in this exciting new product

Subscriptions available from July 2006

www.cellsignallingbiology.org

Biochemical Journal

AUTHOR AND KEYWORD INDEXES

for volumes

385–392 (2005)

The Biochemical Society, London © 2006

Available from

Portland Customer Services, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.
Fax (U.K.) 01206 799331
(from overseas) +44 1206 799331
e-mail sales@portland-services.com

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the above-mentioned address.

Compiled and composed by TechBooks, Delhi

Printed in Great Britain by The Charlesworth Group, Wakefield

Author Index

VOLUMES 385–392 (2005)

Aaron, W. *See* Herter, S.
Abbadi, A. *See* Domergue, F.
Abdelmagid, S. A. *See* O'Malley, P. G. P.
Abdian, P. L. *See* Saksouk, N.
Abou, L. *See* Reboul, E.
Abou-Lteif, G. *See* Darwiche, N.
Abou Tayyoun, A. *See* Darwiche, N.
Abrunhosa, F. *See* Franco, R.
Acero, G. *See* Gevorkian, G.
Aceves Luquero, C. I. *See* Sánchez-Arévalo Lobo, V. J.
Acharya, K. R. *See* Lloyd, M. D.
Acharya, S. A. *See* Hu, T.
Adak, S. *See* Datta, R.
——; Datta, A. K.
Leishmania major encodes an unusual peroxidase that is a close homologue of plant ascorbate peroxidase: a novel role of the transmembrane domain, 390:465
Adam, A. *See* Molinaro, G.
Adam, L. *See* Villemure, J.-F.
Adams, J. E. *See* Kasumov, T.
Adams, T. E. *See* Johnson, D. J. D.
Adra, C. N. *See* Small-Howard, A. L.
Agranoff, D.
——; Collins, L.; Kehres, D.; Harrison, T.; Maguire, M.; Krishna, S.
The Nramp orthologue of *Cryptococcus neoformans* is a pH-dependent transporter of manganese, iron, cobalt and nickel, 385:225
Agrawal, A. *See* Ghiselli, G.
Aguilar-Quesada, R. *See* Muñoz-Gámez, J. A.
Aguilera, J.
——; van Dijken, J. P.; de Winde, J. H.; Pronk, J. T.
Carbonic anhydrase (Nce103p): an essential biosynthetic enzyme for growth of *Saccharomyces cerevisiae* at atmospheric carbon dioxide pressure, 391:311
Ahmad, M. *See* Marui, N.
Ahmed, H.
——; Ettema, T. J. G.; Tjaden, B.; Geerling, A. C. M.; van der Oost, J.; Siebers, B.
The semi-phosphorylative Entner–Doudoroff pathway in hyperthermophilic archaea: a re-evaluation, 390:529
Ahn, S.-G.
——; Kim, S.-A.; Yoon, J.-H.; Vacratsis, P.
Heat-shock cognate 70 is required for the activation of heat-shock factor 1 in mammalian cells, 392:145
Aida, S. *See* Wadhwa, R.
Aitchison, J. D. *See* Sydorskyy, Y.
Ajuh, P. *See* Löscher, M.
Akaike, T. *See* Yasuhara, R.
Åkesson, M. *See* Villas-Bôas, S. G.
Akhtar, S. *See* Ruiz-Alcaraz, A. J.
Akita, H. *See* Yamaguchi, K.
Akiyama, Y. *See* Jinawath, A.
Akuta, T. *See* Yasuhara, R.
Alayash, A. I. *See* Jia, Y.
Alberghina, L. *See* Barberis, M.
Alcaide, M. *See* Pescador, N.
Alché, J. de D. *See* Barral, P.
Aldunate, R. *See* Strobel, P.
Alessi, D. R. *See* Lipina, C.; Mora, A.; Vitari, A. C.
Alewood, P. F. *See* Torres, A. M.
Alexa, A. *See* Bozóky, Z.
Alfonso, C. *See* Barral, P.; Garrido, F.
Alken, M.
——; Rutz, C.; Köchl, R.; Donalies, U.; Oueslati, M.; Furkert, J.; Wietfeld, D.; Hermosilla, R.; Scholz, A.; Beyermann, M.; Rosenthal, W.; Schülein, R.
The signal peptide of the rat corticotropin-releasing factor receptor 1 promotes receptor expression but is not essential for establishing a functional receptor, 390:455
Allard, C. *See* Strobel, P.
Allen, J. W. A.
——; Leach, N.; Ferguson, S. J.
The histidine of the *c*-type cytochrome CXXCH haem-binding motif is essential for haem attachment by the *Escherichia coli* cytochrome *c* maturation (Ccm) apparatus, 389:587
Allende, C. C. *See* Bustos, V. H.
Allende, J. E. *See* Bustos, V. H.
Allocati, N.
——; Masulli, M.; Pietracupa, M.; Favaloro, B.; Federici, L.; Di Ilio, C.
Contribution of the two conserved tryptophan residues to the catalytic and structural properties of *Proteus mirabilis* glutathione S-transferase B1-1, 385:37
Allouch, J. *See* Jam, M.
Almeida, A. D. *See* Grãos, M.
Alonso, F. J. *See* Pérez-Gómez, C.
Altmann, F. *See* Bencúr, P.; Strasser, R.
Álvarez-Vallina, L. *See* Sánchez-Arévalo Lobo, V. J.
Alzayady, K. J.
——; Wojcikiewicz, R. J. H.
The role of Ca^{2+} in triggering inositol 1,4,5-trisphosphate receptor ubiquitination, 392:601
Amendola, D. *See* Fontana, M.
Ami, D. *See* Natalello, A.
Amiot, M.-J. *See* Reboul, E.
Amoresano, A. *See* Russo, G.
Ananthakrishnan, S. *See* Mouhat, S.
Anderluh, G. *See* Petrovič, U.
Andersen, G. R. *See* Yates, S. P.
Anderson, A. *See* Beaudet, M.-J.
Anderson, D. *See* Arnesen, T.
Andersson, C. X.
——; Fernandez-Rodriguez, J.; Laos, S.; Baeckström, D.; Haass, C.; Hansson, G. C.
Shedding and γ-secretase-mediated intramembrane proteolysis of the mucin-type molecule CD43, 387:377
Andrä, J.
——; Lohner, K.; Blondelle, S. E.; Jerala, R.; Moriyon, I.; Koch, M. H. J.; Garidel, P.; Brandenburg, K.
Enhancement of endotoxin neutralization by coupling of a C12-alkyl chain to a lactoferricin-derived peptide, 385:135
André, M. *See* Reboul, E.
Andreotti, N. *See* Mouhat, S.
Angelaccio, S. *See* Chiaraluce, R.
Angers, M.
——; Drouin, R.; Bachvarova, M.; Paradis, I.; Bissell, B.; Hiromura, M.; Usheva, A.; Bachvarov, D.
In vivo DNase I-mediated footprinting analysis along the human bradykinin B1 receptor (*BDKRB1*) gene promoter: evidence for cell-specific regulation, 389:37
Anning, P. B. *See* Clark, S. R.
Antalffy, G. *See* Pászty, K.
Antalis, T. M. *See* Szabo, R.
Antón, N. *See* Mendes, M. V.
Antonini, R. A. *See* Benfante, R.
Aparicio, J. F. *See* Mendes, M. V.
Åqvist, J. *See* Zavialov, A. V.
Arakawa, N. *See* Katsuyama, M.
Araki, T. *See* Kiyohara, M.; Konishi, T.
Ardehali, H. *See* Whitesell, R. R.
Arenas, J. *See* Bornstein, B.
Arfanis, K. *See* Reeves, J. R.
Argaraña, C. E. *See* Jacquelín, D. K.
Ariumi, Y. *See* Kaida, A.
Ariyanayagam, M. R.
——; Oza, S. L.; Guther, M. L. S.; Fairlamb, A. H.
Phenotypic analysis of trypanothione synthetase knockdown in the African trypanosome, 391:425
Ariza, M. E. *See* Feng, Y.
Armstrong, S. D.
——; Robertson, D. H. L.; Cheetham, S. A.; Hurst, J. L.; Beynon, R. J.
Structural and functional differences in isoforms of mouse major urinary proteins: a male-specific protein that preferentially binds a male pheromone, 391:343
Arnesen, T.
——; Anderson, D.; Baldersheim, C.; Lanotte, M.; Varhaug, J. E.; Lillehaug, J. R.
Identification and characterization of the human ARD1–NATH protein acetyltransferase complex, 386:433
Aro, E.-M. *See* Rokka, A.; Zhang, P.
Arredondo, J. J. *See* Marco-Ferreres, R.
Arribas, J. *See* Juanes, P. P.
Arrieta, J. G. *See* Martínez-Fleites, C.
Arseniev, A. S. *See* Dubovskii, P. V.; Feofanov, A. V.
Arsequell, G. *See* Gales, L.
Arthur, J. S. C. *See* Darragh, J.; McCoy, C. E.
Arthur, S. J. C. *See* Eyers, C. E.
Arulpragasam, A. *See* Butcher, N. J.
Asfari, M. *See* Coffy, S.
Ashley, C. C. *See* Lipscomb, S.
Asmyhr, T. *See* Samari, H. R.
Asselin-Labat, M.-L. *See* Maillet, M.
Astapova, M. V. *See* Feofanov, A. V.
Atshaves, B. P. *See* Martin, G. G.
Au, S. W. N. *See* Xu, Z.
Aubert, J.-P. *See* Fauquette, V.
Aubourg, A. *See* Benomar, Y.
Aubry, L. *See* Tassy, C.
Auger-Messier, M. *See* Lanctot, P. M.
Augustyns, K. *See* Bastos, I. M. D.; Maes, M.-B.
Auld, G. C.
——; Campbell, D. G.; Morrice, N.; Cohen, P.
Identification of calcium-regulated heat-stable protein of 24 kDa (CRHSP24) as a physiological substrate for PKB and RSK using KESTREL, 389:775
Austin, R. J. *See* Herter, S.

© 2006 Biochemical Society

Avendaño-Vázquez, S. E.
——; García-Caballero, A.; García-Sáinz, J. A.
Phosphorylation and desensitization of the lysophosphatidic acid receptor LPA_1, 385:677
Avidor-Reiss, T. *See* Steiner, D.
Avila, J. *See* Jiménez-Mateos, E. M.
Avison, M. B. *See* Simm, A. M.
Aydar, E. *See* Palmer, C. P.
Ayscough, K. R. *See* Costa, R.
Azoulay-Zohar, H. *See* Zalk, R.
Azzar, G. *See* Zhang, L.
Azzi, A. *See* d'Abramo, C.

Baba, K. *See* Kaida, A.
Baba, M. *See* Eguchi, J.
Babiychuk, E. B. *See* Draeger, A.
Bach, T. J. *See* Kuntz, L.
Bachvarov, D. *See* Angers, M.
Bachvarova, M. *See* Angers, M.
Bäck, N. *See* Speer, O.
Baeckström, D. *See* Andersson, C. X.
Baez, J. M.
——; Tabas, I.; Cohen, D. E.
Decreased lipid efflux and increased susceptibility to cholesterol-induced apoptosis in macrophages lacking phosphatidylcholine transfer protein, 388:57
Baggetto, L. G. *See* Barakat, S.
Bai, C.
——; Chan, F. Y.; Wang, Y.
Identification and functional characterization of a novel *Candida albicans* gene *CaMNN5* that suppresses the iron-dependent growth defect of *Saccharomyces cerevisiae aft1* Δ mutant, 389:27
Bai, G. *See* Franco, R.
Bai, X. *See* Pan, C.
Bai, Y. *See* Tang, D. D.
Bailey, D.
——; O'Hare, P.
Comparison of the SUMO1 and ubiquitin conjugation pathways during the inhibition of proteasome activity with evidence of SUMO1 recycling, 392:271
Bajohrs, M.
——; Darios, F.; Peak-Chew, S.-Y.; Davletov, B.
Promiscuous interaction of SNAP-25 with all plasma membrane syntaxins in a neuroendocrine cell, 392:283
Bakke, O. *See* Barois, N.
Balakrishnan, L. *See* Janvilisri, T.
Balasubramanian, K. *See* Bevers, E. M.
Balazy, M. *See* Roy, U.
Baldersheim, C. *See* Arnesen, T.
Ban, N.
——; Sasaki, M.; Sakai, H.; Ueda, K.; Inagaki, N.
Cloning of ABCA17, a novel rodent sperm-specific ABC (ATP-binding cassette) transporter that regulates intracellular lipid metabolism, 389:577
Ban, T. *See* Raman, B.
Bansal, P. S. *See* Torres, A. M.
Barakat, J. A. *See* Brueggemann, L. I.
Barakat, S.
——; Gayet, L.; Dayan, G.; Labialle, S.; Lazar, A.; Oleinikov, V.; Coleman, A. W.; Baggetto, L. G.
Multidrug-resistant cancer cells contain two populations of P-glycoprotein with differently stimulated P-gp ATPase activities: evidence from atomic force microscopy and biochemical analysis, 388:563
Barba, I. *See* Botchway, S. W.
Barber, T. *See* Zaragozá, R.
Barberis, M.
——; De Gioia, L.; Ruzzene, M.; Sarno, S.; Coccetti, P.; Fantucci, P.; Vanoni, M.; Alberghina, L.
The yeast cyclin-dependent kinase inhibitor Sic1 and mammalian $p27^{Kip1}$ are functional homologues with a structurally conserved inhibitory domain, 387:639
Barbeyron, T. *See* Jam, M.
Barbouti, A. *See* Tenopoulou, M.
Barclay, E.
——; O'Reilly, M.; Milligan, G.
Activation of an α_{2A}-adrenoceptor–$G\alpha_{oA}$ fusion protein dynamically regulates the palmitoylation status of the G protein but not of the receptor, 385:197
Barnett, S. F.
——; Defeo-Jones, D.; Fu, S.; Hancock, P. J.; Haskell, K. M.; Jones, R. E.; Kahana, J. A.; Kral, A. M.; Leander, K.; Lee, L. L.; Malinowski, J.; McAvoy, E. M.; Nahas, D. D.; Robinson, R. G.; Huber, H. E.
Identification and characterization of pleckstrin-homology-domain-dependent and isoenzyme-specific Akt inhibitors, 385:399
Barois, N.
——; Bakke, O.
The adaptor protein AP-4 as a component of the clathrin coat machinery: a morphological study, 385:503
Barona, T. M. *See* Byrne, R. D.
Barouki, R. *See* Truong, N.-T.
Barra, J. L. *See* Jacquelín, D. K.
Barral, P.
——; Suárez, C.; Batanero, E.; Alfonso, C.; Alché, J. de D.; Rodríguez-García, M. I.; Villalba, M.; Rivas, G.; Rodríguez, R.
An olive pollen protein with allergenic activity, Ole e 10, defines a novel family of carbohydrate-binding modules and is potentially implicated in pollen germination, 390:77
Barritt, G. J. *See* Rychkov, G. Y.
Barroso, E. *See* Gomes, R.
Barrow, J. *See* Docherty, H. M.
Barta, E. *See* Rentsendorj, O.
Bar-Tana, J. *See* Magenheim, J.
Bartee, E. *See* Hassink, G.
Barthe, P. *See* Stricher, F.
Basilico, C. *See* Kreuger, J.
Bastos, I. M. D.
——; Grellier, P.; Martins, N. F.; Cadavid-Restrepo, G.; de Souza-Ault, M. R.; Augustyns, K.; Teixeira, A. R. L.; Schrével, J.; Maigret, B.; da Silveira, J. F.; Santana, J. M.
Molecular, functional and structural properties of the prolyl oligopeptidase of *Trypanosoma cruzi* (POP Tc80), which is required for parasite entry into mammalian cells, 388:29
Bastos, M. *See* Franco, R.
Basu, A. K. *See* Liu, Yiyong
Bataille, A. *See* Gautier, T.
Batanero, E. *See* Barral, P.
Batchelor, M. *See* Jones, S.
Batlle, E. *See* Riedl, J. A.
Battchikova, N. *See* Rokka, A.; Zhang, P.
Battista, S.
——; Fedele, M.; Hoyos, J. M.; Pentimalli, F.; Pierantoni, G. M.; Visone, R.; De Martino, I.; Croce, C. M.; Fusco, A.
High-mobility-group A1 (HMGA1) proteins down-regulate the expression of the recombination activating gene 2 (RAG2), 389:91
Baty, J. W.
——; Hampton, M. B.; Winterbourn, C. C.
Proteomic detection of hydrogen peroxide-sensitive thiol proteins in Jurkat cells, 389:785; 390:791 (Correction)
Bauer, J. A. *See* Morrison, B. H.
Bauer, K. *See* Kelly, J. A.
Bäuml, E. *See* Peters, H.
Baverel, G. *See* Vittorelli, A.
Bayne, A.-C. V.
——; Mockett, R. J.; Orr, W. C.; Sohal, R. S.
Enhanced catabolism of mitochondrial superoxide/hydrogen peroxide and aging in transgenic *Drosophila*, 391:277
Bazarbachi, A. *See* Darwiche, N.
Beardmore, V. A. *See* Darragh, J.
Bearne, S. L. *See* O'Malley, P. G. P.
Beaudet, M.-J.
——; Desrochers, M.; Lachaud, A. A.; Anderson, A.
The *CYP2B2* phenobarbital response unit contains binding sites for hepatocyte nuclear factor 4, PBX–PREP1, the thyroid hormone receptor β and the liver X receptor, 388:407
Beaune, P. *See* Truong, N.-T.
Bedford, M. T. *See* Swiercz, R.
Beechem, J. M. *See* Whitesell, R. R.
Béguin, P.
——; Mahalakshmi, R. N.; Nagashima, K.; Cher, D. H. K.; Kuwamura, N.; Yamada, Y.; Seino, Y.; Hunziker, W.
Roles of 14-3-3 and calmodulin binding in subcellular localization and function of the small G-protein Rem2, 390:67; 391:712 (Correction)
Beites, C. L.
——; Campbell, K. A.; Trimble, W. S.
The septin Sept5/CDCrel-1 competes with α-SNAP for binding to the SNARE complex, 385:347
Belani, J. D. *See* Epand, R. M.
Beldman, G. *See* Zandleven, J.
Belghazi, M. *See* Ecroyd, H.
Bell, S. D. *See* Dionne, I.
Beltz, H. *See* Bourbigot, S.
Benabdelhak, H.
——; Schmitt, L.; Horn, C.; Jumel, K.; Blight, M. A.; Holland, I. B.
Positive co-operative activity and dimerization of the isolated ABC ATPase domain of HlyB from *Escherichia coli*, 386:489
Ben Aissa, M. *See* Srairi-Abid, N.
Bencúr, P.
——; Steinkellner, H.; Svoboda, B.; Mucha, J.; Strasser, R.; Kolarich, D.; Hann, S.; Köllensperger, G.; Glössl, J.; Altmann, F.; Mach, L.
Arabidopsis thaliana β1,2-xylosyltransferase: an unusual glycosyltransferase with the potential to act at multiple stages of the plant N-glycosylation pathway, 388:515
Benedetti, A. *See* Senesi, S.
Benen, J. *See* Zandleven, J.
Benfante, R.
——; Antonini, R. A.; Vaccari, M.; Flora, A.; Chen, F.; Clementi, F.; Fornasari, D.
The expression of the human neuronal α3 Na^+,K^+-ATPase subunit gene is regulated by the activity of the Sp1 and NF-Y transcription factors, 386:63
Benie, A. J. *See* Peters, H.

© 2006 Biochemical Society

Benkhalifa, R. *See* Srairi-Abid, N.
Bennett, G. W. *See* Kelly, J. A.
Bennett, P. M. *See* Simm, A. M.
Benomar, Y. *See* Niv-Spector, L.
——; Roy, A.-F.; Aubourg, A.; Djiane, J.; Taouis, M.
Cross down-regulation of leptin and insulin receptor expression and signalling in a human neuronal cell line, 388:929
Benyamin, Y. *See* Méré, J.
Berg, T. *See* Mousavi, S. A.
Berghuis, A. M. *See* Demendi, M.
Bergmann, A. *See* Kopec, J.
Berman, I. *See* Magenheim, J.
Bernstein, L. R. *See* Samuel, S.
Bertin, S. *See* Ferry, G.
Bertoldi, M.
——; Cellini, B.; Laurents, D. V.; Borri Voltattorni, C.
Folding pathway of the pyridoxal 5′-phosphate C-S lyase MalY from *Escherichia coli*, 389:885
Bespalov, M. M. *See* Virtanen, H.
Bessoule, J.-J. *See* Testet, E.
Best, J. *See* Dudley, A. C.
Best, O. G. *See* Crawford, R. M.
Bethea, D. *See* Fisher, P. W.
Bettache, N. *See* Méré, J.
Bettler, B. *See* Deriu, D.
Bevan, N. J. *See* Villemure, J.-F.
Bevers, E. M.
——; Janssen, M. P.; Comfurius, P.; Balasubramanian, K.; Schroit, A. J.; Zwaal, R. F. A.; Willems, G. M.
Quantitative determination of the binding of β_2-glycoprotein I and prothrombin to phosphatidylserine-exposing blood platelets, 386:271
Beyaert, R. *See* Tinton, S. A.
Beyermann, M. *See* Alken, M.
Beynon, R. J. *See* Armstrong, S. D.
Bhagavan, N. V. *See* Liu, R.
Bhakta, S. *See* Westwood, I. M.
Bhat, P. J. *See* Verma, M.
Bhat, R. A. *See* Elliott, C.
Bhatt, A. S. *See* Herter, S.
Bhattacharya, S.
——; Ray, R. M.; Johnson, L. R.
STAT3-mediated transcription of Bcl-2, Mcl-1 and c-IAP2 prevents apoptosis in polyamine-depleted cells, 392:335
Bhelt, D. *See* Jones, S.
Bi, W. *See* Shiraishi, N.
Bian, F. *See* Kasumov, T.
Bianchi, M.
——; De Lucchini, S.; Marin, O.; Turner, D. L.; Hanks, S. K.; Villa-Moruzzi, E.
Regulation of FAK Ser-722 phosphorylation and kinase activity by GSK3 and PP1 during cell spreading and migration, 391:359
Bianco, N. R.
——; Chaplin, L. J.; Montano, M. M.
Differential induction of quinone reductase by phytoestrogens and protection against oestrogen-induced DNA damage, 385:279
Biener, E. *See* Niv-Spector, L.
Bilanges, B.
——; Stokoe, D.
Direct comparison of the specificity of gene silencing using antisense oligonucleotides and RNAi, 388:573
Binevski, P. V. *See* Skirgello, O. E.
Bingham, R. J. *See* Thomas, J. E.
Birbes, H.
——; Luberto, C.; Hsu, Y.-T.; El Bawab, S.; Hannun, Y. A.; Obeid, L. M.
A mitochondrial pool of sphingomyelin is involved in TNFα-induced Bax translocation to mitochondria, 386:445
Bissell, B. *See* Angers, M.
Blaine, S. *See* Wick, M. J.
Blair, G. E. *See* Lee, T. W. R.
Bland, N. D. *See* Thomas, J. E.
Blennow, A. *See* Mikkelsen, R.
Bleve, G.
——; Zacheo, G.; Cappello, M. S.; Dellaglio, F.; Grieco, F.
Subcellular localization and functional expression of the glycerol uptake protein 1 (GUP1) of *Saccharomyces cerevisiae* tagged with green fluorescent protein, 390:145
Blight, M. A. *See* Benabdelhak, H.
Block, M. A. *See* El-Kafafi, E.-S.
Blondelle, S. E. *See* Andrä, J.
Bloomberg, G. B. *See* McCoy, C. E.
Blume, R. *See* Sharma, S. K.
Blundell, T. L. *See* Ehebauer, M. T.
Board, P. G. *See* Dulhunty, A. F.
Bochet, P. *See* Maillet, M.
Bocos, C. *See* Sevillano, J.
Bode, J. G. *See* Ehlting, C.
Boeglin, W. E. *See* Schneider, C.
Boffi, A. *See* Fontana, M.
Böhmer, C.
——; Bröer, A.; Munzinger, M.; Kowalczuk, S.; Rasko, J. E. J.; Lang, F.; Bröer, S.
Characterization of mouse amino acid transporter B^0AT1 (slc6a19), 389:745
Boileau, G. *See* Molinaro, G.
Boll, M. *See* Foltz, M.
Bollen, M. *See* Landsverk, H. B.
Bolouri, H. *See* de Atauri, P.
Bolscher, J. G. M. *See* den Hertog, A. L.
Bonet-Kerrache, A.
——; Fortier, M.; Comunale, F.; Gauthier-Rouvière, C.
The GTPase RhoA increases utrophin expression and stability, as well as its localization at the plasma membrane, 391:261
Bonicalzi, M.-È. *See* Gagné, J.-P.
Bonkovsky, H. L. *See* Kolluri, S.
Bonvin, E. *See* Terrien, X.
Bootsma, A. H. *See* van Vlies, N.
Boraston, A. B.
——; The interaction of carbohydrate-binding modules with insoluble non-crystalline cellulose is enthalpically driven, 385:479
Borel, P. *See* Reboul, E.
Borman, M. A. *See* Wilson, D. P.
Bornstein, B.
——; Mas, J. A.; Patrono, C.; Fernández-Moreno, M. A.; González-Vioque, E.; Campos, Y.; Carrozzo, R.; Martín, M. A.; del Hoyo, P.; Santorelli, F. M.; Arenas, J.; Garesse, R.
Comparative analysis of the pathogenic mechanisms associated with the G8363A and A8296G mutations in the mitochondrial $tRNA^{Lys}$ gene, 387:773
Borri Voltattorni, C. *See* Bertoldi, M.
Borthwick, K. *See* Faye, A.
Bos, J. L. *See* Riedl, J. A.
Bose, D. D.
——; Rahimian, R.; Thomas, D. W.
Activation of ryanodine receptors induces calcium influx in a neuroblastoma cell line lacking calcium influx factor activity, 386:291
Bosques, C. J. *See* Prabhakar, V.
Bossy-Wetzel, E. *See* Zhu, C.
Bosveld, M. *See* Zandleven, J.
Botchway, S. W.
——; Barba, I.; Jordan, R.; Harmston, R.; Haggie, P. M.; Williams, S.-P.; Fulton, A. M.; Parker, A. W.; Brindle, K. M.
A novel method for observing proteins *in vivo* using a small fluorescent label and multiphoton imaging, 390:787
Bouaziz, S. *See* Bourbigot, S.
Bouchet, J.-P. *See* Ferry, G.
Boukouvalas, J. *See* Veldhuizen, E. J. A.
Boulanger, P. *See* Destoumieux-Garzón, D.
Boumedienne, M. *See* Saksouk, N.
Bourbigot, S.
——; Beltz, H.; Denis, J.; Morellet, N.; Roques, B. P.; Mély, Y.; Bouaziz, S.
The C-terminal domain of the HIV-1 regulatory protein Vpr adopts an antiparallel dimeric structure in solution via its leucine-zipper-like domain, 387:333
Bourges, I. *See* Horan, S.
Bournier, O. *See* Rotter, B.
Bournot, P. *See* Le Jossic-Corcos, C.
Boutin, J. A. *See* Ferry, G.
Bouvier, M. *See* Villemure, J.-F.
Bovin, N. *See* Perret, S.
Bowditch, R. D. *See* Bridges, L. C.
Bowen, R. F. *See* Raikwar, N. S.
Boyer, T. D. *See* Ranganathan, P. N.
Boyne, J. R. *See* Williams, B. J. L.
Bozóky, Z.
——; Alexa, A.; Tompa, P.; Friedrich, P.
Multiple interactions of the 'transducer' govern its function in calpain activation by Ca^{2+}, 388:741
Bradbury, A. R. M. *See* Di Niro, R.
Bradshaw, P. C.
——; Li, J.; Samuels, D. C.
A computational model of mitochondrial AZT metabolism, 392:363
Brady, R. O. *See* Salvioli, R.
Brand, M. D.
——; Pakay, J. L.; Ocloo, A.; Kokoszka, J.; Wallace, D. C.; Brookes, P. S.; Cornwall, E. J.
The basal proton conductance of mitochondria depends on adenine nucleotide translocase content, 392:353
Brandenburg, K. *See* Andrä, J.
Brandsdal, B. O. *See* Zavialov, A. V.
Brandt, D. T. *See* Riedl, J. A.
Brandt, W. F. *See* Moore, J. P.
Brash, A. R. *See* Schneider, C.
Braun, N. *See* Wang, C. J. H.
Bray, R. C. *See* Godber, B. L. J.
Brdiczka, D. *See* Speer, O.
Brémaud, L. *See* Tassy, C.
Brendese, J. *See* Yang, Y.
Breugelmans, B. *See* Simonet, G.
Bridges, L. C.
——; Sheppard, D.; Bowditch, R. D.
ADAM disintegrin-like domain recognition by the lymphocyte integrins $\alpha4\beta1$ and $\alpha4\beta7$, 387:101
Brigham-Burke, M. *See* Fisher, P. W.
Brillard, M. *See* Tassy, C.
Brinda, K. V.
——; Surolia, A.; Vishveshwara, S.
Insights into the quaternary association of proteins through structure graphs: a case study of lectins, 391:1

© 2006 Biochemical Society

Brindle, K. M. *See* Botchway, S. W.
Brindley, D. N. *See* Zhao, Y.
Brinkmann, T. *See* Müller, S.
Britto, P. J.
——; Knipling, L.; McPhie, P.; Wolff, J.
Thiol–disulphide interchange in tubulin: kinetics and the effect on polymerization, 389:549
Broad, L. M. *See* Moneer, Z.
Brocca, S. *See* Natalello, A.
Bröer, A. *See* Böhmer, C.; Kowalczuk, S.
Bröer, S. *See* Böhmer, C.; Kowalczuk, S.
Brookes, M. J. *See* Sharma, N.
Brookes, P. S. *See* Brand, M. D.
Brooks, D. *See* Parkinson-Lawrence, E.
Brough, D.
——; Schell, M. J.; Irvine, R. F.
Agonist-induced regulation of mitochondrial and endoplasmic reticulum motility, 392:291
Brown, A. J. *See* Quinn, C. M.
Brown, A. M.
——; Riddoch, F. C.; Robson, A.; Redfern, C. P. F.; Cheek, T. R.
Mechanistic and functional changes in Ca^{2+} entry after retinoic acid-induced differentiation of neuroblastoma cells, 388:941
Brown, A.-M. *See* Knight, B. L.
Brown, E. D. *See* Campbell, T. L.
Brown, S. *See* Toth, M.
Brueggemann, L. I.
——; Markun, D. R.; Barakat, J. A.; Chen, H.; Byron, K. L.
Evidence against reciprocal regulation of Ca^{2+} entry by vasopressin in A7r5 rat aortic smooth-muscle cells, 388:237
Bruhn, H.
——; A short guided tour through functional and structural features of saposin-like proteins, 389:249
Brumer, III, H. *See* Kallas, Å. M.
Brunengraber, H. *See* Kasumov, T.
Brunk, U. *See* Tenopoulou, M.
Brunk, U. T. *See* Persson, H. L.
Brunner, F. *See* Kollau, A.
Bruynooghe, Y. *See* Tinton, S. A.
Bucci, G. *See* Senesi, S.
Buchert, M. *See* King, J. A. J.
Buchet, R. *See* Zhang, L.
Bucurescu, S. *See* Sandhu, J. K.
Buerklen, T. *See* Speer, O.
Bugge, T. H. *See* Szabo, R.
Bujdoso, R. *See* Thackray, A. M.
Bunoust, O. *See* Testet, E.
Burbach, J. P. H. *See* van der Heide, L. P.
Burbaev, D. *See* Shleev, S.
Burchell, A. *See* Senesi, S.
Burger, K. N. J. *See* Flesch, F. M.
Burgering, B. M. T. *See* van den Heuvel, A. P. J.
Burgoyne, R. D. *See* O'Callaghan, D. W.
Burtle, B. *See* Chabanon, H.
Burton, M.
——; Rose, T. M.; Færgeman, N. J.; Knudsen, J.
Evolution of the acyl-CoA binding protein (ACBP), 392:299
Bustos, V. H.
——; Marin, O.; Meggio, F.; Cesaro, L.; Allende, C. C.; Allende, J. E.; Pinna, L. A.
Generation of protein kinase Ck1α mutants which discriminate between canonical and non canonical substrates, 391:417
Butcher, N. J.
——; Arulpragasam, A.; Goh, H. L.; Davey, T.; Minchin, R. F.
Genomic organization of human arylamine *N*-acetyltransferase Type I reveals alternative promoters that generate different 5′-UTR splice variants with altered translational activities, 387:119
Butovsky, E. *See* Steiner, D.
Bykov, I. *See* Vainio, S.
Byrne, R. D.
——; Barona, T. M.; Garnier, M.; Koster, G.; Katan, M.; Poccia, D. L.; Larijani, B.
Nuclear envelope assembly is promoted by phosphoinositide-specific phospholipase C with selective recruitment of phosphatidylinositol-enriched membranes, 387:393
Byron, K. L. *See* Brueggemann, L. I.

Cadavid-Restrepo, G. *See* Bastos, I. M. D.
Cadenas, E. *See* Iñarrea, P.
Cagen, L. M.
——; Deng, X.; Wilcox, H. G.; Park, E. A.; Raghow, R.; Elam, M. B.
Insulin activates the rat sterol-regulatory-element-binding protein 1c (SREBP-1c) promoter through the combinatorial actions of SREBP, LXR, Sp-1 and NF-Y *cis*-acting elements, 385:207
Cailler, F. *See* de Coupade, C.
Calandra, T. *See* Roger, T.
Calder, M. *See* Orton, R. J.
Calderon, R. *See* Strobel, P.
Callebaut, I. *See* Niv-Spector, L.
Callus, B. A. *See* King, J. A. J.
Caltagirone, A. *See* Fillebeen, C.
Calvete, J. J. *See* Monleón, D.
Calvo, V. *See* Solanes, G.
Camello-Almaraz, C. *See* López, J. J.
Camougrand, N. *See* Testet, E.
Campbell, D. G. *See* Auld, G. C.; McCoy, C. E.; Murray, J. T.; Pozuelo Rubio, M.; Rousseau, S.
Campbell, K. A. *See* Beites, C. L.
Campbell, R. L. *See* Ravulapalli, R.
Campbell, T. L.
——; Daigle, D. M.; Brown, E. D.
Characterization of the *Bacillus subtilis* GTPase YloQ and its role in ribosome function, 389:843
Campenot, R. B. *See* Karten, B.
Campillo, N. E. *See* Monterroso, B.
Campos, Y. *See* Bornstein, B.
Campos-Sandoval, J. A. *See* Pérez-Gómez, C.
Cañuelo, A. *See* Muñoz-Gámez, J. A.
Cao, J. *See* Hurst, D. R.
Cao, P. *See* Herter, S.
Cao, W.
——; Lee, S. H.; Lu, J.
CD83 is preformed inside monocytes, macrophages and dendritic cells, but it is only stably expressed on activated dendritic cells, 385:85
Capasso, C.
——; Carginale, V.; Crescenzi, O.; Di Maro, D.; Spadaccini, R.; Temussi, P. A.; Parisi, E.
Structural and functional studies of vertebrate metallothioneins: cross-talk between domains in the absence of physical contact, 391:95
Capeillere-Blandin, C.
——; Mathieu, D.; Mansuy, D.
Reduction of ferric haemoproteins by tetrahydropterins: a kinetic study, 392:583
Capila, I. *See* Prabhakar, V.
Cappello, M. S. *See* Bleve, G.
Carginale, V. *See* Capasso, C.
Carhan, A. *See* Thomas, J. E.
Carlier, S. *See* de Coupade, C.
Carlson, B. A. *See* Schweizer, U.
Carmena, R. *See* Zaragozá, R.
Carmichael, J. B. *See* Jaronczyk, K.
Carmona, A. K. *See* Molinaro, G.; Woodman, Z. L.
Carmona, M. C.
——; Hondares, E.; Rodríguez De La Concepción, M. L.; Rodríguez-Sureda, V.; Peinado-Onsurbe, J.; Poli, V.; Iglesias, R.; Villarroya, F.; Giralt, M.
Defective thermoregulation, impaired lipid metabolism, but preserved adrenergic induction of gene expression in brown fat of mice lacking C/EBPβ, 389:47
Carpenter, G. H. *See* Proctor, G. B.
Carratore, V. *See* Verde, C.
Carroll, J. *See* Rickman, C.
Carrozzo, R. *See* Bornstein, B.
Carter, P. *See* Ilic, M. Z.
Carton, J. *See* Fisher, P. W.
Cartron, J.-P. *See* Zidi-Yahiaoui, N.
Caruso, J. A.
——; Mathieu, P. A.; Reiners, Jr, J. J.
Sphingomyelins suppress the targeted disruption of lysosomes/endosomes by the photosensitizer NPe6 during photodynamic therapy, 392:325
Casals, C. *See* García-Verdugo, I.
Casarotto, M. G. *See* Dulhunty, A. F.
Casero, Jr, R. A. *See* Wang, Y.
Cases-González, C. E.
——; Menéndez-Arias, L.
Nucleotide specificity of HIV-1 reverse transcriptases with amino acid substitutions affecting Ala-114, 387:221
Castagnola, M. *See* Sanna, M. T.
Castaldo, S. *See* Di Natale, P.
Castañares, C. *See* Reimunde, F. M.
Catz, S. D. *See* Johnson, J. L.
Cavero, S.
——; Traba, J.; del Arco, A.; Satrústegui, J.
The calcium-dependent ATP-Mg/P_i mitochondrial carrier is a target of glucose-induced calcium signalling in *Saccharomyces cerevisiae*, 392:537
Cecchini, G. *See* Loskovich, M. V.
Celda, B. *See* Monleón, D.
Cellini, B. *See* Bertoldi, M.
Cerbón, J.
——; Falcon, A.; Hernández-Luna, C.; Segura-Cobos, D.
Inositol phosphoceramide synthase is a regulator of intracellular levels of diacylglycerol and ceramide during the G_1 to S transition in *Saccharomyces cerevisiae*, 388:169
Cerna, L. *See* Stiburek, L.
Cerulis, S. *See* Fauquette, V.
Cervera, M. *See* Marco-Ferreres, R.
Cesaro, L. *See* Bustos, V. H.
Chabanon, H. *See* Nury, D.
——; Mickleburgh, I.; Burtle, B.; Pedder, C.; Hesketh, J.
An AU-rich stem–loop structure is a critical feature of the perinuclear localization signal of c-*myc* mRNA, 392:475
Chagnas, V. *See* de Coupade, C.
Chagnon, M. *See* Molinaro, G.
Chagot, B.
——; Pimentel, C.; Dai, L.; Pil, J.; Tytgat, J.; Nakajima, T.; Corzo, G.; Darbon, H.; Ferrat, G.

© 2006 Biochemical Society

An unusual fold for potassium channel blockers: NMR structure of three toxins from the scorpion *Opisthacanthus madagascariensis*, 388:263
Chahinian, A. *See* Méré, J.
Chakraborty, A. *See* Datta, R.
Chakraborty, K.
——; Shivakumar, P.; Raghothama, S.; Varadarajan, R.
NMR structural analysis of a peptide mimic of the bridging sheet of HIV-1 gp120 in methanol and water, 390:573
Chalton, D. A. *See* Visudtiphole, V.
Chamberlain, M. *See* Wang, X. J.
Chan, F. Y. *See* Bai, C.
Chan, W.-K. *See* Kuo, M.-W.
Chang, C. C. Y. *See* Liu, J.
Chang, G.-G. *See* Hung, H.-C.
Chang, S.-Y. *See* Chen, A. P.-C.
Chang, T.-Y. *See* Liu, J.
Chang, W.
——; Dynek, J. N.; Smith, S.
NuMA is a major acceptor of poly(ADP-ribosyl)ation by tankyrase 1 in mitosis, 391:177 (*See* Compton, D. A. for online-only commentary)
Chaplin, L. J. *See* Bianco, N. R.
Chatrenet, B. *See* Desmaris, F.
Chatterjee, S. *See* Grãos, M.
Chau, V. *See* Hassink, G.
Chauhan, V. S. *See* Kannan, R.
Chavez, J. A. *See* Safadi-Chamberlain, F.
Cheek, T. R. *See* Brown, A. M.
Cheetham, S. A. *See* Armstrong, S. D.
Cheikh, A. *See* Srairi-Abid, N.
Chen, A. P.-C.
——; Chang, S.-Y.; Lin, Y.-C.; Sun, Y.-S.; Chen, C.-T.; Wang, A. H.-J.; Liang, P.-H.
Substrate and product specificities of *cis*-type undecaprenyl pyrophosphate synthase, 386:169
Chen, C. *See* Fisher, P. W.
——; Dudenhausen, E.; Chen, H.; Pan, Y.-X.; Gjymishka, A.; Kilberg, M. S.
Amino-acid limitation induces transcription from the human *C/EBPβ* gene via an enhancer activity located downstream of the protein coding sequence, 391:649
Chen, C.-S. *See* Tong, Z.
Chen, C.-T. *See* Chen, A. P.-C.
Chen, F. *See* Benfante, R.
Chen, F. W.
——; Gordon, R. E.; Ioannou, Y. A.
NPC1 late endosomes contain elevated levels of non-esterified ('free') fatty acids and an abnormally glycosylated form of the NPC2 protein, 390:549
Chen, G. *See* Wang, J.
Chen, H. *See* Brueggemann, L. I.; Chen, C.; Xiao, Q.
Chen, N. *See* Kane, M. A.
Chen, Q. *See* Pan, C.
Chen, Y.-H. *See* Lee, H.-J.
Chen, Yan *See* Lin, L.
Chen, Yaoyao *See* Liu, D.
Chen, Yingyu *See* Liu, D.
Chen, Z. *See* Meng, S.; Xu, X.
Cheng, D. *See* Rendina, A. R.
Cheng, S. H. *See* Zhu, Y.
Chénier, S. *See* Villemure, J.-F.
Cher, D. H. K. *See* Béguin, P.
Cheung, J. C.
——; Cordat, E.; Reithmeier, R. A. F.
Trafficking defects of the Southeast Asian ovalocytosis deletion mutant of anion exchanger 1 membrane proteins, 392:425
——; Li, J.; Reithmeier, R. A. F.
Topology of transmembrane segments 1–4 in the human chloride/bicarbonate anion exchanger 1 (AE1) by scanning N-glycosylation mutagenesis, 390:137
Chiaraluce, R.
——; Gianese, G.; Angelaccio, S.; Florio, R.; van Lieshout, J. F. T.; van der Oost, J.; Consalvi, V.
Calcium-induced tertiary structure modifications of endo-β-1,3-glucanase from *Pyrococcus furiosus* in 7.9 M guanidinium chloride, 386:515
Chibalina, M. V. *See* Zouwail, S.
Chini, E. N.
——; Nagamune, K.; Wetzel, D. M.; Sibley, L. D.
Evidence that the cADPR signalling pathway controls calcium-mediated microneme secretion in *Toxoplasma gondii*, 389:269
Chirdo, F. *See* Di Niro, R.
Chirgadze, D. Y. *See* Ehebauer, M. T.
Cho, S.-H. *See* You, H. J.
Choe, Y. *See* Herter, S.
Choi, D. *See* Lee, S.-J.
Choi, E.-Y. *See* You, H. J.
Chomarat, P. *See* Ferry, G.
Choo, K.-B. *See* Huang, C.-J.
Chou, W.-C. *See* Koutsodontis, G.
Choy, N. *See* Raussens, V.
Choy, P. C. *See* Lu, B.
Christensen, B.
——; Nielsen, M. S.; Haselmann, K. F.; Petersen, T. E.; Sørensen, E. S.
Post-translationally modified residues of native human osteopontin are located in clusters: identification of 36 phosphorylation and five O-glycosylation sites and their biological implications, 390:285
Christenson, A. *See* Shleev, S.
Chu, B. Y.
——; Tran, K.; Ku, T. K. S.; Crowe, D. L.
Regulation of ERK1 gene expression by coactivator proteins, 392:589
Chudakov, D. M. *See* Shkrob, M. A.
Chung, B.-c. *See* Kuo, M.-W.
Churamani, D.
——; Dickinson, G. D.; Patel, S.
NAADP binding to its target protein in sea urchin eggs requires phospholipids, 386:497
Churchill, T. *See* Walker, J.
Ciaffoni, F. *See* Salvioli, R.
Ciccoli, R.
——; Sahi, S.; Singh, S.; Prakash, H.; Zafiriou, M.-P.; Ishdorj, G.; Kock, J. L. F.; Nigam, S.
Oxygenation by COX-2 (cyclo-oxygenase-2) of 3-HETE (3-hydroxyeicosatetraenoic acid), a fungal mimetic of arachidonic acid, produces a cascade of novel bioactive 3-hydroxyeicosanoids, 390:737
Cid, V. J. *See* Rodríguez-Escudero, I.
Cieśla, J.
——; Jagielska, E.; Skopiński, T.; Dąbrowska, M.; Maley, F.; Rode, W.
Binding and repression of translation of the cognate mRNA by *Trichinella spiralis* thymidylate synthase differ from the corresponding interactions of the human enzyme, 390:681
Circolo, A. *See* Ligoudistianou, C.
Ciudad, A.
——; Sancho, J. M.
External mechanical force as an inhibition process in kinesin's motion, 390:345
Civitelli, R. *See* Stains, J. P.
Claas, C.
——; Wahl, J.; Orlicky, D. J.; Karaduman, H.; Schnölzer, M.; Kempf, T.; Zöller, M.
The tetraspanin D6.1A and its molecular partners on rat carcinoma cells, 389:99
Claeys, I. *See* Simonet, G.
Clague, M. J. *See* Row, P. E.
Clark, A. *See* Hilvo, M.
Clark, I. M. *See* Porter, S.
Clark, S. R.
——; Anning, P. B.; Coffey, M. J.; Roberts, A. G.; Marnett, L. J.; O'Donnell, V. B.
Depletion of iNOS-derived nitric oxide by prostaglandin H synthase-2 in inflammation-activated J774.2 macrophages through lipohydroperoxidase turnover, 385:815
Clarke, A. R. *See* Jones, S.
Clarke, C. A. L.
——; Clarke, P. R.
DNA-dependent phosphorylation of Chk1 and Claspin in a human cell-free system, 388:705
Clarke, P. R. *See* Clarke, C. A. L.
Clement, A. *See* Terrien, X.
Clement, C. *See* Xu, D.
Clément, M. *See* Lanctot, P. M.
Clementi, F. *See* Benfante, R.
Cléroux, P. *See* Richard, S.
Clevers, H. *See* Riedl, J. A.
Cocca, E. *See* Verde, C.
Coccetti, P. *See* Barberis, M.
Codio, C. *See* Rouget, R.
Coffey, M. J. *See* Clark, S. R.
Coffy, S.
——; Decaux, J.-F.; Girard, J.; de Keyzer, Y.; Asfari, M.
Identification of a novel rat hepatic gene induced early by insulin, independently of glucose, 385:165
Cogé, F. *See* Ferry, G.
Coggan, M. *See* Dulhunty, A. F.
Cohen, D. E. *See* Baez, J. M.
Cohen, P. *See* Auld, G. C.; Eyers, C. E.; Murray, J. T.; Rousseau, S.
Cohen, P. T. W. *See* Zeke, T.
Cole, J. A. *See* Turner, S. M.
Coleman, A. W. *See* Barakat, S.
Coleman, C. S. *See* Hassink, G.
Colin, Y. *See* Zidi-Yahiaoui, N.
Colin-Morel, P. *See* Saksouk, N.
Collas, P. *See* Landsverk, H. B.
Collinge, J. *See* Jones, S.
Collins, L. *See* Agranoff, D.
Combs, A. C.
——; Ervasti, J. M.
Enhanced laminin binding by α-dystroglycan after enzymatic deglycosylation, 390:303
Comfurius, P. *See* Bevers, E. M.
Compton, D. A.
——; Regulation of mitosis by poly(ADP-ribosyl)ation (online-only commentary on Chang, W.), 391:e5
Comunale, F. *See* Bonet-Kerrache, A.
Connor, J. R. *See* Surguladze, N.
Consalvi, V. *See* Chiaraluce, R.
Conti, M. *See* Richter, W.
Cooper, B. *See* Sharma, N.
Cooper, E. *See* Stolk, M.
Corcoran, N. M. *See* King, J. A. J.
Cordat, E. *See* Cheung, J. C.
Cordeiro, C. *See* Gomes, R.
Cordeiro, T. N. *See* García, J.

© 2006 Biochemical Society

Cordes, K. S. *See* Salhany, J. M.
Cornelis, S. *See* Tinton, S. A.
Cornell, B. *See* Fodero-Tavoletti, M. T.
Cornwall, E. J. *See* Brand, M. D.
Corrigan, D. P.
——; Kuszczak, D.; Rusinol, A. E.; Thewke, D. P.; Hrycyna, C. A.; Michaelis, S.; Sinensky, M. S.
Prelamin A endoproteolytic processing *in vitro* by recombinant Zmpste24, 387:129
Corroyer, S. *See* Terrien, X.
Corzo, G. *See* Chagot, B.
Costa, R.
——; Warren, D. T.; Ayscough, K. R.
Lsb5p interacts with actin regulators Sla1p and Las17p, ubiquitin and Arf3p to couple actin dynamics to membrane trafficking processes, 387:649
Costantini, C.
——; Weindruch, R.; Della Valle, G.; Puglielli, L.
A TrkA-to-p75^{NTR} molecular switch activates amyloid β-peptide generation during aging, 391:59
Costanzo, P. *See* Iacobazzi, V.
Costin, G.-E.
——; Valencia, J. C.; Wakamatsu, K.; Ito, S.; Solano, F.; Milac, A. L.; Vieira, W. D.; Yamaguchi, Y.; Rouzaud, F.; Petrescu, A.-J.; Lamoreux, M. L.; Hearing, V. J.
Mutations in dopachrome tautomerase (Dct) affect eumelanin/pheomelanin synthesis, but do not affect intracellular trafficking of the mutant protein, 391:249
Cottaz, S. *See* Huang, Y.
Couchman, J. R. *See* Dovas, A.
Coulon, D. *See* Testet, E.
Covey, D. F. *See* Liu, J.
Cowburn, R. F. *See* Flood, F.
Cozzi, A. *See* Surguladze, N.
Craik, C. S. *See* Herter, S.
Cranmer, S. L.
——; Pikovski, I.; Mangin, P.; Thompson, P. E.; Domagala, T.; Frazzetto, M.; Salem, H. H.; Jackson, S. P.
Identification of a unique filamin A binding region within the cytoplasmic domain of glycoprotein Ibα, 387:849
Crapo, J. D. *See* Petersen, S. V.
Cravero, J. D. *See* Starkman, B. G.
Crawford, R. M.
——; Treharne, K. J.; Best, O. G.; Muimo, R.; Riemen, C. E.; Mehta, A.
A novel physical and functional association between nucleoside diphosphate kinase A and AMP-activated protein kinase α1 in liver and lung, 392:201
Crescenzi, O. *See* Capasso, C.
Creuzenet, C. *See* Demendi, M.
Croce, C. M. *See* Battista, S.
Crosby, J. *See* Simm, A. M.
Crowe, D. L. *See* Chu, B. Y.
Cuccurese, M. *See* Russo, G.
Cuenda, A. *See* Eyers, C. E.
Cuevas, Y. *See* Pescador, N.
Cullen, A. A. *See* Kelly, J. A.
Culotta, V. C. *See* Outten, C. E.; Yang, M.
Cummings, R. *See* Zhao, Y.
Cunha-e-Silva, N. L. *See* Vieira, M.
Cunningham, S. *See* Kalivendi, S. V.
Curtis, S. M. *See* Dulhunty, A. F.
Cuthbertson, D. J. *See* Ruiz-Alcaraz, A. J.
Cutler, G. *See* Herter, S.
Czjzek, M. *See* Jam, M.
D'Abaco, G. M. *See* King, J. A. J.
d'Abramo, C.
——; Massone, S.; Zingg, J.-M.; Pizzuti, A.; Marambaud, P.; Dalla Piccola, B.; Azzi, A.; Marinari, U. M.; Pronzato, M. A.; Ricciarelli, R.
Role of peroxisome proliferator-activated receptor γ in amyloid precursor protein processing and amyloid β-mediated cell death, 391:693
Dąbrowska, M. *See* Cieśla, J.
Dacheux, J.-L. *See* Ecroyd, H.
Dai, L. *See* Chagot, B.
Daigle, D. M. *See* Campbell, T. L.
Daikhin, Y. *See* Horyn, O.
Dailey, H. A. *See* Dailey, T. A.
Dailey, T. A.
——; Woodruff, J. H.; Dailey, H. A.
Examination of mitochondrial protein targeting of haem synthetic enzymes: *in vivo* identification of three functional haem-responsive motifs in 5-aminolaevulinate synthase, 386:381; 391:711 (Correction)
D'Alexandri, F. L. *See* Tonhosolo, R.
Dalla Piccola, B. *See* d'Abramo, C.
Damas, A. M. *See* Gales, L.
D'Ambrosio, A.-M. *See* Zidi-Yahiaoui, N.
Daniel, H. *See* Foltz, M.
D'Aniello, A. *See* D'Aniello, S.
D'Aniello, S.
——; Spinelli, P.; Ferrandino, G.; Peterson, K.; Tsesarskia, M.; Fisher, G.; D'Aniello, A.
Cephalopod vision involves dicarboxylic amino acids: D-aspartate, L-aspartate and L-glutamate, 386:331
Daraba, A. *See* Rentsendorj, O.
Darbon, H. *See* Chagot, B.; Mouhat, S.
Darios, F. *See* Bajohrs, M.
Darmon, A. *See* de Coupade, C.
Darragh, J.
——; Soloaga, A.; Beardmore, V. A.; Wingate, A. D.; Wiggin, G. R.; Peggie, M.; Arthur, J. S. C.
MSKs are required for the transcription of the nuclear orphan receptors *Nur77*, *Nurr1* and *Nor1* downstream of MAPK signalling, 390:749
Darroch, P. *See* Long, J.
Darwiche, N.
——; Abou-Lteif, G.; Najdi, T.; Kozhaya, L.; Abou Tayyoun, A.; Bazarbachi, A.; Dbaibo, G. S.
Human T-cell lymphotropic virus type I-transformed T-cells have a partial defect in ceramide synthesis in response to *N*-(4-hydroxyphenyl)retinamide, 392:231
Das, A. *See* Sengupta, T.
Das, I. *See* Datta, R.
Das, K. *See* Vucic, D.
Das, R. *See* Sengupta, T.
da Silveira, J. F. *See* Bastos, I. M. D.
Dass, C. *See* Huang, B. X.
Datta, A. K. *See* Adak, S.; Datta, R.
Datta, R.
——; Das, I.; Sen, B.; Chakraborty, A.; Adak, S.; Mandal, C.; Datta, A. K.
Mutational analysis of the active site residues crucial for catalytic activity of adenosine kinase from *Leishmania donovani*, 387:591
Davey, T. *See* Butcher, N. J.
David, F. *See* Kasumov, T.
Davies, C. *See* Nicola, G.
Davies, G. J. *See* Martínez-Fleites, C.
Davies, M. J. *See* Furukawa, A.; Rees, M. D.
Davies, P. L. *See* Ravulapalli, R.
Davies, S.-A. *See* Day, J. P.
Davila, A. *See* Dinarina, A.
Davis, B. G. *See* Skipsey, M.
Davletov, B. *See* Bajohrs, M.; Rickman, C.
Day, D. A. *See* Winger, A. M.
Day, J. P.
——; Dow, J. A. T.; Houslay, M. D.; Davies, S.-A.
Cyclic nucleotide phosphodiesterases in *Drosophila melanogaster*, 388:333
Dayan, G. *See* Barakat, S.
Dbaibo, G. S. *See* Darwiche, N.
Deak, M. *See* McCoy, C. E.; Vitari, A. C.
de Atauri, P.
——; Orrell, D.; Ramsey, S.; Bolouri, H.
Is the regulation of galactose 1-phosphate tuned against gene expression noise?, 387:77
De Backer, J.-P. *See* Laeremans, H.
Decaux, J.-F. *See* Coffy, S.
Deckert, V. *See* Gautier, T.
de Coupade, C.
——; Fittipaldi, A.; Chagnas, V.; Michel, M.; Carlier, S.; Tasciotti, E.; Darmon, A.; Ravel, D.; Kearsey, J.; Giacca, M.; Cailler, F.
Novel human-derived cell-penetrating peptides for specific subcellular delivery of therapeutic biomolecules, 390:407
De Dea, E. *See* de Filippis, V.
Deeg, M. A. *See* Raikwar, N. S.
De Felice, M. *See* Di Natale, P.
Defeo-Jones, D. *See* Barnett, S. F.
De Filippis, V.
——; De Dea, E.; Lucatello, F.; Frasson, R.
Effect of Na^+ binding on the conformation, stability and molecular recognition properties of thrombin, 390:485 (*See* Huntington, J. A. for online-only commentary)
De Gioia, L. *See* Barberis, M.
Dehry, Z. *See* Gillibert, M.
de Keyzer, Y. *See* Coffy, S.
Delagrange, P. *See* Ferry, G.
Delannoy, P. *See* Teintenier-Lelièvre, M.
del Arco, A. *See* Cavero, S.
——; Novel variants of human SCaMC-3, an isoform of the ATP-Mg/P_i mitochondrial carrier, generated by alternative splicing from 3′-flanking transposable elements, 389:647
DelCarlo, Jr, M. *See* Starkman, B. G.
Delepierre, M. *See* Srairi-Abid, N.
del Hoyo, P. *See* Bornstein, B.
Dellaglio, F. *See* Bleve, G.
Della Valle, G. *See* Costantini, C.
De Loof, A. *See* Simonet, G.
Delourme, D. *See* Tassy, C.
del Peso, L. *See* Pescador, N.
del Pilar Ramos, M. *See* Sevillano, J.
Del Poeta, M. *See* Djordjevic, J. T.
De Lucchini, S. *See* Bianchi, M.
Demaegdt, H. *See* Laeremans, H.
De Martino, I. *See* Battista, S.
Demaurex, N. *See* Petheő, G. L.
De Meester, I. *See* Maes, M.-B.
de Murcia, G. *See* Muñoz-Gámez, J. A.
De Pascale, D. *See* Verde, C.
De Rosa, M. C. *See* Verde, C.
de Souza, W. *See* Vieira, M.
de Souza-Ault, M. R. *See* Bastos, I. M. D.
De Tapia, M. *See* Di Scala, F.
De Waard, M. *See* Mouhat, S.
de Waziers, I. *See* Truong, N.-T.
de Winde, J. H. *See* Aguilera, J.

© 2006 Biochemical Society

Demendi, M.
——; Ishiyama, N.; Lam, J. S.; Berghuis, A. M.; Creuzenet, C.
Towards a better understanding of the substrate specificity of the UDP-*N*-acetylglucosamine C4 epimerase WbpP, 389:173
Deng, J. T. *See* Wilson, D. P.
Deng, X. *See* Cagen, L. M.
den Hertog, A. L.
——; van Marle, J.; van Veen, H. A.; van't Hof, W.; Bolscher, J. G. M.; Veerman, E. C. I.; Nieuw Amerongen, A. V.
Candidacidal effects of two antimicrobial peptides: histatin 5 causes small membrane defects, but LL-37 causes massive disruption of the cell membrane, 388:689
Denis, G. V. *See* Sinha, A.
Denis, J. *See* Bourbigot, S.
Denker, B. M. *See* Guan, J.
Denman, S. E. *See* Kallas, Å. M.
Depre, C. *See* Hase, M.
Derbyshire, Z. E. *See* Halfter, U. M.
Deriu, D.
——; Gassmann, M.; Firbank, S.; Ristig, D.; Lampert, C.; Mosbacher, J.; Froestl, W.; Kaupmann, K.; Bettler, B.; Grütter, M. G.
Determination of the minimal functional ligand-binding domain of the $GABA_{B(1b)}$ receptor, 386:423
Deshayes, K. *See* Vucic, D.
Desmadril, M. *See* Destoumieux-Garzón, D.; Perret, S.
Desmaris, F.
——; Lemaire, D.; Ricard-Blum, S.; Chatrenet, B.; Forest, E.
Structural characterization of the feline-immunodeficiency-virus envelope glycoprotein 36 ectodomain for the development of new antivirals, 389:559
Desnoyers, S. *See* Zaniolo, K.
Desrochers, M. *See* Beaudet, M.-J.
Destoumieux-Garzón, D.
——; Duquesne, S.; Peduzzi, J.; Goulard, C.; Desmadril, M.; Letellier, L.; Rebuffat, S.; Boulanger, P.
The iron–siderophore transporter FhuA is the receptor for the antimicrobial peptide microcin J25: role of the microcin Val^{11}–Pro^{16} β-hairpin region in the recognition mechanism, 389:869
Dhennin-Duthille, I. *See* Nyga, R.
Dhermy, D. *See* Rotter, B.
Dias, W. B. *See* Figueiredo, J. M.
Díaz, H. *See* Walker, J.
Dickel, C. *See* Sharma, S. K.
Dickinson, G. D. *See* Churamani, D.
Di Domenico, C. *See* Di Natale, P.
Dietz, V. *See* Foltz, M.
Di Ilio, C. *See* Allocati, N.
Dilworth, D. J. *See* Sydorskyy, Y.
Di Maro, D. *See* Capasso, C.
Di Scala, F.
——; Dupuis, L.; Gaiddon, C.; De Tapia, M.; Jokic, N.; Gonzalez De Aguilar, J.-L.; Raul, J.-S.; Ludes, B.; Loeffler, J.-P.
Tissue specificity and regulation of the N-terminal diversity of reticulon 3, 385:125
Dinarina, A.
——; Perez, L. H.; Davila, A.; Schwab, M.; Hunt, T.; Nebreda, A. R.
Characterization of a new family of cyclin-dependent kinase activators, 386:349
Di Natale, P.
——; Di Domenico, C.; Gargiulo, N.; Castaldo, S.; Gonzalez Y Reyero, E.; Mithbaokar, P.; De Felice, M.; Follenzi, A.; Naldini, L.; Villani, G. R. D.
Treatment of the mouse model of mucopolysaccharidosis type IIIB with lentiviral-NAGLU vector, 388:639
Ding, B.
——; Smith, E. S.; Ding, H.
Mobilization of the iron centre in IscA for the iron–sulphur cluster assembly in IscU, 389:797
Ding, H. *See* Ding, B.
Ding, X.-Q. *See* Stricker, H. M.
Ding, Y.
——; Hawkes, N.; Meredith, J.; Eggleston, P.; Hemingway, J.; Ranson, H.
Characterization of the promoters of Epsilon glutathione transferases in the mosquito *Anopheles gambiae* and their response to oxidative stress, 387:879
Di Niro, R.
——; Ferrara, F.; Not, T.; Bradbury, A. R. M.; Chirdo, F.; Marzari, R.; Sblattero, D.
Characterizing monoclonal antibody epitopes by filtered gene fragment phage display, 388:889
Dionne, I.
——; Bell, S. D.
Characterization of an archaeal family 4 uracil DNA glycosylase and its interaction with PCNA and chromatin proteins, 387:859
Di Prisco, G. *See* Verde, C.
Dirix, C.
——; Duvetter, T.; Loey, A. V.; Hendrickx, M.; Heremans, K.
The *in situ* observation of the temperature and pressure stability of recombinant *Aspergillus aculeatus* pectin methylesterase with Fourier transform IR spectroscopy reveals an unusual pressure stability of β-helices, 392:565
Djamgoz, M. B. A. *See* Palmer, C. P.
Djiane, J. *See* Benomar, Y.; Niv-Spector, L.
Djordjevic, J. T.
——; Del Poeta, M.; Sorrell, T. C.; Turner, K. M.; Wright, L. C.
Secretion of cryptococcal phospholipase B1 (PLB1) is regulated by a glycosylphosphatidylinositol (GPI) anchor, 389:803
Docampo, R. *See* Vieira, M.
Docherty, H. M.
——; Hay, C. W.; Ferguson, L. A.; Barrow, J.; Durward, E.; Docherty, K.
Relative contribution of PDX-1, MafA and E47/β2 to the regulation of the human insulin promoter, 389:813
Docherty, K. *See* Docherty, H. M.
Doege, K. *See* Metzen, E.
Doglia, S. M. *See* Natalello, A.
Dohmae, N. *See* Nagumo, Y.
Dolfini, L. *See* Vergnolle, M. A. S.
Domagala, T. *See* Cranmer, S. L.
Domergue, F.
——; Abbadi, A.; Zähringer, U.; Moreau, H.; Heinz, E.
In vivo characterization of the first acyl-CoA Δ^6-desaturase from a member of the plant kingdom, the microalga *Ostreococcus tauri*, 389:483
Dominik, M. *See* Nieznanski, K.
Donalies, U. *See* Alken, M.
Donoso, G.
——; Herzog, V.; Schmitz, A.
Misfolded BiP is degraded by a proteasome-independent endoplasmic-reticulum-associated degradation pathway, 387:897
Döppler, H. *See* Storz, P.
Dore, N. L. *See* Loudig, O.
Doulias, P.-T. *See* Tenopoulou, M.
Dovas, A.
——; Couchman, J. R.
RhoGDI: multiple functions in the regulation of Rho family GTPase activities, 390:1
Dove, S. K. *See* Zouwail, S.
Dow, J. A. T. *See* Day, J. P.
Downs, J. A. *See* Wardleworth, B. N.
Draeger, A.
——; Wray, S.; Babiychuk, E. B.
Domain architecture of the smooth-muscle plasma membrane: regulation by annexins, 387:309
Driguez, H. *See* Huang, Y.
Drouin, R. *See* Angers, M.; Rouget, R.
Drury, J. *See* Raussens, V.
Duan, R.-D. *See* Wu, J.
Dubin, A. *See* Wladyka, B.
Dubinnyi, M. A. *See* Dubovskii, P. V.
Dubovskii, P. V.
——; Lesovoy, D. M.; Dubinnyi, M. A.; Konshina, A. G.; Utkin, Y. N.; Efremov, R. G.; Arseniev, A. S.
Interaction of three-finger toxins with phospholipid membranes: comparison of S- and P-type cytotoxins, 387:807
Duckett, C. S.
——; IAP proteins: sticking it to Smac (online-only commentary on Shin, H. and Vucic, D.) 385:e1
Ducourouble, M.-P. *See* Fauquette, V.
Ducrocq, C. *See* Peyrot, F.
Dudenhausen, E. *See* Chen, C.
Dudhia, J. *See* Ilic, M. Z.
Dudley, A. C.
——; Thomas, D.; Best, J.; Jenkins, A.
A VEGF/JAK2/STAT5 axis may partially mediate endothelial cell tolerance to hypoxia, 390:427
Dudley, B. J. *See* Kärkönen, A.
Dulhunty, A. F. *See* Haarmann, C. S.
——; Karunasekara, Y.; Curtis, S. M.; Harvey, P. J.; Board, P. G.; Casarotto, M. G.
The recombinant dihydropyridine receptor II–III loop and partly structured 'C' region peptides modify cardiac ryanodine receptor activity, 385:803
——; Pouliquin, P.; Coggan, M.; Gage, P. W.; Board, P. G.
A recently identified member of the glutathione transferase structural family modifies cardiac RyR2 substate activity, coupled gating and activation by Ca^{2+} and ATP, 390:333
Dumon, C. *See* Perret, S.
Dumont, L. *See* Gautier, T.
Duonor-Cérutti, M. *See* Teintenier-Lelièvre, M.
Dupret, J.-M. *See* Westwood, I. M.
Dupuis, L. *See* Di Scala, F.
Duquesne, S. *See* Destoumieux-Garzón, D.
Duronio, V. *See* Jamil, S.
Durward, E. *See* Docherty, H. M.
Duteyrat, J.-L. *See* Pitarque, S.
Duverneuil, L. *See* Gautier, T.
Duvetter, T. *See* Dirix, C.
Dwivedi, P. P. *See* Nutchey, B. K.
Dynek, J. N. *See* Chang, W.

© 2006 Biochemical Society

Eaton, J. W. *See* Persson, H. L.
Eberlin, M. N. *See* Tonhosolo, R.
Ebrahimi, B. *See* Takeuchi, H.
Eckelman, B. P. *See* Shin, H.; *See* Vucic, D.
Eckenhoff, R. G. *See* Liu, R.
Eckford, P. D. W.
——; Sharom, F. J.
The reconstituted P-glycoprotein multidrug transporter is a flippase for glucosylceramide and other simple glycosphingolipids, 389:517
Eckhardt, M.
——; Yaghootfam, A.; Fewou, S. N.; Zöller, I.; Gieselmann, V.
A mammalian fatty acid hydroxylase responsible for the formation of α-hydroxylated galactosylceramide in myelin, 388:245
Ecroyd, H.
——; Belghazi, M.; Dacheux, J.-L.; Gatti, J.-L.
The epididymal soluble prion protein forms a high-molecular-mass complex in association with hydrophobic proteins, 392:211
Edelman, A. *See* Flis, K.
Edwards, D. R. *See* Porter, S.
Edwards, R. *See* Skipsey, M.
Edwardson, J. M. *See* Wäsle, B.
Efremov, R. G. *See* Dubovskii, P. V.
Eger, F. *See* Riedinger, H.-J.
Eggleston, P. *See* Ding, Y.
Eguchi, J.
——; Wada, J.; Hida, K.; Zhang, H.; Matsuoka, T.; Baba, M.; Hashimoto, I.; Shikata, K.; Ogawa, N.; Makino, H.
Identification of adipocyte adhesion molecule (ACAM), a novel CTX gene family, implicated in adipocyte maturation and development of obesity, 387:343
Ehebauer, M. T.
——; Chirgadze, D. Y.; Hayward, P.; Martinez Arias, A.; Blundell, T. L.
High-resolution crystal structure of the human Notch 1 ankyrin domain, 392:13
Ehlers, M. R. W. *See* Woodman, Z. L.
Ehlting, C.
——; Häussinger, D.; Bode, J. G.
Sp3 is involved in the regulation of SOCS3 gene expression, 387:737
Ehnholm, C. *See* Hynynen, R.
Eichler, R. *See* Gross, R.
Eidne, K. A. *See* Pfleger, K. D. G.
Eisenthal, R. *See* Godber, B. L. J.
Eisman, J. A. *See* Sunn, K. L.
Elam, M. B. *See* Cagen, L. M.
El Ayeb, M. *See* Srairi-Abid, N.
El Bawab, S. *See* Birbes, H.; Masson, E.
El-Battari, A. *See* Prorok-Hamon, M.
El Benna, J. *See* Gillibert, M.; Kustermans, G.
Elfström, L. T.
——; Widersten, M.
Catalysis of potato epoxide hydrolase, StEH1, 390:633
Eliahu, L. *See* Kreuger, J.
El-Kafafi, E.-S.
——; Mukherjee, S.; El-Shami, M.; Putaux, J.-L.; Block, M. A.; Pignot-Paintrand, I.; Lerbs-Mache, S.; Falconet, D.
The plastid division proteins, FtsZ1 and FtsZ2, differ in their biochemical properties and sub-plastidial localization, 387:669
Elkins, J. M.
——; Kershaw, N. J.; Schofield, C. J.
X-ray crystal structure of ornithine acetyltransferase from the clavulanic acid biosynthesis gene cluster, 385:565
Elliott, C.
——; Müller, J.; Miklis, M.; Bhat, R. A.; Schulze-Lefert, P.; Panstruga, R.
Conserved extracellular cysteine residues and cytoplasmic loop–loop interplay are required for functionality of the heptahelical MLO protein, 385:243
Elliott, L. O. *See* Vucic, D.
Ellis, B. A. *See* Johnson, J. L.
Elrick, L. J. *See* Marek, C. J.
El-Shami, M. *See* El-Kafafi, E.-S.
El-Shemerly, M. *See* Ferrari, S.
Eltis, L. D. *See* Veldhuizen, E. J. A.
El-Toukhy, R. *See* Merkel, O.
Engelmann, B. *See* Nakazawa, F.
Enghild, J. J. *See* Petersen, S. V.
Engström, Å. *See* Zavialov, A. V.
Enyedi, Á. *See* Pászty, K.
Epand, R. F. *See* Epand, R. M.
Epand, R. M.
——; Rychnovsky, S. D.; Belani, J. D.; Epand, R. F.
Role of chirality in peptide-induced formation of cholesterol-rich domains, 390:541
Erdös, E. G. *See* Quagraine, M. O.
Eremina, A. *See* Graifer, D.
Eriksson, O. *See* Speer, O.
Ervasti, J. M. *See* Combs, A. C.
Escher, E. *See* Lanctot, P. M.; Proulx, C. D.
Escher, P. *See* Zandbergen, F.
Esnous, C. *See* Faye, A.
Espitia, C. *See* Gevorkian, G.
Esposito, D. *See* Ono, S.
Esposti, M. D. *See* Goonesinghe, A.
Esteve, V. *See* Monleón, D.
Ettema, T. J. G. *See* Ahmed, H.
Eulitz, D. *See* Napirei, M.
Evans, N. A. *See* Milasta, S.
Eyers, C. E.
——; McNeill, H.; Knebel, A.; Morrice, N.; Arthur, S. J. C.; Cuenda, A.; Cohen, P.
The phosphorylation of CapZ-interacting protein (CapZIP) by stress-activated protein kinases triggers its dissociation from CapZ, 389:127

Færgeman, N. J. *See* Burton, M.
Fairbrother, W. J. *See* Vucic, D.
Fairlamb, A. H. *See* Ariyanayagam, M. R.
Fairn, G. D.
——; McMaster, C. R.
Identification and assessment of the role of a nominal phospholipid binding region of ORP1S (oxysterol-binding-protein-related protein 1 short) in the regulation of vesicular transport, 387:889
Falcon, A. *See* Cerbón, J.
Falconet, D. *See* El-Kafafi, E.-S.
Fäldt, J. *See* Kallas, Å. M.
Falk, R. L. *See* Outten, C. E.
Faller, D. V. *See* Sinha, A.
Fan, C. Y. *See* Katsuyama, M.
——; Katsuyama, M.; Yabe-Nishimura, C.
PKCδ mediates up-regulation of NOX1, a catalytic subunit of NADPH oxidase, via transactivation of the EGF receptor: possible involvement of PKCδ in vascular hypertrophy, 390:761
Fan, L. *See* Pan, C.
Fan, Y.-X.
——; Wong, L.; Johnson, G. R.
EGFR kinase possesses a broad specificity for ErbB phosphorylation sites, and ligand increases catalytic-centre activity without affecting substrate binding affinity, 392:417
Fantucci, P. *See* Barberis, M.
Farrance, I. K. G. *See* Mahoney, Jr, W. M.
Farrant, J. M. *See* Moore, J. P.
Fattoum, A. *See* Méré, J.
Fauquette, V.
——; Perrais, M.; Cerulis, S.; Jonckheere, N.; Ducourouble, M.-P.; Aubert, J.-P.; Pigny, P.; Seuningen, I. V.
The antagonistic regulation of human *MUC4* and *ErbB-2* genes by the Ets protein PEA3 in pancreatic cancer cells: implications for the proliferation/differentiation balance in the cells, 386:35
Favaloro, B. *See* Allocati, N.
Faye, A.
——; Borthwick, K.; Esnous, C.; Price, N. T.; Gobin, S.; Jackson, V. N.; Zammit, V. A.; Girard, J.; Prip-Buus, C.
Demonstration of N- and C-terminal domain intramolecular interactions in rat liver carnitine palmitoyltransferase 1 that determine its degree of malonyl-CoA sensitivity, 387:67
Febbraio, F. *See* Giordano, A.
Fedarovich, A. *See* Nicola, G.
Fedele, M. *See* Battista, S.
Federici, L. *See* Allocati, N.
Federico, M. *See* Olivetta, E.
Fei, Y.-J. *See* Gopal, E.; Srinivas, S. R.
Felicetti, F. *See* Salvioli, R.
Feng, Yingang *See* Liu, D.
Feng, Yongmei
——; Ariza, M. E.; Goulet, A.-C.; Shi, J.; Nelson, M. A.
Death-signal-induced relocalization of cyclin-dependent kinase 11 to mitochondria, 392:65
Feofanov, A. V.
——; Sharonov, G. V.; Astapova, M. V.; Rodionov, D. I.; Utkin, Y. N.; Arseniev, A. S.
Cancer cell injury by cytotoxins from cobra venom is mediated through lysosomal damage, 390:11
Ferguson, L. A. *See* Docherty, H. M.
Ferguson, M.
——; Mockett, R. J.; Shen, Y.; Orr, W. C.; Sohal, R. S.
Age-associated decline in mitochondrial respiration and electron transport in *Drosophila melanogaster*, 390:501
Ferguson, S. J. *See* Allen, J. W. A.
Fernández, M. P. *See* Turnay, J.
Fernández-Lizarbe, S. *See* Turnay, J.
Fernández-Moreno, M. A. *See* Bornstein, B.
Fernandez-Rodriguez, J. *See* Andersson, C. X.
Fernández-Vizarra, E. *See* Iñarrea, P.
Ferracci, G.
——; Miquelis, R.; Kozaki, S.; Seagar, M.; Lévêque, C.
Synaptic vesicle chips to assay botulinum neurotoxins, 391:659
Ferran, C. *See* Storz, P.
Ferrandino, G. *See* D'Aniello, S.
Ferrante, A. *See* Nutchey, B. K.
Ferrara, F. *See* Di Niro, R.
Ferrari, S.
——; Marin, O.; Pagano, M. A.; Meggio, F.; Hess, D.; El-Shemerly, M.; Krystyniak, A.; Pinna, L. A.
Aurora-A site specificity: a study with synthetic peptide substrates, 390:293

© 2006 Biochemical Society

Ferraris, A. M. *See* Gaetani, G. F.
Ferraris, D. *See* Yates, S. P.
Ferrat, G. *See* Chagot, B.
Ferreira, G. C. *See* Franco, R.
Ferreira, L. *See* Juanes, P. P.
Ferreira, P.
——; Medina, M.; Guillén, F.; Martínez, M. J.; Van Berkel, W. J. H.; Martínez, Á. T.
Spectral and catalytic properties of aryl-alcohol oxidase, a fungal flavoenzyme acting on polyunsaturated alcohols, 389:731
Ferrer, M.
——; Golyshina, O. V.; Plou, F. J.; Timmis, K. N.; Golyshin, P. N.
A novel α-glucosidase from the acidophilic archaeon *Ferroplasma acidiphilum* strain Y with high transglycosylation activity and an unusual catalytic nucleophile, 391:269
Ferry, G.
——; Ubeaud, C.; Lambert, P.-H.; Bertin, S.; Cogé, F.; Chomarat, P.; Delagrange, P.; Serkiz, B.; Bouchet, J.-P.; Truscott, R. J. W.; Boutin, J. A.
Molecular evidence that melatonin is enzymatically oxidized in a different manner than tryptophan: investigations with both indoleamine 2,3-dioxygenase and myeloperoxidase, 388:205
Fewou, S. N. *See* Eckhardt, M.
Figueiredo, J. M.
——; Dias, W. B.; Mendonça-Previato, L.; Previato, J. O.; Heise, N.
Characterization of the inositol phosphorylceramide synthase activity from *Trypanosoma cruzi*, 387:519
Filiberti, A. *See* Jacquelin, D. K.
Fillebeen, C.
——; Caltagirone, A.; Martelli, A.; Moulis, J.-M.; Pantopoulos, K.
IRP1 Ser-711 is a phosphorylation site, critical for regulation of RNA-binding and aconitase activities, 388:143
Filoteo, A. G. *See* Pászty, K.
Fink, J. *See* Pandey, K. N.
Finlay, D. *See* Lipina, C.
Firbank, S. *See* Deriu, D.
Fischmeister, R. *See* Maillet, M.
Fisher, G. *See* D'Aniello, S.
Fisher, K. *See* Petersen, J.
Fisher, P. W.
——; Brigham-Burke, M.; Wu, S.-J.; Luo, J.; Carton, J.; Staquet, K.; Gao, W.; Jackson, S.; Bethea, D.; Chen, C.; Hu, B.; Giles-Komar, J.; Yang, J.
A novel site contributing to growth-arrest-specific gene 6 binding to its receptors as revealed by a human monoclonal antibody, 387:727
Fittipaldi, A. *See* de Coupade, C.
Flament, D. *See* Jam, M.
Fleischer, J. G. *See* Wang, Y.
Flesch, F. M.
——; Yu, J. W.; Lemmon, M. A.; Burger, K. N. J.
Membrane activity of the phospholipase C-δ_1 pleckstrin homology (PH) domain, 389:435
Fliesler, S. J. *See* Stricker, H. M.
Flis, K.
——; Hinzpeter, A.; Edelman, A.; Kurlandzka, A.
The functioning of mammalian ClC-2 chloride channel in *Saccharomyces cerevisiae* cells requires an increased level of Kha1p, 390:655
Flood, F.
——; Murphy, S.; Cowburn, R. F.; Lannfelt, L.; Walker, B.; Johnston, J. A.
Proteasome-mediated effects on amyloid precursor protein processing at the γ-secretase site, 385:545
Flora, A. *See* Benfante, R.
Florio, R. *See* Chiaraluce, R.
Floros, J. *See* Lin, Z.
Flott, S.
——; Rouse, J.
Slx4 becomes phosphorylated after DNA damage in a Mec1/Tel1-dependent manner and is required for repair of DNA alkylation damage, 391:325
Fock, U.
——; Jockusch, B. M.; Schubert, W.-D.; Hinssen, H.
Topological assignment of the N-terminal extension of plasma gelsolin to the gelsolin surface, 385:659
Fodero-Tavoletti, M. T.
——; Hardy, M. P.; Cornell, B.; Katsis, F.; Sadek, C. M.; Mitchell, C. A.; Kemp, B. E.; Tiganis, T.
Protein tyrosine phosphatase hPTPN20a is targeted to sites of actin polymerization, 389:343
Follenzi, A. *See* Di Natale, P.
Foltz, M.
——; Mertl, M.; Dietz, V.; Boll, M.; Kottra, G.; Daniel, H.
Kinetics of bidirectional H^+ and substrate transport by the proton-dependent amino acid symporter PAT1, 386:607
Fontana, M.
——; Amendola, D.; Orsini, E.; Boffi, A.; Pecci, L.
Oxidation of hypotaurine and cysteine sulphinic acid by peroxynitrite, 389:233
Fooks, L. J. *See* Zavialov, A. V.
Forest, E. *See* Desmaris, F.
Fornasari, D. *See* Benfante, R.
Forte, T. M. *See* Raussens, V.
Forti, L. *See* Locatelli, G. A.
Fortier, M. *See* Bonet-Kerrache, A.
Fortpied, J.
——; Gemayel, R.; Stroobant, V.; van Schaftingen, E.
Plant ribulosamine/erythrulosamine 3-kinase, a putative protein-repair enzyme, 388:795
Fortschegger, K. *See* Löscher, M.
Fötisch, K. *See* Wiche, R.
Fox, J. W. *See* Serrano, S. M. T.
Fox, M. H. *See* Safadi-Chamberlain, F.
Fraile, B. *See* Marco-Ferreres, R.
Franca, R.
——; Veljkovic, E.; Walter, S.; Wagner, C. A.; Verrey, F.
Heterodimeric amino acid transporter glycoprotein domains determining functional subunit association, 388:435
Francis, G. A. *See* Karten, B.
Francischetti, I. M. B. *See* Monteiro, R. Q.
Franco, R.
——; Bai, G.; Prosinecki, V.; Abrunhosa, F.; Ferreira, G. C.; Bastos, M.
Porphyrin-substrate binding to murine ferrochelatase: effect on the thermal stability of the enzyme, 386:599
Franklin, M. C. *See* Vucic, D.
Franks, D. G. *See* Karchner, S. I.
Frasson, R. *See* de Filippis, V.
Frazzetto, M. *See* Cranmer, S. L.
Freeman, L. J.
——; Lomas, A.; Hodson, N.; Sherratt, M. J.; Mellody, K. T.; Weiss, A. S.; Shuttleworth, A.; Kielty, C. M.
Fibulin-5 interacts with fibrillin-1 molecules and microfibrils, 388:1
Freire, A. *See* Gomes, R.
Fridman, R. *See* Toth, M.
Fried, M. G. *See* Surguladze, N.
Friedman-Einat, M. *See* Niv-Spector, L.
Friedrich, P. *See* Bozóky, Z.
Friesen, J. D. *See* Raicu, V.
Fritz, G. *See* Kopec, J.
Froestl, W. *See* Deriu, D.
Frohm, B. *See* Jonsson, M.
Früh, K. *See* Hassink, G.
Fry, S. C. *See* Kärkönen, A.
Fu, S. *See* Barnett, S. F.
Fujii, J. *See* Otsu, K.; Suto, D.
Fujikawa, T. *See* Kadariya, Y.
Fujita, S. *See* Ishii, M.
Fujiwara, Y. *See* Inagaki, Y.
Fukuda, M. *See* Kimura, S.; Miinea, C. P.; Prorok-Hamon, M.
Fukuda, S. *See* Furutani, Y.
Fukushima, N. *See* Inoue, Y.
Fukuta, K.
——; Matsumoto, K.; Nakamura, T.
Multiple biological responses are induced by glycosylation-deficient hepatocyte growth factor, 388:555
Fulceri, R. *See* Senesi, S.
Fulton, A. M. *See* Botchway, S. W.
Furkert, J. *See* Alken, M.
Furuhama, K. *See* Hattori, H.
Furukawa, A.
——; Hiraku, Y.; Oikawa, S.; Luxford, C.; Davies, M. J.; Kawanishi, S.
Guanine-specific DNA damage induced by γ-irradiated histone, 388:813
Furutani, J. *See* Inoue, Y.
Furutani, Y.
——; Manabe, R.-i.; Tsutsui, K.; Yamada, T.; Sugimoto, N.; Fukuda, S.; Kawai, J.; Sugiura, N.; Kimata, K.; Hayashizaki, Y.; Sekiguchi, K.
Identification and characterization of photomedins: novel olfactomedin-domain-containing proteins with chondroitin sulphate-E-binding activity, 389:675
Fusco, A. *See* Battista, S.
Fushiki, T. *See* Tsuzuki, S.

Gabriele, T. *See* Herter, S.
Gabrielian, A. *See* Kumari, D.
Gaetani, G. F.
——; Ferraris, A. M.; Sanna, P.; Kirkman, H. N.
A novel NADPH:(bound) $NADP^+$ reductase and NADH:(bound) $NADP^+$ transhydrogenase function in bovine liver catalase, 385:763
Gage, P. W. *See* Dulhunty, A. F.
Gagné, J.-P.
——; Bonicalzi, M.-È.; Gagné, P.; Ouellet, M.-È.; Hendzel, M. J.; Poirier, G. G.
Poly(ADP-ribose) glycohydrolase is a component of the FMRP-associated messenger ribonucleoparticles, 392:499
Gagné, P. *See* Gagné, J.-P.
Gaiddon, C. *See* Di Scala, F.
Gaisano, H. Y. *See* Leung, Y. M.
Galanina, O. *See* Perret, S.
Galán Moya, E. M. *See* Sánchez-Arévalo Lobo, V. J.
Galaris, D. *See* Tenopoulou, M.

© 2006 Biochemical Society

Gales, L.
——; Macedo-Ribeiro, S.; Arsequell, G.; Valencia, G.; Saraiva, M. J.; Damas, A. M.
Human transthyretin in complex with iododiflunisal: structural features associated with a potent amyloid inhibitor, 388:615
Gamba, G.
——; WNK lies upstream of kinases involved in regulation of ion transporters (online-only commentary on Vitari, A. C.), 391:e1
Gamsjaeger, R.
——; Johs, A.; Gries, A.; Gruber, H. J.; Romanin, C.; Prassl, R.; Hinterdorfer, P.
Membrane binding of β_2-glycoprotein I can be described by a two-state reaction model: an atomic force microscopy and surface plasmon resonance study, 389:665
Ganapathy, V. *See* Gopal, E.; Srinivas, S. R.
Gane, P. *See* Zidi-Yahiaoui, N.
Gao, W. *See* Fisher, P. W.
Gao, X. *See* Leung, Y. M.
García, C. *See* Zaragozá, R.
García, I. *See* Iñarrea, P.
García, J.
——; Cordeiro, T. N.; Nieto, J. M.; Pons, I.; Juárez, A.; Pons, M.
Interaction between the bacterial nucleoid associated proteins Hha and H-NS involves a conformational change of Hha, 388:755
García, J. L. *See* Monterroso, B.
García, P. *See* Monterroso, B.
García-Caballero, A. *See* Avendaño-Vázquez, S. E.
Garcia Diaz, B. *See* Ravulapalli, R.
García-Sáinz, J. A. *See* Avendaño-Vázquez, S. E.
García-Trevijano, E. R. *See* Zaragozá, R.
García-Verdugo, I.
——; Sánchez-Barbero, F.; Soldau, K.; Tobias, P. S.; Casals, C.
Interaction of SP-A (surfactant protein A) with bacterial rough lipopolysaccharide (Re-LPS), and effects of SP-A on the binding of Re-LPS to CD14 and LPS-binding protein, 391:115
Garde, S. V. *See* Reeves, J. R.
Gardiner, E. M. *See* Sunn, K. L.
Gardner, A. J. *See* Yang, M.
Garesse, R. *See* Bornstein, B.
Garg, M. *See* Jagadish, N.
Garg, R. *See* Pandey, K. N.
Gargiulo, N. *See* Di Natale, P.
Garidel, P. *See* Andrä, J.
Garnier, G. *See* Ligoudistianou, C.
Garnier, M. *See* Byrne, R. D.
Garrido, F.
——; Gasset, M.; Sanz-Aparicio, J.; Alfonso, C.; Pajares, M. A.
Rat liver betaine–homocysteine S-methyltransferase equilibrium unfolding: insights into intermediate structure through tryptophan substitutions, 391:589
Garrow, T. A. *See* Miller, C. M.
Garthwaite, J. *See* Keynes, R. G.
Garty, E. S. *See* Zalk, R.
Gasset, M. *See* Garrido, F.
Gassmann, M. *See* Deriu, D.
Gastineau, M. *See* Maillet, M.
Gatti, J.-L. *See* Ecroyd, H.
Gauss-Müller, V. *See* Peters, H.
Gauthier, C. *See* Vittorelli, A.
Gauthier, F. *See* Tassy, C.
Gauthier-Rouvière, C. *See* Bonet-Kerrache, A.
Gautier, C. *See* Perret, S.
Gautier, T.
——; Masson, D.; Jong, M. C.; Pais De Barros, J.-P.; Duverneuil, L.; Le Guern, N.; Deckert, V.; Dumont, L.; Bataille, A.; Zak, Z.; Jiang, X.-C.; Havekes, L. M.; Lagrost, L.
Apolipoprotein CI overexpression is not a relevant strategy to block cholesteryl ester transfer protein (CETP) activity in CETP transgenic mice, 385:189
Gayet, L. *See* Barakat, S.
Gayoso Cruz, J. *See* Sánchez-Arévalo Lobo, V. J.
Geacintov, N. E. *See* Liu, Yiyong
Gearing, K. *See* Villemure, J.-F.
Gebicki, J. M. *See* Nauser, T.
Geerling, A. C. M. *See* Ahmed, H.
Geisler, D. A. *See* Matic, S.
Gemayel, R. *See* Fortpied, J.
Genta, F. A. *See* Tonhosolo, R.
Geraghty, D. P. *See* Torres, A. M.
Geremia, R. A. *See* Saksouk, N.
Gertler, A. *See* Niv-Spector, L.
Gessner, C. *See* Petersen, J.
Gevorkian, G.
——; Segura, E.; Acero, G.; Palma, J. P.; Espitia, C.; Manoutcharian, K.; López-Marín, L. M.
Peptide mimotopes of *Mycobacterium tuberculosis* carbohydrate immunodeterminants, 387:411
Ghaffari, M. A. *See* Hurst, D. R.
Ghiringhelli, O. *See* Reboul, E.
Ghiselli, G.
——; Agrawal, A.
The human D-glucuronyl C5-epimerase gene is transcriptionally activated through the β-catenin–TCF4 pathway, 390:493
Ghosh, P. *See* Misquitta, C. M.
Ghosh, S. S.
——; Lu, Y.; Lee, S. W.; Wang, X.; Guha, C.; Roy-Chowdhury, J.; Roy-Chowdhury, N.
Role of cysteine residues in the function of human UDP glucuronosyltransferase isoform 1A1 (UGT1A1), 392:685
Giacca, M. *See* de Coupade, C.
Gianese, G. *See* Chiaraluce, R.
Giardina, B. *See* Sanna, M. T.; Verde, C.
Gibbons, G. F. *See* Knight, B. L.
Gicquel, B. *See* Pitarque, S.
Gieselmann, V. *See* Eckhardt, M.
Gilany, K. *See* Maes, M.-B.
Gilbert, D. R. *See* Orton, R. J.
Gilboa-Garber, N. *See* Perret, S.
Giles-Komar, J. *See* Fisher, P. W.
Gillibert, M.
——; Dehry, Z.; Terrier, M.; El Benna, J.; Lederer, F.
Another biological effect of tosylphenylalanylchloromethane (TPCK): it prevents p47^{phox} phosphorylation and translocation upon neutrophil stimulation, 386:549
Gilmer, J. F. *See* Kelly, J. A.
Gingras, G. *See* Veldhuizen, E. J. A.
Giordano, A.
——; Febbraio, F.; Russo, C.; Rossi, M.; Raia, C. A.
Evidence for co-operativity in coenzyme binding to tetrameric *Sulfolobus solfataricus* alcohol dehydrogenase and its structural basis: fluorescence, kinetic and structural studies of the wild-type enzyme and non-co-operative N249Y mutant, 388:657
Giordano, D. *See* Verde, C.
Giralt, M. *See* Carmona, M. C.
Girard, J. *See* Coffy, S.; Faye, A.
Gjymishka, A. *See* Chen, C.
Glanville, A. R. *See* Schulz, B. L.
Gledhill, J. R.
——; Walker, J. E.
Inhibition sites in F_1-ATPase from bovine heart mitochondria, 386:591
Gleeson, P. A. *See* Luke, M. R.
Glössl, J. *See* Bencúr, P.; Strasser, R.
Glucksman, M. J. *See* Sigman, J. A.
Go, Y.-M. *See* Halvey, P. J.
Gobin, S. *See* Faye, A.
Godber, B. L. J.
——; Schwarz, G.; Mendel, R. R.; Lowe, D. J.; Bray, R. C.; Eisenthal, R.; Harrison, R.
Molecular characterization of human xanthine oxidoreductase: the enzyme is grossly deficient in molybdenum and substantially deficient in iron-sulphur centres, 388:501
Goh, H. L. *See* Butcher, N. J.
Gokoh, M.
——; Kishimoto, S.; Oka, S.; Mori, M.; Waku, K.; Ishima, Y.; Sugiura, T.
2-Arachidonoylglycerol, an endogenous cannabinoid receptor ligand, induces rapid actin polymerization in HL-60 cells differentiated into macrophage-like cells, 386:583
Goldberg, M. D. *See* Ono, S.
Goldman, A. *See* Virtanen, H.
Golyshin, P. N. *See* Ferrer, M.
Golyshina, O. V. *See* Ferrer, M.
Gomes, R.
——; Sousa Silva, M.; Quintas, A.; Cordeiro, C.; Freire, A.; Pereira, P.; Martins, A.; Monteiro, E.; Barroso, E.; Ponces Freire, A.
Argpyrimidine, a methylglyoxal-derived advanced glycation end-product in familial amyloidotic polyneuropathy, 385:339
Gomez, B. *See* Zhu, J.
Gomez, E. *See* Greenman, I. C.
Gonen-Berger, D. *See* Niv-Spector, L.
Gonias, S. L. *See* Mars, W. M.
Gonthier, C. *See* Le Jossic-Corcos, C.
González, M. E. *See* Pérez-Gómez, C.
González-Billault, C. *See* Jiménez-Mateos, E. M.
Gonzalez De Aguilar, J.-L. *See* Di Scala, F.
González-Vioque, E. *See* Bornstein, B.
Gonzalez Y Reyero, E. *See* Di Natale, P.
Goodwin, B. *See* Marek, C. J.
Goodwin, D. J. *See* Williams, B. J. L.
Goodwin, G. H. *See* Oliver, A. W.
Goolsby, J. M. *See* Li, C.
Goonesinghe, A.
——; Mundy, E. S.; Smith, M.; Khosravi-Far, R.; Martinou, J.-C.; Esposti, M. D.
Pro-apoptotic Bid induces membrane perturbation by inserting selected lysolipids into the bilayer, 387:109
Goormaghtigh, E. *See* Raussens, V.
Gopal, E. *See* Srinivas, S. R.
——; Fei, Y.-J.; Miyauchi, S.; Zhuang, L.; Prasad, P. D.; Ganapathy, V.
Sodium-coupled and electrogenic transport of B-complex vitamin nicotinic acid by slc5a8, a member of the Na/glucose co-transporter gene family, 388:309
Gopinathan, K. P. *See* Parthasarthy, A.
Gordon, R. E. *See* Chen, F. W.
Goris, J. *See* Van Hoof, C.

© 2006 Biochemical Society

Gorren, A. C. F.
——; Russwurm, M.; Kollau, A.; Koesling, D.; Schmidt, K.; Mayer, B.
Effects of nitroglycerin/L-cysteine on soluble guanylate cyclase: evidence for an activation/inactivation equilibrium controlled by nitric oxide binding and haem oxidation, 390:625
Gorton, L. *See* Shleev, S.
Goto, K. *See* Kuratomi, G.
Goto, Y. *See* Raman, B.
Götting, C. *See* Müller, S.
Gouilleux, F. *See* Nyga, R.
Gouilleux-Gruart, V. *See* Nyga, R.
Goulard, C. *See* Destoumieux-Garzón, D.
Goulet, A.-C. *See* Feng, Y.
Gourdou, I. *See* Niv-Spector, L.
Gowda, L. R. *See* Vishu Kumar, A. B.
Goyal, K.
——; Walton, L. J.; Tunnacliffe, A.
LEA proteins prevent protein aggregation due to water stress, 388:151
Gozzo, F. C. *See* Tonhosolo, R.
Graifer, D.
——; Molotkov, M.; Eremina, A.; Ven'yaminova, A.; Repkova, M.; Karpova, G.
The central part of the 5.8 S rRNA is differently arranged in programmed and free human ribosomes, 387:139
Granner, D. K. *See* Whitesell, R. R.
Grãos, M.
——; Almeida, A. D.; Chatterjee, S.
Growth-factor-dependent phosphorylation of Bim in mitosis, 388:185
Greenman, I. C.
——; Gomez, E.; Moore, C. E. J.; Herbert, T. P.
The selective recruitment of mRNA to the ER and an increase in initiation are important for glucose-stimulated proinsulin synthesis in pancreatic β-cells, 391:291
Greer, B. *See* Wilson, S.
Grellier, P. *See* Bastos, I. M. D.
Grewal, J. S.
——; Tsai, J. Y.; Khan, S. R.
Oxalate-inducible AMBP gene and its regulatory mechanism in renal tubular epithelial cells, 387:609
Grey, S. T. *See* Storz, P.
Grieco, F. *See* Bleve, G.
Gries, A. *See* Gamsjaeger, R.
Griffiths, C. H. *See* Keynes, R. G.
Griffiths, L. *See* Turner, S. M.
Grillari, J. *See* Löscher, M.
Grillon, C. *See* Peyrot, F.
Grimes, M. L. *See* MacCormick, M.
Grissmer, S. *See* Mouhat, S.
Grivennikova, V. G. *See* Loskovich, M. V.
Groemping, Y.
——; Rittinger, K.
Activation and assembly of the NADPH oxidase: a structural perspective, 386:401
Grogan, G.
——; Emergent mechanistic diversity of enzyme-catalysed β-diketone cleavage, 388:721
Grohmann, E. *See* Kopec, J.
Grosclaude, J. *See* Niv-Spector, L.
Grosdemange-Billiard, C. *See* Kuntz, L.
Gross, R.
——; Eichler, R.; Simon, J.
Site-directed modifications indicate differences in axial haem *c* iron ligation between the related NrfH and NapC families of multihaem *c*-type cytochromes, 390:689
Grove, A. *See* Kamau, E.
Grover, A. K. *See* Misquitta, C. M.
Gruber, H. J. *See* Gamsjaeger, R.
Gruszczynska-Biegala, J. *See* Zhao, Z.
Grütter, M. G. *See* Deriu, D.
Gu, H. *See* Nyga, R.
Guan, J.
——; Luo, Y.; Denker, B. M.
Purkinje cell protein-2 (Pcp2) stimulates differentiation in PC12 cells by G$\beta\gamma$-mediated activation of Ras and p38 MAPK, 392:389
Gubenšek, F. *See* Petrovič, U.
Gubesch, M. *See* Wiche, R.
Guerardel, Y. *See* Teintenier-Lelièvre, M.
Guérin, S. L. *See* Zaniolo, K.
Guha, C. *See* Ghosh, S. S.
Guijarro, J. I. *See* Srairi-Abid, N.
Guillemette, G. *See* Lanctot, P. M.; Proulx, C. D.
Guillén, F. *See* Ferreira, P.
Gulisano, M. *See* Perrone, L.
Gunst, S. J. *See* Tang, D. D.
Guo, X. *See* Lin, Z.
Gurskaya, N. G. *See* Shkrob, M. A.
Gussakovsky, E. E. *See* Niv-Spector, L.
Guther, M. L. S. *See* Ariyanayagam, M. R.
Guzmán-Aránguez, A. *See* Turnay, J.

Ha, C.-E. *See* Liu, R.
Haarmann, C. S.
——; Dulhunty, A. F.; Laver, D. R.
Regulation of skeletal ryanodine receptors by dihydropyridine receptor II–III loop C-region peptides: relief of Mg^{2+} inhibition, 387:429
Haass, C. *See* Andersson, C. X.
Habuchi, O. *See* Yusa, A.
Hacker, A. *See* Wang, Y.
Hackler, Jr, L. *See* Oláh, J.
Haefner, D. *See* Marek, C. J.
Haggie, P. M. *See* Botchway, S. W.
Hahn, M. *See* Link, T.
Hahn, M. E. *See* Karchner, S. I.
Halfter, U. M.
——; Derbyshire, Z. E.; Vaillancourt, R. R.
Interferon-γ-dependent tyrosine phosphorylation of MEKK4 via Pyk2 is regulated by annexin II and SHP2 in keratinocytes, 388:17
Hall, C. *See* Keynes, R. G.
Hall, N. E. *See* King, J. A. J.
Halligan, N. L. N. *See* Pieper, G. M.
Halling, K. *See* Nordlund, H. R.
Halloran, B. *See* Sydorskyy, Y.
Halmi, P. *See* Hilvo, M.
Halvey, P. J.
——; Watson, W. H.; Hansen, J. M.; Go, Y.-M.; Samali, A.; Jones, D. P.
Compartmental oxidation of thiol–disulphide redox couples during epidermal growth factor signalling, 386:215
Hämäläinen, J. M. *See* Hilvo, M.
Hamdan, S. *See* Proctor, G. B.
Hammond, J. R. *See* Stolk, M.
Hampton, M. B. *See* Baty, J. W.
Han, D. *See* Iñarrea, P.
Hanamoto, A. *See* Hattori, H.
Hancock, J. F.
——; Parton, R. G.
Ras plasma membrane signalling platforms, 389:1
Hancock, P. J. *See* Barnett, S. F.
Handley, C. J. *See* Ilic, M. Z.
Hanks, S. K. *See* Bianchi, M.
Hann, S. *See* Bencúr, P.
Hänninen, M. *See* Hilvo, M.
Hannun, Y. A. *See* Birbes, H.
Hansen, G. H. *See* Wu, J.
Hansen, J. M. *See* Halvey, P. J.
Hansikova, H. *See* Stiburek, L.
Hansson, G. C. *See* Andersson, C. X.
Hara, N. *See* Terashima, M.
Harada, S.
——; The broad anti-viral agent glycyrrhizin directly modulates the fluidity of plasma membrane and HIV-1 envelope, 392:191
Harden, T. K. *See* Zhou, Y.
Harduin-Lepers, A. *See* Teintenier-Lelièvre, M.
Hardy, M. P. *See* Fodero-Tavoletti, M. T.
Harir, N. *See* Nyga, R.
Harmston, R. *See* Botchway, S. W.
Harper, D. E. *See* Parra-Palau, J. L.
Harper, M.-E. *See* Sandhu, J. K.
Harris, D. A. *See* Solaini, G.
Harris, M. B. *See* Li, C.
Harrison, R. *See* Godber, B. L. J.
Harrison, T. *See* Agranoff, D.
Harry, J. L. *See* Schulz, B. L.
Harst, A.
——; Lin, H.; Obermann, W. M. J.
Aha1 competes with Hop, p50 and p23 for binding to the molecular chaperone Hsp90 and contributes to kinase and hormone receptor activation, 387:789
Harvey, P. J. *See* Dulhunty, A. F.
Hase, M.
——; Depre, C.; Vatner, S. F.; Sadoshima, J.
H11 has dose-dependent and dual hypertrophic and proapoptotic functions in cardiac myocytes, 388:475
Hasegawa, A. *See* Jagadish, N.
Haselmann, K. F. *See* Christensen, B.
Hashimoto, A. *See* Yamada, A.
Hashimoto, I. *See* Eguchi, J.
Haskell, K. M. *See* Barnett, S. F.
Hassink, G.
——; Kikkert, M.; Voorden, S. v.; Lee, S.-J.; Spaapen, R.; Laar, T. v.; Coleman, C. S.; Bartee, E.; Früh, K.; Chau, V.; Wiertz, E.
TEB4 is a C4HC3 RING finger-containing ubiquitin ligase of the endoplasmic reticulum, 388:647
Hata, K. *See* Yamaguchi, K.
Hatch, G. M. *See* Lu, B.; Webster, J.
Hatfield, D. L. *See* Schweizer, U.
Hatta, K. *See* Yorikawa, C.
Hattori, H.
——; Imai, H.; Hanamoto, A.; Furuhama, K.; Nakagawa, Y.
Up-regulation of phospholipid hydroperoxide glutathione peroxidase in rat casein-induced polymorphonuclear neutrophils, 389:279
Up-regulation of phospholipid hydroperoxide glutathione peroxidase in rat casein-induced polymorphonuclear neutrophils, 389:920 (Correction)
Haumont, P.-Y. *See* Srairi-Abid, N.
Häussinger, D. *See* Ehlting, C.
Hautbergue, G. M. *See* Williams, B. J. L.
Hauton, D. *See* Knight, B. L.
Havekes, L. M. *See* Gautier, T.
Hawkes, N. *See* Ding, Y.
Hawthorne, S. *See* Wilson, S.
Hay, C. W. *See* Docherty, H. M.
Hayashi, H. *See* Karten, B.
Hayashi, Y. *See* Nagumo, Y.
Hayashizaki, Y. *See* Furutani, Y.
Haynes, L. *See* Zouwail, S.
Haynes, L. P. *See* O'Callaghan, D. W.
Hayward, P. *See* Ehebauer, M. T.

© 2006 Biochemical Society

Hazeki, K. *See* Kubo, H.
Hazeki, O. *See* Kubo, H.
He, D. *See* Wang, G.; Zhao, Y.
Hearing, V. J. *See* Costin, G.-E.
Hebbachi, A. *See* Knight, B. L.
Hedstrom, L. *See* Mortimer, S. E.
Heinz, E. *See* Domergue, F.
Heise, N. *See* Figueiredo, J. M.
Heiser, I. *See* Link, T.
Helbert, W. *See* Jam, M.
Hellingwerf, K. J. *See* Visser, W. F.
Hellwig-Bürgel, T. *See* Metzen, E.
Hemingway, J. *See* Ding, Y.
Hemmerlin, A. *See* Kuntz, L.
Henderson, C. J. *See* Wang, X. J.
Henderson, L. M. *See* Murillo, I.
Hendrickx, M. *See* Dirix, C.
Hendzel, M. J. *See* Gagné, J.-P.
Henriksson, H. *See* Kallas, Å. M.
Henrion Caude, A. *See* Terrien, X.
Herbert, T. P. *See* Greenman, I. C.
Heremans, K. *See* Dirix, C.
Herman, B. *See* Niv-Spector, L.
Hermansson, M. *See* Vainio, S.
Hermosilla, R. *See* Alken, M.
Hernández, L. *See* Martínez-Fleites, C.
Hernández Losa, J. *See* Sánchez-Arévalo Lobo, V. J.
Hernández-Luna, C. *See* Cerbón, J.
Herr, J. C. *See* Jagadish, N.
Herrera, E. *See* Sevillano, J.
Herrera-Mendez, C. H. *See* Tassy, C.
Herrero, P. *See* Palomino, A.
Herrmann, J.-L. *See* Pitarque, S.
Hers, I.
——; Tavaré, J. M.
Mechanism of feedback regulation of insulin receptor substrate-1 phosphorylation in primary adipocytes, 388:713
Herter, S.
——; Piper, D. E.; Aaron, W.; Gabriele, T.; Cutler, G.; Cao, P.; Bhatt, A. S.; Choe, Y.; Craik, C. S.; Walker, N.; Meininger, D.; Hoey, T.; Austin, R. J.
Hepatocyte growth factor is a preferred *in vitro* substrate for human hepsin, a membrane-anchored serine protease implicated in prostate and ovarian cancers, 390:125
Hertz, R. *See* Magenheim, J.
Herzog, V. *See* Donoso, G.
Hesek, D. *See* Toth, M.
Hesketh, J. *See* Chabanon, H.; Nury, D.
Hess, D. *See* Ferrari, S.
Hétu, P.-O.
——; Riendeau, D.
Cyclo-oxygenase-2 contributes to constitutive prostanoid production in rat kidney and brain, 391:561
Hida, K. *See* Eguchi, J.
Hii, C. S. T. *See* Nutchey, B. K.
Hilton, G. *See* Pieper, G. M.
Hiltunen, J. O. *See* Virtanen, H.
Hilvo, M.
——; Tolvanen, M.; Clark, A.; Shen, B.; Shah, G. N.; Waheed, A.; Halmi, P.; Hänninen, M.; Hämäläinen, J. M.; Vihinen, M.; Sly, W. S.; Parkkila, S.
Characterization of CA XV, a new GPI-anchored form of carbonic anhydrase, 392:83
Hinssen, H. *See* Fock, U.
Hinterdorfer, P. *See* Gamsjaeger, R.
Hinton, J. C. D. *See* Ono, S.
Hinzpeter, A. *See* Flis, K.
Hiraga, K. *See* Terui, Y.
Hiraku, Y. *See* Furukawa, A.
Hirano, T. *See* Wadhwa, R.
Hirayasu, H. *See* Tsuzuki, S.
Hiromura, M. *See* Angers, M.
Hirose, K. *See* Yamada, A.
Hobman, T. C. *See* Jaronczyk, K.
Hobson, J. P. *See* Szabo, R.
Hodgkinson, C. P.
——; Mander, A.; Sale, G. J.
Identification of 80K-H as a protein involved in GLUT4 vesicle trafficking, 388:785
Hodson, N. *See* Freeman, L. J.
Hoekman, M. F. M. *See* van der Heide, L. P.
Hoey, T. *See* Herter, S.
Hofer, A. *See* Kollau, A.
Hoffmann, A. *See* Wiche, R.
Hogstrand, C. *See* Qiu, A.
Hojabrpour, P. *See* Jamil, S.
Holden, L. *See* Samari, H. R.
Hollán, S. *See* Oláh, J.
Holland, I. B. *See* Benabdelhak, H.
Holmes, C. F. B. *See* Plummer, G.
Holt, L. J.
——; Siddle, K.
Grb10 and Grb14: enigmatic regulators of insulin action – and more?, 388:393
Holton, S. J. *See* Sandy, J.; Westwood, I. M.
Homolya, L. *See* Pászty, K.
Honda, Y. *See* Kamitsuji, H.
Hondares, E. *See* Carmona, M. C.
Hong, J.
——; Qian, Z.; Shen, S.; Min, T.; Tan, C.; Xu, J. F.; Zhao, Y.; Huang, W.
High doses of siRNAs induce *eri-1* and *adar-1* gene expression and reduce the efficiency of RNA interference in mouse, 390:675
(*See* Zhang, J. for online-only commentary)
Hong, J.-H. *See* Mahoney, Jr, W. M.
Hooper, J. *See* Wilson, S.
Hoppel, C. L. *See* Kasumov, T.
Hopwood, J. *See* Parkinson-Lawrence, E.
Horan, S.
——; Bourges, I.; Taanman, J.-W.; Meunier, B.
Analysis of COX2 mutants reveals cytochrome oxidase subassemblies in yeast, 390:703
Horányi, M. *See* Oláh, J.
Hörhä, J. *See* Nordlund, H. R.
Horii, M. *See* Yorikawa, C.
Horn, C. *See* Benabdelhak, H.
Horyn, O.
——; Luhovyy, B.; Lazarow, A.; Daikhin, Y.; Nissim, Ilana; Yudkoff, M.; Nissim, Itzhak
Biosynthesis of agmatine in isolated mitochondria and perfused rat liver: studies with ^{15}N-labelled arginine, 388:419
Hosaka, Y. *See* Ishii, M.
Hosseinkhani, S.
——; Szittner, R.; Meighen, E. A.
Random mutagenesis of bacterial luciferase: critical role of Glu^{175} in the control of luminescence decay, 385:575
Hosur, M. V. *See* Kumar, M.
Hothi, P.
——; Sutcliffe, M. J.; Scrutton, N. S.
Kinetic isotope effects and ligand binding in PQQ-dependent methanol dehydrogenase, 388:123
Houghton, F. *See* Luke, M. R.
Houslay, M. D. *See* Day, J. P.
Housley, G. D. *See* Wang, C. J. H.
Houstek, J. *See* Stiburek, L.
Hovens, C. M. *See* King, J. A. J.
Hoyos, J. M. *See* Battista, S.
Hrycyna, C. A. *See* Corrigan, D. P.
Hsiao, M. M.-Y. *See* Veldhuizen, E. J. A.
Hsu, C. Y. *See* Xiao, Q.
Hsu, Y.-T. *See* Birbes, H.
Hu, B. *See* Fisher, P. W.
Hu, K. *See* Rickman, C.
Hu, T.
——; Prabhakaran, M.; Acharya, S. A.; Manjula, B. N.
Influence of the chemistry of conjugation of poly(ethylene glycol) to Hb on the oxygen-binding and solution properties of the PEG-Hb conjugate, 392:555
Huang, B. X.
——; Dass, C.; Kim, H.-Y.
Probing conformational changes of human serum albumin due to unsaturated fatty acid binding by chemical cross-linking and mass spectrometry, 387:695
Huang, C.-J.
——; Wu, S.-C.; Choo, K.-B.
Transcriptional modulation of the pre-implantation embryo-specific *Rnf35*gene by the Y-box protein NF-Y/CBF, 387:367
Huang, W. *See* Hong, J.; Li, C.
Huang, X. *See* Lipina, C.
Huang, Y.
——; Krauss, G.; Cottaz, S.; Driguez, H.; Lipps, G.
A highly acid-stable and thermostable endo-β-glucanase from the thermoacidophilic archaeon *Sulfolobus solfataricus*, 385:581
Huber, H. E. *See* Barnett, S. F.
Hübscher, U. *See* Locatelli, G. A.; Smirnova, E.
Hughes, G.
——; Murphy, M. P.; Ledgerwood, E. C.
Mitochondrial reactive oxygen species regulate the temporal activation of nuclear factor κB to modulate tumour necrosis factor-induced apoptosis: evidence from mitochondria-targeted antioxidants, 389:83
Hui, K.-M.
——; Orriss, G. L.; Schirmer, T.; Magnadóttir, B.; Schifferli, J. A.; Inal, J. M.
Expression of functional recombinant von Willebrand factor-A domain from human complement C2: a potential binding site for C4 and CRIT, 389:863
Hult, E.-L.
——; Katouno, F.; Uchiyama, T.; Watanabe, T.; Sugiyama, J.
Molecular directionality in crystalline β-chitin: hydrolysis by chitinases A and B from *Serratia marcescens* 2170, 388:851
Hundal, H. S. *See* Ruiz-Alcaraz, A. J.
Hung, H.-C.
——; Kuo, M.-W.; Chang, G.-G.; Liu, G.-Y.
Characterization of the functional role of allosteric site residue Asp^{102} in the regulatory mechanism of human mitochondrial NAD(P)$^+$-dependent malate dehydrogenase (malic enzyme), 392:39
Hunsmann, G. *See* Müller, H.
Hunt, T. *See* Dinarina, A.
Huntington, J. A. *See* Johnson, D. J. D.
——; Slow thrombin in solution (online-only commentary on De Filippis, V.), 390:e1
Hunyadi-Gulyás, É. *See* Kiss, P.
Hunziker, W. *See* Béguin, P.
Hurst, D. R.
——; Schwartz, M. A.; Jin, Y.; Ghaffari, M. A.; Kozarekar, P.; Cao, J.; Sang, Q.-X. A.
Inhibition of enzyme activity of and cell-mediated substrate cleavage by membrane type 1 matrix metalloproteinase

© 2006 Biochemical Society

by newly developed mercaptosulphide inhibitors, 392:527
Hurst, J. L. *See* Armstrong, S. D.
Hwang, J.-I.
——; Oh, Y.-S.; Shin, K.-J.; Kim, H.; Ryu, S. H.; Suh, P.-G.
Molecular cloning and characterization of a novel phospholipase C, PLC-η, 389:181
Hynynen, R.
——; Laitinen, S.; Käkelä, R.; Tanhuanpää, K.; Lusa, S.; Ehnholm, C.; Somerharju, P.; Ikonen, E.; Olkkonen, V. M.
Overexpression of OSBP-related protein 2 (ORP2) induces changes in cellular cholesterol metabolism and enhances endocytosis, 390:273
Hytönen, V. P. *See* Nordlund, H. R.

I, S. T. T. *See* King, J. A. J.
Iacobazzi, V.
——; Infantino, V.; Costanzo, P.; Izzo, P.; Palmieri, F.
Functional analysis of the promoter of the mitochondrial phosphate carrier human gene: identification of activator and repressor elements and their transcription factors, 391:613
Igarashi, K. *See* Nishimura, K.
Igarashi, Y. *See* Inagaki, Y.; Mizutani, Y.
Iglesias, R. *See* Carmona, M. C.
Iino, M. *See* Yamada, A.
Ijlst, L. *See* Visser, W. F.
Ikeda, Y. *See* Otsu, K.
Ikemoto, N. *See* Paul-Pletzer, K.
Ikeuchi, M. *See* Zhang, P.
Ikonen, E. *See* Hynynen, R.; Vainio, S.
Ikura, M. *See* Khorchid, A.
Ilia, S. *See* Perret, S.
Iliás, A. *See* Pászty, K.
Ilic, M. Z.
——; Carter, P.; Tyndall, A.; Dudhia, J.; Handley, C. J.
Proteoglycans and catabolic products of proteoglycans present in ligament, 385:381
Imai, H. *See* Hattori, H.; Otsu, K.
Imamura, T. *See* Kuratomi, G.
Imberty, A. *See* Perret, S.
Inagaki, N. *See* Ban, N.
Inagaki, Y.
——; Pham, T. T.; Fujiwara, Y.; Kohno, T.; Osborne, D. A.; Igarashi, Y.; Tigyi, G.; Parrill, A. L.
Sphingosine 1-phosphate analogue recognition and selectivity at $S1P_4$ within the endothelial differentiation gene family of receptors, 389:187
Inai, Y. *See* Shiraishi, N.
Inal, J. M. *See* Hui, K.-M.
Iñarrea, P.
——; Moini, H.; Rettori, D.; Han, D.; Martínez, J.; García, I.; Fernández-Vizarra, E.; Iturralde, M.; Cadenas, E.
Redox activation of mitochondrial intermembrane space Cu,Zn-superoxide dismutase, 387:203
Infantino, V. *See* Iacobazzi, V.
Inman, G. J.
——; Linking Smads and transcriptional activation (online-only commentary on Wang, G.), 386:e1
Inoue, Y.
——; Segawa, H.; Kaneko, I.; Yamanaka, S.; Kusano, K.; Kawakami, E.; Furutani, J.; Ito, M.; Kuwahata, M.; Saito, H.; Fukushima, N.; Kato, S.; Kanayama, H.-o.; Miyamoto, K.-i.
Role of the vitamin D receptor in FGF23 action on phosphate metabolism, 390:325
Inouye, K. *See* Muta, Y.; Tsuzuki, S.
Inouye, M. *See* Khorchid, A.
Insall, R. H. *See* Zouwail, S.
Ioannou, Y. A. *See* Chen, F. W.
Iqbal, T. *See* Sharma, N.
Irvine, R. F. *See* Brough, D.; Yu, J. C. H.
Isaac, R. E. *See* Thomas, J. E.
Ishdorj, G. *See* Ciccoli, R.
Ishida, N. *See* Oishi, K.
Ishii, M.
——; Fujita, S.; Yamada, M.; Hosaka, Y.; Kurachi, Y.
Phosphatidylinositol 3,4,5-trisphosphate and Ca^{2+}/calmodulin competitively bind to the regulators of G-protein-signalling (RGS) domain of RGS4 and reciprocally regulate its action, 385:65
Ishii, R. *See* Oku, T.
Ishii, T. *See* Masuda, S.
Ishikawa, Y. *See* Masuda, S.
Ishima, Y. *See* Gokoh, M.
Ishiyama, N. *See* Demendi, M.
Israelson, A. *See* Zalk, R.
Itagaki, S. *See* Srinivas, S. R.
Ito, A. *See* Oshima, T.
Ito, M. *See* Inoue, Y.; Kiyohara, M.
Ito, S. *See* Costin, G.-E.
Itoh, S. *See* Oku, T.
Iturralde, M. *See* Iñarrea, P.
Iwai, M. *See* Zhang, P.
Iwanaga, T. *See* Tsuzuki, S.
Iynedjian, P. B.
——; Lack of evidence for a role of TRB3/NIPK as an inhibitor of PKB-mediated insulin signalling in primary hepatocytes, 386:113
Izzo, P. *See* Iacobazzi, V.

Jackson, A. P. *See* Yu, E. J.
Jackson, G. S. *See* Jones, S.
Jackson, M. *See* Pitarque, S.
Jackson, S. *See* Fisher, P. W.
Jackson, S. P. *See* Cranmer, S. L.
Jackson, V. N. *See* Faye, A.
Jacobs, B. S. *See* Morrison, B. H.
Jacobs, F. M. J. *See* van der Heide, L. P.
Jacobson, M. K. *See* Patel, C. N.
Jacquelín, D. K.
——; Filiberti, A.; Argaraña, C. E.; Barra, J. L.
Pseudomonas aeruginosa MutL protein functions in *Escherichia coli*, 388:879
Jacquet, E. *See* Ramaen, O.
Jagadish, N.
——; Rana, R.; Selvi, R.; Mishra, D.; Garg, M.; Yadav, S.; Herr, J. C.; Okumura, K.; Hasegawa, A.; Koyama, K.; Suri, A.
Characterization of a novel human sperm-associated antigen 9 (SPAG9) having structural homology with c-Jun N-terminal kinase-interacting protein, 389:73
Jagielska, E. *See* Cieśla, J.
Jakimowicz, D. *See* Zawilak-Pawlik, A.
Jam, M.
——; Flament, D.; Allouch, J.; Potin, P.; Thion, L.; Kloareg, B.; Czjzek, M.; Helbert, W.; Michel, G.; Barbeyron, T.
The endo-β-agarases AgaA and AgaB from the marine bacterium *Zobellia galactanivorans*: two paralogue enzymes with different molecular organizations and catalytic behaviours, 385:703
Jamil, S.
——; Sobouti, R.; Hojabrpour, P.; Raj, M.; Kast, J.; Duronio, V.
A proteolytic fragment of Mcl-1 exhibits nuclear localization and regulates cell growth by interaction with Cdk1, 387:659
Jans, D. A. *See* Sunn, K. L.
Jansma, D. B. *See* Raicu, V.
Janssen, M. P. *See* Bevers, E. M.
Janssens, V. *See* Van Hoof, C.
Janvilisri, T.
——; Shahi, S.; Venter, H.; Balakrishnan, L.; van Veen, H. W.
Arginine-482 is not essential for transport of antibiotics, primary bile acids and unconjugated sterols by the human breast cancer resistance protein (ABCG2), 385:419
Jardim, A. *See* Madrid, K. P.
Jaronczyk, K.
——; Carmichael, J. B.; Hobman, T. C.
Exploring the functions of RNA interference pathway proteins: some functions are more RISCy than others?, 387:561
Jatkoe, T. *See* Zandbergen, F.
Javelle, A.
——; Thomas, G.; Marini, A.-M.; Krämer, R.; Merrick, M.
In vivo functional characterization of the *Escherichia coli* ammonium channel AmtB: evidence for metabolic coupling of AmtB to glutamine synthetase, 390:215
Jelkmann, W. *See* Metzen, E.
Jemth, P. *See* Kreuger, J.
Jenkins, A. *See* Dudley, A. C.
Jensen, L. T. *See* Yang, M.
Jerala, R. *See* Andrä, J.
Jessup, W. *See* Quinn, C. M.
Ji, Y. *See* Pan, C.
Jia, L.-G. *See* Serrano, S. M. T.
Jia, Y.
——; Ramasamy, S.; Wood, F.; Alayash, A. I.; Rifkind, J. M.
Cross-linking with *O*-raffinose lowers oxygen affinity and stabilizes haemoglobin in a non-cooperative T-state conformation, 385:839 (Correction)
Jiang, C. *See* Zhu, Y.
Jiang, H.-Y.
——; Wek, R. C.
GCN2 phosphorylation of eIF2α activates NF-κB in response to UV irradiation, 385:371
Jiang, J. Y. *See* Webster, J.
Jiang, W. *See* Zhu, C.
Jiang, X.-C. *See* Gautier, T.
Jiang, Y. J. *See* Lu, B.
Jijon, H. B. *See* Walker, J.
Jimenez, L. S. *See* Paul-Pletzer, K.
Jiménez-Mateos, E. M.
——; Wandosell, F.; Reiner, O.; Avila, J.; González-Billault, C.
Binding of microtubule-associated protein 1B to LIS1 affects the interaction between dynein and LIS1, 389:333
Jin, S.-L. C. *See* Richter, W.
Jin, Y. *See* Hurst, D. R.
Jinawath, A.
——; Miyake, S.; Yanagisawa, Y.; Akiyama, Y.; Yuasa, Y.
Transcriptional regulation of the human DNA methyltransferase 3A and 3B genes by Sp3 and Sp1 zinc finger proteins, 385:557
Jo, M. *See* Mars, W. M.
Jobbins, K. A. *See* Kasumov, T.
Jockusch, B. M. *See* Fock, U.

© 2006 Biochemical Society

Johansson, G. *See* Kipper, K.
Johansson, P. *See* Kallas, Å. M.
Johnson, D. J. D.
——; Adams, T. E.; Li, W.; Huntington, J. A.
Crystal structure of wild-type human thrombin in the Na^+-free state, 392:21
Johnson, G. R. *See* Fan, Y.-X.
Johnson, J. L.
——; Ellis, B. A.; Noack, D.; Seabra, M. C.; Catz, S. D.
The Rab27a-binding protein, JFC1, regulates androgen-dependent secretion of prostate-specific antigen and prostatic-specific acid phosphatase, 391:699
Johnson, L. R. *See* Bhattacharya, S.
Johnston, J. A. *See* Flood, F.
Johs, A. *See* Gamsjaeger, R.
Jokic, N. *See* Di Scala, F.
Jokitalo, E. *See* Vainio, S.
Jonckheere, N. *See* Fauquette, V.
Jones, D. P. *See* Halvey, P. J.
Jones, J. T. *See* Kikuchi, T.
Jones, R. E. *See* Barnett, S. F.
Jones, S.
——; Batchelor, M.; Bhelt, D.; Clarke, A. R.; Collinge, J.; Jackson, G. S.
Recombinant prion protein does not possess SOD-1 activity, 392:309
Jones, S. A. *See* Oliver, A. W.
Jong, M. C. *See* Gautier, T.
Jonsson, M.
——; Linse, S.; Frohm, B.; Lundwall, Å.; Malm, J.
Semenogelins I and II bind zinc and regulate the activity of prostate-specific antigen, 387:447
Jordan, R. *See* Botchway, S. W.
Jordens, J. *See* Van Hoof, C.
Jørgensen, R. *See* Yates, S. P.
Joseph, C. D. *See* Sigman, J. A.
Joseph, J. *See* Kalivendi, S. V.
Joshua, R. *See* Roy, U.
Jourdheuil-Rahmani, D. *See* Reboul, E.
Juanes, P. P.
——; Ferreira, L.; Montero, J. C.; Arribas, J.; Pandiella, A.
N-terminal cleavage of proTGFα occurs at the cell surface by a TACE-independent activity, 389:161
Juárez, A. *See* García, J.
Juliano, L. *See* Molinaro, G.
Juliano, M. A. *See* Molinaro, G.
Juliant, S. *See* Teintenier-Lelièvre, M.
Julien, S. *See* Teintenier-Lelièvre, M.
Jumel, K. *See* Benabdelhak, H.
Junne, T. *See* Vergnolle, M. A. S.

Kadariya, Y.
——; Nakatani, K.; Nishioka, J.; Fujikawa, T.; Kruger, W. D.; Nobori, T.
Regulation of human methylthioadenosine phosphorylase gene by the CBF (CCAAT binding factor)/NF-Y (nuclear factor-Y), 387:175
Kadkhodayan, S. *See* Vucic, D.
Kadowaki, K.-i. *See* Oshima, T.
Kahana, J. A. *See* Barnett, S. F.
Kai, H. *See* Roger, T.
Kaida, A.
——; Ariumi, Y.; Baba, K.; Matsubae, M.; Takao, T.; Shimotohno, K.
Identification of a novel p300-specific-associating protein, PRS1 (phosphoribosylpyrophosphate synthetase subunit 1), 391:239
Kaji, E. H. *See* Kalivendi, S. V.
Käkelä, R. *See* Hynynen, R.
Kakeya, H. *See* Nagumo, Y.
Kalivendi, S. V.
——; Konorev, E. A.; Cunningham, S.; Vanamala, S. K.; Kaji, E. H.; Joseph, J.; Kalyanaraman, B.
Doxorubicin activates nuclear factor of activated T-lymphocytes and Fas ligand transcription: role of mitochondrial reactive oxygen species and calcium, 389:527
Kalkkinen, N. *See* Virtanen, H.
Kallas, Å. M.
——; Piens, K.; Denman, S. E.; Henriksson, H.; Fäldt, J.; Johansson, P.; Brumer, III, H.; Teeri, T. T.
Enzymatic properties of native and deglycosylated hybrid aspen (*Populus tremula* × *tremuloides*) xyloglucan endotransglycosylase 16A expressed in *Pichia pastoris*, 390:105
Kalluri, R. *See* Sund, M.
Kalyanaraman, B. *See* Kalivendi, S. V.
Kamau, E.
——; Tsihlis, N. D.; Simmons, L. A.; Grove, A.
Surface salt bridges modulate the DNA site size of bacterial histone-like HU proteins, 390:49
Kamijo, R. *See* Yasuhara, R.
Kamitsuji, H.
——; Watanabe, T.; Honda, Y.; Kuwahara, M.
Direct oxidation of polymeric substrates by multifunctional manganese peroxidase isoenzyme from *Pleurotus ostreatus* without redox mediators, 386:387
Kanayama, H.-o. *See* Inoue, Y.
Kanda, A.
——; Satake, H.; Kawada, T.; Minakata, H.
Novel evolutionary lineages of the invertebrate oxytocin/vasopressin superfamily peptides and their receptors in the common octopus (*Octopus vulgaris*), 387:85
Kane, M. A.
——; Chen, N.; Sparks, S.; Napoli, J. L.
Quantification of endogenous retinoic acid in limited biological samples by LC/MS/MS, 388:363
Kane, S. *See* Mîinea, C. P.
Kaneko, I. *See* Inoue, Y.
Kaneski, C. R. *See* Salvioli, R.
Kang, S. *See* Lee, S.-J.
Kang, Y. *See* Leung, Y. M.
Kaninda-Tshilumbu, J. P. *See* Sanchez-Rodriguez, J.
Kannan, R.
——; Kumar, K.; Sahal, D.; Kukreti, S.; Chauhan, V. S.
Reaction of artemisinin with haemoglobin: implications for antimalarial activity, 385:409
Kannemeier, C. *See* Nakazawa, F.
Kaplan, J. S. *See* Nutchey, B. K.
Karaduman, H. *See* Claas, C.
Karchner, S. I.
——; Franks, D. G.; Hahn, M. E.
AHR1B, a new functional aryl hydrocarbon receptor in zebrafish: tandem arrangement of *ahr1b* and *ahr2* genes, 392:153
Kardassis, D. *See* Koutsodontis, G.
Kardon, T. *See* Senesi, S.
Kärkönen, A.
——; Murigneux, A.; Martinant, J.-P.; Pepey, E.; Tatout, C.; Dudley, B. J.; Fry, S. C.
UDP-glucose dehydrogenases of maize: a role in cell wall pentose biosynthesis, 391:409
Karlsson, N. G. *See* Schulz, B. L.
Karniol, B.
——; Wagner, J. R.; Walker, J. M.; Vierstra, R. D.
Phylogenetic analysis of the phytochrome superfamily reveals distinct microbial subfamilies of photoreceptors, 392:103
Karpova, G. *See* Graifer, D.
Karten, B.
——; Hayashi, H.; Francis, G. A.; Campenot, R. B.; Vance, D. E.; Vance, J. E.
Generation and function of astroglial lipoproteins from Niemann–Pick type C1-deficient mice, 387:779
Karunasekara, Y. *See* Dulhunty, A. F.
Kashiwagi, K. *See* Nishimura, K.
Kast, J. *See* Jamil, S.
Kasumov, T.
——; Adams, J. E.; Bian, F.; David, F.; Thomas, K. R.; Jobbins, K. A.; Minkler, P. E.; Hoppel, C. L.; Brunengraber, H.
Probing peroxisomal β-oxidation and the labelling of acetyl-CoA proxies with [1-^{13}C]octanoate and [3-^{13}C]octanoate in the perfused rat liver, 389:397
Katan, M. *See* Byrne, R. D.
——; New insights into the families of PLC enzymes: looking back and going forward (online-only commentary on Zhou, Y.), 391:e7
Katinger, H. *See* Löscher, M.
Kato, K. *See* Konishi, T.
Kato, S. *See* Inoue, Y.
Kato, Y. *See* Pillai, A.
Katoh, H. *See* Zhang, P.
Katoh, K. *See* Yorikawa, C.
——; Suzuki, H.; Terasawa, Y.; Mizuno, T.; Yasuda, J.; Shibata, H.; Maki, M.
The penta-EF-hand protein ALG-2 interacts directly with the ESCRT-I component TSG101, and Ca^{2+}-dependently co-localizes to aberrant endosomes with dominant-negative AAA ATPase SKD1/Vps4B, 391:677
Katoh, Y. *See* Suzuki, T.
Katouno, F. *See* Hult, E.-L.
Katsis, F. *See* Fodero-Tavoletti, M. T.
Katsushima, Y. *See* Saito, M.
Katsuyama, M. *See* Fan, C. Y.
——; Fan, C. Y.; Arakawa, N.; Nishinaka, T.; Miyagishi, M.; Taira, K.; Yabe-Nishimura, C.
Essential role of ATF-1 in induction of NOX1, a catalytic subunit of NADPH oxidase: involvement of mitochondrial respiratory chain, 386:255
Katzin, A. M. *See* Tonhosolo, R.
Kaul, S. C. *See* Wadhwa, R.
Kaul, Z. *See* Wadhwa, R.
Kaupmann, K. *See* Deriu, D.
Kaur, K. *See* Wadhwa, R.
Kavanagh, K. L. *See* Petschacher, B.
Kawada, T. *See* Kanda, A.
Kawai, J. *See* Furutani, Y.
Kawakami, E. *See* Inoue, Y.
Kawanishi, S. *See* Furukawa, A.
Kawashima, E. *See* Terui, Y.
Kearsey, J. *See* de Coupade, C.
Kehrer, J. P. *See* Tong, Z.
Kehres, D. *See* Agranoff, D.
Keller, W. *See* Kopec, J.

© 2006 Biochemical Society

Kelly, J. A.
——; Scalabrino, G. A.; Slator, G. R.; Cullen, A. A.; Gilmer, J. F.; Lloyd, D. G.; Bennett, G. W.; Bauer, K.; Tipton, K. F.; Williams, C. H.
Structure–activity studies with high-affinity inhibitors of pyroglutamyl-peptidase II, 389:569
Kelly, L. E.
——; Phillips, A. M.
Molecular and genetic characterization of the interactions between the *Drosophila* stoned-B protein and DAP-160 (intersectin), 388:195
Kemp, B. E. *See* Fodero-Tavoletti, M. T.
Kempf, T. *See* Claas, C.
Kenney, J. M. *See* Petersen, S. V.
Kersemans, V. *See* Laeremans, H.
Kershaw, N. J. *See* Elkins, J. M.
Kersten, S. *See* Zandbergen, F.
Ketterman, A. J. *See* Udomsinprasert, R.
Keung, W. M. *See* Kollau, A.
Kevorkian, L. *See* Porter, S.
Keynes, R. G.
——; Griffiths, C. H.; Hall, C.; Garthwaite, J.
Nitric oxide consumption through lipid peroxidation in brain cell suspensions and homogenates, 387:685
Khan, S. R. *See* Grewal, J. S.
Khanna, A. K. *See* Pieper, G. M.
Khorchid, A.
——; Inouye, M.; Ikura, M.
Structural characterization of *Escherichia coli* sensor histidine kinase EnvZ: the periplasmic C-terminal core domain is critical for homodimerization, 385:255
Khosravi-Far, R. *See* Goonesinghe, A.
Khurana, M. L. *See* Pandey, K. N.
Kielty, C. M. *See* Freeman, L. J.
Kier, A. B. *See* Martin, G. G.
Kihara, A. *See* Mizutani, Y.
Kikkert, M. *See* Hassink, G.
Kikuchi, A. *See* Kimura, S.
Kikuchi, T.
——; Shibuya, H.; Jones, J. T.
Molecular and biochemical characterization of an endo-β-1,3-glucanase from the pinewood nematode *Bursaphelenchus xylophilus* acquired by horizontal gene transfer from bacteria, 389:117
Kilberg, M. S. *See* Chen, C.
Kim, H. *See* Hwang, J.-I.
Kim, H.-Y. *See* Huang, B. X.
Kim, J.-H. *See* You, H. J.
Kim, S. *See* Lee, S. Y.
——; Lee, S. B.
Identification and characterization of *Sulfolobus solfataricus* D-gluconate dehydratase: a key enzyme in the non-phosphorylated Entner–Doudoroff pathway, 387:271
Kim, S.-A. *See* Ahn, S.-G.
Kimata, K. *See* Furutani, Y.
Kimata, Y. *See* Oikawa, D.
Kimura, E. A. *See* Tonhosolo, R.
Kimura, S.
——; Kikuchi, A.; Senda, T.; Shiro, Y.; Fukuda, M.
Tolerance of the Rieske-type [2Fe-2S] cluster in recombinant ferredoxin BphA3 from *Pseudomonas* sp. KKS102 to histidine ligand mutations, 388:869
King, J. A. J.
——; Straffon, A. F. L.; D'Abaco, G. M.; Poon, C. L. C.; I. S. T. T.; Smith, C. M.; Buchert, M.; Corcoran, N. M.; Hall, N. E.; Callus, B. A.; Sarcevic, B.; Martin, D.; Lock, P.; Hovens, C. M.
Distinct requirements for the Sprouty domain for functional activity of Spred proteins, 388:445
Kinsella, B. T. *See* O'Meara, S. J.
Kipper, K.
——; Väljamäe, P.; Johansson, G.
Processive action of cellobiohydrolase Cel7A from *Trichoderma reesei* is revealed as 'burst' kinetics on fluorescent polymeric model substrates, 385:527
Kirkhus, M. *See* Landsverk, H. B.
Kirkman, H. N. *See* Gaetani, G. F.
Kishimoto, S. *See* Gokoh, M.
Kiss, E. *See* Wilson, D. P.
Kiss, I. *See* Rentsendorj, O.
Kiss, P.
——; Szabó, Á.; Hunyadi-Gulyás, É.; Medzihradszky, K. F.; Lipinszki, Z.; Pál, M.; Udvardy, A.
Zn^{2+}-induced reversible dissociation of subunit Rpn10/p54 of the *Drosophila* 26 S proteasome, 391:301
Kita, K. *See* Yuasa, K.
Kitada, S. *See* Oshima, T.
Kitajima, K. *See* Yusa, A.
Kiyohara, M.
——; Sakaguchi, K.; Yamaguchi, K.; Araki, T.; Nakamura, T.; Ito, M.
Molecular cloning and characterization of a novel β-1,3-xylanase possessing two putative carbohydrate-binding modules from a marine bacterium *Vibrio* sp. strain AX-4, 388:949
Kleesiek, K. *See* Müller, S.
Klingel, K. *See* Kowalczuk, S.
Kloareg, B. *See* Jam, M.
Kloeckl, T. *See* Napirei, M.
Knapinska, A. *See* Renganathan, H.
Knebel, A. *See* Eyers, C. E.
Knepel, W. *See* Sharma, S. K.
Knight, B. L.
——; Hebbachi, A.; Hauton, D.; Brown, A.-M.; Wiggins, D.; Patel, D. D.; Gibbons, G. F.
A role for PPARα in the control of SREBP activity and lipid synthesis in the liver, 389:413
Knight, S. D. *See* Zavialov, A. V.
Knipling, L. *See* Britto, P. J.
Knudsen, J. *See* Burton, M.
Ko, S.-H. *See* Yu, E. J.
Ko, Y.-P.
——; Kobbe, B.; Paulsson, M.; Wagener, R.
Zebrafish (*Danio rerio*) matrilins: shared and divergent characteristics with their mammalian counterparts, 386:367
Kobayashi, M. *See* Suzuki, T.
Kobayashi, T. *See* Yorikawa, C.; Yuasa, K.
Kobbe, B. *See* Ko, Y.-P.
Koch, M. H. J. *See* Andrä, J.
Köchl, R. *See* Alken, M.
Kock, J. L. F. *See* Ciccoli, R.
Koesling, D. *See* Gorren, A. C. F.; Kollau, A.
Koh, D. W. *See* Patel, C. N.
Kohno, K. *See* Oikawa, D.
Kohno, T. *See* Inagaki, Y.
Köhrle, J. *See* Schweizer, U.
Kois, A. *See* Zawilak-Pawlik, A.
Kojima, N. *See* Mousavi, S. A.
Kokoszka, J. *See* Brand, M. D.
Kolarich, D. *See* Bencúr, P.
Kolch, W. *See* Orton, R. J.
Kollau, A. *See* Gorren, A. C. F.
——; Hofer, A.; Russwurm, M.; Koesling, D.; Keung, W. M.; Schmidt, K.; Brunner, F.; Mayer, B.
Contribution of aldehyde dehydrogenase to mitochondrial bioactivation of nitroglycerin: evidence for the activation of purified soluble guanylate cyclase through direct formation of nitric oxide, 385:769
Köllensperger, G. *See* Bencúr, P.
Kolluri, S.
——; Sadlon, T. J.; May, B. K.; Bonkovsky, H. L.
Haem repression of the housekeeping 5-aminolaevulinic acid synthase gene in the hepatoma cell line LMH, 392:173
Komiyama, K. *See* Masuda, S.
Komuro, A. *See* Kuratomi, G.
Kondo, T. *See* Nishimura, W.
Kong, K. C. *See* Long, J.
König, H. *See* Wiche, R.
Konishi, T.
——; Kato, K.; Araki, T.; Shiraki, K.; Takagi, M.; Tamaru, Y.
A new class of glutathione S-transferase from the hepatopancreas of the red sea bream *Pagrus major*, 388:299
Konorev, E. A. *See* Kalivendi, S. V.
Konshina, A. G. *See* Dubovskii, P. V.
Konstantinou, D. K. *See* Marek, C. J.
Kopec, J.
——; Bergmann, A.; Fritz, G.; Grohmann, E.; Keller, W.
TraA and its N-terminal relaxase domain of the Gram-positive plasmid pIP501 show specific *oriT* binding and behave as dimers in solution, 387:401
Koppenol, W. H. *See* Nauser, T.
Koretsky, A. *See* Speer, O.
Korres, H. *See* Lehane, A. M.
Koseki, K. *See* Yamaguchi, K.
Kost, O. A. *See* Skirgello, O. E.
Kostelecky, B. *See* Schilling, O.
Koster, G. *See* Byrne, R. D.
Kotani, T.
——; Yamashita, M.
Overexpression of truncated γ-tubulins disrupts mitotic aster formation in *Xenopus* oocyte extracts, 389:611
Kotera, J. *See* Yuasa, K.
Kottra, G. *See* Foltz, M.
Koutsodontis, G.
——; Vasilaki, E.; Chou, W.-C.; Papakosta, P.; Kardassis, D.
Physical and functional interactions between members of the tumour suppressor p53 and the Sp families of transcription factors: importance for the regulation of genes involved in cell-cycle arrest and apoptosis, 389:443
Kovacs, H. *See* Monleón, D.
Kowalczuk, S. *See* Böhmer, C.
——; Bröer, A.; Munzinger, M.; Tietze, N.; Klingel, K.; Bröer, S.
Molecular cloning of the mouse IMINO system: an Na^+ and-Cl^--dependent proline transporter, 386:417
Koyama, K. *See* Jagadish, N.
Koyama, T. *See* Nakazawa, F.
Kozaki, S. *See* Ferracci, G.
Kozarekar, P. *See* Hurst, D. R.
Kozhaya, L. *See* Darwiche, N.
Kral, A. M. *See* Barnett, S. F.
Krämer, R. *See* Javelle, A.

© 2006 Biochemical Society

Kratzer, R.
——; Nidetzky, B.
Electrostatic stabilization in a pre-organized polar active site: the catalytic role of Lys-80 in *Candida tenuis* xylose reductase (AKR2B5) probed by site-directed mutagenesis and functional complementation studies, 389:507
Krauss, G. *See* Huang, Y.
Krebsbach, R. J. *See* Okamoto, Y.
Kren, B. T. *See* Yin, W.
Kreuger, J.
——; Jemth, P.; Sanders-Lindberg, E.; Eliahu, L.; Ron, D.; Basilico, C.; Salmivirta, M.; Lindahl, U.
Fibroblast growth factors share binding sites in heparan sulphate, 389:145
Krishna, S. *See* Agranoff, D.
Kritharides, L. *See* Quinn, C. M.
Križaj, I. *See* Petrovič, U.
Kruger, W. D. *See* Kadariya, Y.
Krupenko, N. I. *See* Oleinik, N. V.
Krupenko, S. A. *See* Oleinik, N. V.
Krystyniak, A. *See* Ferrari, S.
Ktistakis, N. *See* Long, J.
Ku, T. K. S. *See* Chu, B. Y.
Kubo, H.
——; Hazeki, K.; Takasuga, S.; Hazeki, O.
Specific role for p85/p110β in GTP-binding-protein-mediated activation of Akt, 392:607
Kuchel, P. W. *See* Torres, A. M.
Kudo, I. *See* Masuda, S.
Kuhn, J. *See* Müller, S.
Kukreti, S. *See* Kannan, R.
Kulik, W. *See* van Vlies, N.
Kulomaa, M. S. *See* Nordlund, H. R.
Kumagai, T. *See* Noda, M.
Kumar, K. *See* Kannan, R.
Kumar, M.
——; Prashar, V.; Mahale, S.; Hosur, M. V.
Observation of a tetrahedral reaction intermediate in the HIV-1 protease–substrate complex, 389:365
Kumar, M. S.
——; Reddy, P. Y.; Sreedhar, B.; Reddy, G. B.
αB-crystallin-assisted reactivation of glucose-6-phosphate dehydrogenase upon refolding, 391:335
Kumar Dhar, S. *See* Soni, R. K.
Kumari, D.
——; Gabrielian, A.; Wheeler, D.; Usdin, K.
The roles of Sp1, Sp3, USF1/USF2 and NRF-1 in the regulation and three-dimensional structure of the Fragile X mental retardation gene promoter, 386:297
Kuntz, L.
——; Tritsch, D.; Grosdemange-Billiard, C.; Hemmerlin, A.; Willem, A.; Bach, T. J.; Rohmer, M.
Isoprenoid biosynthesis as a target for antibacterial and antiparasitic drugs: phosphonohydroxamic acids as inhibitors of deoxyxylulose phosphate reducto-isomerase, 386:127
Küntziger, T. *See* Landsverk, H. B.
Kuo, M.-W. *See* Hung, H.-C.
——; Postlethwait, J.; Lee, W.-C.; Lou, S.-W.; Chan, W.-K.; Chung, B.-c.
Gene duplication, gene loss and evolution of expression domains in the vertebrate nuclear receptor *NR5A* (*Ftz-F1*) family, 389:19
Kurachi, Y. *See* Ishii, M.
Kuratomi, G.
——; Komuro, A.; Goto, K.; Shinozaki, M.; Miyazawa, K.; Miyazono, K.; Imamura, T.
NEDD4-2 (neural precursor cell expressed, developmentally down-regulated 4-2) negatively regulates TGF-β (transforming growth factor-β) signalling by inducing ubiquitin-mediated degradation of Smad2 and TGF-β type I receptor, 386:461
Kurlandzka, A. *See* Flis, K.
Kurz, T. *See* Persson, H. L.
Kusano, K. *See* Inoue, Y.
Kusche-Gullberg, M. *See* Xu, S.
Kusov, Y. Y. *See* Peters, H.
Kustermans, G.
——; El Benna, J.; Piette, J.; Legrand-Poels, S.
Perturbation of actin dynamics induces NF-κB activation in myelomonocytic cells through an NADPH oxidase-dependent pathway, 387:531
Kuszczak, D. *See* Corrigan, D. P.
Kuwahara, M. *See* Kamitsuji, H.
Kuwahata, M. *See* Inoue, Y.
Kuwamura, N. *See* Béguin, P.
Kwon, J. *See* Lee, S. Y.

Laar, T. v. *See* Hassink, G.
Labas, Y. A. *See* Shkrob, M. A.
Labialle, S. *See* Barakat, S.
Lach, B. *See* Sandhu, J. K.
Lachaud, A. A. *See* Beaudet, M.-J.
Ladbury, J. E. *See* Ono, S.
Laeremans, H.
——; Demaegdt, H.; De Backer, J.-P.; Le, M. T.; Kersemans, V.; Michotte, Y.; Vauquelin, G.; Vanderheyden, P. M. L.
Metal ion modulation of cystinyl aminopeptidase, 390:351
Laftah, A. H. *See* Sharma, N.
Lagace, T. A.
——; Ridgway, N. D.
Induction of apoptosis by lipophilic activators of CTP:phosphocholine cytidylyltransferase α (CCTα), 392:449
Lagarde, M. *See* Masson, E.
Lagrange, P. H. *See* Pitarque, S.
Lagrost, L. *See* Gautier, T.
Lai, Y.-H. *See* Lee, H.-J.
Lairon, D. *See* Reboul, E.
Laitinen, O. H. *See* Nordlund, H. R.
Laitinen, S. *See* Hynynen, R.
Lakey, J. H. *See* Visudtiphole, V.
Lallemand, J.-Y. *See* Ramaen, O.
Lam, J. S. *See* Demendi, M.
Lamas, S. *See* Reimunde, F. M.
Lambeir, A.-M. *See* Maes, M.-B.
Lambert, D.
——; O'Neill, C. A.; Padfield, P. J.
Depletion of Caco-2 cell cholesterol disrupts barrier function by altering the detergent solubility and distribution of specific tight-junction proteins, 387:553
Lambert, P.-H. *See* Ferry, G.
Lamond, A. I. *See* Löscher, M.
Lamoreux, M. L. *See* Costin, G.-E.
Lamosa, P. *See* Wiame, E.
Lampert, C. *See* Deriu, D.
Lanctot, P. M.
——; Leclerc, P. C.; Clément, M.; Auger-Messier, M.; Escher, E.; Leduc, R.; Guillemette, G.
Importance of N-glycosylation positioning for cell-surface expression, targeting, affinity and quality control of the human AT_1 receptor, 390:367
Landázuri, M. O. *See* Pescador, N.
Landsverk, H. B.
——; Kirkhus, M.; Bollen, M.; Küntziger, T.; Collas, P.
PNUTS enhances *in vitro* chromosome decondensation in a PP1-dependent manner, 390:709
Lane, W. S. *See* Mîinea, C. P.
Lang, F. *See* Böhmer, C.
Langdon, W. Y. *See* Thien, C. B. F.
Langlet, C. *See* Prorok-Hamon, M.
Lannfelt, L. *See* Flood, F.
Lanotte, M. *See* Arnesen, T.
Laos, S. *See* Andersson, C. X.
Laporte, S. A. *See* Proulx, C. D.
Larijani, B. *See* Byrne, R. D.
Larina, O. *See* Wäsle, B.
Laroche-Traineau, J. *See* Testet, E.
Larsson, A. *See* Xu, S.
Larsson, A.-K. *See* Shokeer, A.
Lassoued, K. *See* Nyga, R.
Laurents, D. V. *See* Bertoldi, M.
Laver, D. R. *See* Haarmann, C. S.
Laverrière, J.-N. *See* Maillet, M.
Lavery, D. N.
——; McEwan, I. J.
Structure and function of steroid receptor AF1 transactivation domains: induction of active conformations, 391:449
Lazar, A. *See* Barakat, S.
Lazarow, A. *See* Horyn, O.
Leach, N. *See* Allen, J. W. A.
Le, M. T. *See* Laeremans, H.
Leander, K. *See* Barnett, S. F.
Leberer, E. *See* Mangold, U.
Lecanda, F. *See* Stains, J. P.
Lech, M. *See* Wu, Z. L.
Leclerc, P. C. *See* Lanctot, P. M.
Leclerc, S. *See* Zaniolo, K.
Lecointe, F. *See* Pitarque, S.
Lecomte, M.-C. *See* Rotter, B.
Lecona, E. *See* Turnay, J.
Ledda, S. *See* Sparatore, B.
Lederer, F. *See* Gillibert, M.
Ledgerwood, E. C. *See* Hughes, G.
Leduc, R. *See* Lanctot, P. M.; Proulx, C. D.
Lee, F. *See* Sandhu, J. K.
Lee, H.-J.
——; Lai, Y.-H.; Wu, S.-Y.; Chen, Y.-H.
The effect of N-terminal truncation on double-dimer assembly of goose δ-crystallin, 392:545
Lee, J. M. *See* Pillai, A.
Lee, J.-M. *See* Xiao, Q.
Lee, L. *See* Raturi, A.
Lee, L. L. *See* Barnett, S. F.
Lee, S.
——; Lynch, K. R.
Brown recluse spider (*Loxosceles reclusa*) venom phospholipase D (PLD) generates lysophosphatidic acid (LPA), 391:317
Lee, S. B. *See* Kim, S.
Lee, S. H. *See* Cao, W.
Lee, S.-J. *See* Hassink, G.
——; Choi, D.; Rhim, H.; Kang, S.
E3 ubiquitin ligase RNF2 interacts with the S6′ proteasomal ATPase subunit and increases the ATP hydrolysis activity of S6′, 389:457
Lee, S. W. *See* Ghosh, S. S.
Lee, S. Y.
——; Park, J.-H.; Kim, S.; Park, E.-J.; Yun, Y.; Kwon, J.
A proteomics approach for the identification of nucleophosmin and heterogeneous

© 2006 Biochemical Society

nuclear ribonucleoprotein C1/C2 as chromatin-binding proteins in response to DNA double-strand breaks, 388:7 (*See* Wardleworth, B. N. for online-only commentary)
Lee, T. D.
——; Yang, H.; Whang, J.; Lu, S. C.
Cloning and characterization of the human glutathione synthetase 5′-flanking region, 390:521
Lee, T. W. R.
——; Matthews, D. A.; Blair, G. E.
Novel molecular approaches to cystic fibrosis gene therapy, 387:1
Lee, W.-C. *See* Kuo, M.-W.
Leeksma, O. C. *See* Tsumura, Y.
Lefkowitz, R. J. *See* Milasta, S.
Legrand-Poels, S. *See* Kustermans, G.
Le Guern, N. *See* Gautier, T.
Lehane, A. M.
——; Korres, H.; Verma, N. K.
Bacteriophage-encoded glucosyltransferase GtrII of *Shigella flexneri*: membrane topology and identification of critical residues, 389:137
Lehner, R. *See* Wei, E.
Leighton, F. *See* Strobel, P.
Leinemann, U. *See* Sharma, S. K.
Leitgeb, S. *See* Petschacher, B.
Leiting, B. *See* Maes, M.-B.
Le Jossic-Corcos, C.
——; Gonthier, C.; Zaghini, I.; Logette, E.; Shechter, I.; Bournot, P.
Hepatic farnesyl diphosphate synthase expression is suppressed by polyunsaturated fatty acids, 385:787
Lemaire, D. *See* Desmaris, F.
Lemmon, M. A. *See* Flesch, F. M.
Le Moual, H. *See* Sanowar, S.
Lenkowski, P. W. *See* Yu, E. J.
Leonard, J. D.
——; Lin, F.; Milla, M. E.
Chaperone-like properties of the prodomain of TNFα-converting enzyme (TACE) and the functional role of its cysteine switch, 387:797
Lepage, Y. *See* Molinaro, G.
Leppänen, V.-M. *See* Virtanen, H.
Lerbs-Mache, S. *See* El-Kafafi, E.-S.
Lesovoy, D. M. *See* Dubovskii, P. V.
Lessire, R. *See* Testet, E.
Letellier, L. *See* Destoumieux-Garzón, D.
Leung, Y. M.
——; Kang, Y.; Xia, F.; Sheu, L.; Gao, X.; Xie, H.; Tsushima, R. G.; Gaisano, H. Y.
Open form of syntaxin-1A is a more potent inhibitor than wild-type syntaxin-1A of Kv2.1 channels, 387:195
Lev, N. *See* Steiner, D.
Levadoux-Martin, M. *See* Nury, D.
Le Van Kim, C. *See* Zidi-Yahiaoui, N.
Lévêque, C. *See* Ferracci, G.
Levéziel, H. *See* Tassy, C.
Lezoualc'h, F. *See* Maillet, M.
Li, C.
——; Huang, W.; Harris, M. B.; Goolsby, J. M.; Venema, R. C.
Interaction of the endothelial nitric oxide synthase with the CAT-1 arginine transporter enhances NO release by a mechanism not involving arginine transport, 386:567
Li, J. *See* Bradshaw, P. C.; Cheung, J. C.
——; Sha, B.
Structure-based mutagenesis studies of the peptide substrate binding fragment of type I heat-shock protein 40, 386:453
Li, L. *See* Suzuki, T.
Li, S. S.-C.
——; Specificity and versatility of SH3 and other proline-recognition domains: structural basis and implications for cellular signal transduction, 390:641
Li, W. *See* Johnson, D. J. D.
Li, X. *See* Pan, C.; Zhu, Y.
Li, Y. *See* Sandhu, J. K.
Liang, P.-H. *See* Chen, A. P.-C.
Liao, X.-H.
——; Zhang, M.-L.; Yang, C.-P.; Xu, L.-X.; Zhou, J.-Q.
Characterization of recombinant *Saccharomyces cerevisiae* telomerase core enzyme purified from yeast, 390:169
Lienhard, G. E. *See* Miinea, C. P.
Ligoudistianou, C.
——; Xu, Y.; Garnier, G.; Circolo, A.; Volanakis, J. E.
A novel human complement-related protein, C1r-like protease (C1r-LP), specifically cleaves pro-C1s, 387:165
Lillehaug, J. R. *See* Arnesen, T.
Lim, C.-U. *See* Safadi-Chamberlain, F.
Lin, F. *See* Leonard, J. D.
Lin, H. *See* Harst, A.
Lin, L.
——; Stringfield, T. M.; Shi, X.; Chen, Yan
Arsenite induces a cell stress-response gene, *RTP801*, through reactive oxygen species and transcription factors Elk-1 and CCAAT/enhancer-binding protein, 392:93
Lin, Y.-C. *See* Chen, A. P.-C.
Lin, Z.
——; Thomas, N. J.; Wang, Y.; Guo, X.; Seifart, C.; Shakoor, H.; Floros, J.
Deletions within a CA-repeat-rich region of intron 4 of the human SP-B gene affect mRNA splicing, 389:403
Lindahl, U. *See* Kreuger, J.
Linden, J. *See* Murphree, L. J.
Lindner, D. J. *See* Morrison, B. H.
Lindsay, A. J. *See* Marie, N.
Lindsey, G. G. *See* Moore, J. P.
Link, T.
——; Lohaus, G.; Heiser, I.; Mendgen, K.; Hahn, M.; Voegele, R. T.
Characterization of a novel NADP$^+$-dependent D-arabitol dehydrogenase from the plant pathogen *Uromyces fabae*, 389:289
Linse, S. *See* Jonsson, M.
Lipina, C. *See* Mora, A.; Ruiz-Alcaraz, A. J.
——; Huang, X.; Finlay, D.; McManus, E. J.; Alessi, D. R.; Sutherland, Calum
Analysis of hepatic gene transcription in mice expressing insulin-insensitive GSK3, 392:633
Lipinszki, Z. *See* Kiss, P.
Lipps, G. *See* Huang, Y.
Lipscomb, S.
——; Preston, L. C.; Robinson, P.; Redwood, C. S.; Mulligan, I. P.; Ashley, C. C.
Effects of troponin C isoform on the action of the cardiotonic agent EMD 57033, 388:905
Litchfield, D. W. *See* Stolk, M.
Litjens, T. *See* Rychkov, G. Y.
Liu, D.
——; Yao, H.; Chen, Yaoyao; Feng, Yingang; Chen, Yingyu; Wang, J.
The N-terminal 26-residue fragment of human programmed cell death 5 protein can form a stable α-helix having unique electrostatic potential character, 392:47
Liu, F. *See* Wang, G.
Liu, G.-Y. *See* Hung, H.-C.
Liu, H.-K. *See* Ruiz-Alcaraz, A. J.
Liu, J. *See* Xu, D.
——; Chang, C. C. Y.; Westover, E. J.; Covey, D. F.; Chang, T.-Y.
Investigating the allosterism of acyl-CoA:cholesterol acyltransferase (ACAT) by using various sterols: *in vitro* and intact cell studies, 391:389
Liu, R.
——; Yang, J.; Ha, C.-E.; Bhagavan, N. V.; Eckenhoff, R. G.
Truncated human serum albumin retains general anaesthetic binding activity, 388:39
Liu, Y. *See* Moneer, Z.; Wu, X.
Liu, Yiyong
——; Yang, Z.; Utzat, C. D.; Liu, Yu; Geacintov, N. E.; Basu, A. K.; Zou, Y.
Interactions of human replication protein A with single-stranded DNA adducts, 385:519
Liu, Yu *See* Liu, Yiyong
Livnah, O. *See* Niv-Spector, L.
Lizarbe, M. A. *See* Turnay, J.
Lloyd, D. G. *See* Kelly, J. A.
Lloyd, M. D.
——; Pederick, R. L.; Natesh, R.; Woo, L. W. L.; Purohit, A.; Reed, M. J.; Acharya, K. R.; Potter, B. V. L.
Crystal structure of human carbonic anhydrase II at 1.95 Å resolution in complex with 667-coumate, a novel anti-cancer agent, 385:715
Lloyd-Burton, S. M. *See* Yu, J. C. H.
Locatelli, G. A.
——; Savio, M.; Forti, L.; Shevelev, I.; Ramadan, K.; Stivala, L. A.; Vannini, V.; Hübscher, U.; Spadari, S.; Maga, G.
Inhibition of mammalian DNA polymerases by resveratrol: mechanism and structural determinants, 389:259
Lock, P. *See* King, J. A. J.
Loeffler, J.-P. *See* Di Scala, F.
Loeser, R. F. *See* Starkman, B. G.
Loey, A. V. *See* Dirix, C.
Logette, E. *See* Le Jossic-Corcos, C.
Lohaus, G. *See* Link, T.
Lohner, K. *See* Andrä, J.
Lomas, A. *See* Freeman, L. J.
Lomberk, G.
——; Urrutia, R.
The family feud: turning off Sp1 by Sp1-like KLF proteins, 392:1
Lompré, A.-M. *See* Maillet, M.
Long, J. *See* Wang, G.
——; Darroch, P.; Wan, K. F.; Kong, K. C.; Ktistakis, N.; Pyne, N. J.; Pyne, S.
Regulation of cell survival by lipid phosphate phosphatases involves the modulation of intracellular phosphatidic acid and sphingosine 1-phosphate pools, 391:25
Longin, S. *See* Van Hoof, C.
Lopez, C. *See* Zidi-Yahiaoui, N.
López, J. J.
——; Camello-Almaraz, C.; Pariente, J. A.; Salido, G. M.; Rosado, J. A.
Ca^{2+} accumulation into acidic organelles mediated by Ca^{2+}- and vacuolar H^+-ATPases in human platelets, 390:243
López-Pérez, I. C. *See* Sevillano, J.
López-Marín, L. M. *See* Gevorkian, G.
López-Zumel, C. *See* Monterroso, B.

© 2006 Biochemical Society

Löscher, M.
——; Fortschegger, K.; Ritter, G.; Wostry, M.; Voglauer, R.; Schmid, J. A.; Watters, S.; Rivett, A. J.; Ajuh, P.; Lamond, A. I.; Katinger, H.; Grillari, J.
Interaction of U-box E3 ligase SNEV with PSMB4, the β7 subunit of the 20 S proteasome, 388:593
Loskovich, M. V.
——; Grivennikova, V. G.; Cecchini, G.; Vinogradov, A. D.
Inhibitory effect of palmitate on the mitochondrial NADH:ubiquinone oxidoreductase (complex I) as related to the active–de-active enzyme transition, 387:677
Lotti, M. *See* Natalello, A.
Lou, S.-W. *See* Kuo, M.-W.
Loudig, O.
——; MacLean, G. A.; Dore, N. L.; Luu, L.; Petkovich, M.
Transcriptional co-operativity between distant retinoic acid response elements in regulation of *Cyp26A1* inducibility, 392:241
Loveridge, E. J. *See* Simm, A. M.
Lovett, D. H. *See* Mahimkar, R. M.
Lowe, D. J. *See* Godber, B. L. J.; Petersen, J.
Lowell, B. B. *See* Solanes, G.
Lu, B. *See* Webster, J.
——; Jiang, Y. J.; Zhou, Y.; Xu, F. Y.; Hatch, G. M.; Choy, P. C.
Cloning and characterization of murine 1-acyl-*sn*-glycerol 3-phosphate acyltransferases and their regulation by PPARα in murine heart, 385:469
Lu, H. *See* Yang, Y.
Lu, J. *See* Cao, W.
Lu, S. C. *See* Lee, T. D.; Yang, H.
Lu, Y. *See* Ghosh, S. S.
Luberto, C. *See* Birbes, H.
Lubitz, W. *See* Petersen, J.
Lucatello, F. *See* de Filippis, V.
Ludes, B. *See* Di Scala, F.
Luhovyy, B. *See* Horyn, O.
Luke, M. R.
——; Houghton, F.; Perugini, M. A.; Gleeson, P. A.
The *trans*-Golgi network GRIP-domain proteins form α-helical homodimers, 388:835
Lukyanov, K. A. *See* Shkrob, M. A.
Lukyanov, S. *See* Shkrob, M. A.
Lundwall, Å. *See* Jonsson, M.
Luo, J. *See* Fisher, P. W.
Luo, S. *See* Vieira, M.
Luo, Y. *See* Guan, J.
Lusa, S. *See* Hynynen, R.
Luu, L. *See* Loudig, O.
Luxford, C. *See* Furukawa, A.
Lynch, K. R. *See* Lee, S.

Ma, J. *See* Paul-Pletzer, K.
Ma, X. *See* Xiao, Q.
Määttä, J. A. E. *See* Nordlund, H. R.
Mabuchi, H. *See* Nagasawa, S.-y.
MacCormick, M.
——; Moderscheim, T.; van der Salm, L. W. M.; Moore, A.; Pryor, S. C.; McCaffrey, G.; Grimes, M. L.
Distinct signalling particles containing ERK/MEK and B-Raf in PC12 cells, 387:155
MacDonald, J. A. *See* Wilson, D. P.
Macedo-Ribeiro, S. *See* Gales, L.
Mach, L. *See* Bencúr, P.; Strasser, R.
MacIntyre, S. *See* Zavialov, A. V.
Maciver, S. K. *See* Méré, J.
Mackie, J. T. *See* Martin, G. G.
MacKintosh, C. *See* Pozuelo Rubio, M.
MacLean, G. A. *See* Loudig, O.
Madore, S. *See* Zandbergen, F.
Madrid, K. P.
——; Jardim, A.
Peroxin 5–peroxin 14 association in the protozoan *Leishmania donovani* involves a novel protein–protein interaction motif, 391:105
Madsen, K. L. *See* Walker, J.
Maes, M.-B.
——; Lambeir, A.-M.; Gilany, K.; Senten, K.; Van der Veken, P.; Leiting, B.; Augustyns, K.; Scharpé, S.; De Meester, I.
Kinetic investigation of human dipeptidyl peptidase II (DPPII)-mediated hydrolysis of dipeptide derivatives and its identification as quiescent cell proline dipeptidase (QPP)/dipeptidyl peptidase 7 (DPP7), 386:315
Maeshima, Y. *See* Sund, M.
Maestro, B.
——; Sanz, J. M.
Accumulation of partly folded states in the equilibrium unfolding of the pneumococcal choline-binding module C-LytA, 387:479
Maga, G. *See* Locatelli, G. A.
Magenheim, J.
——; Hertz, R.; Berman, I.; Nousbeck, J.; Bar-Tana, J.
Negative autoregulation of HNF-4α gene expression by HNF-4α1, 388:325
Magilnick, N. *See* Yang, H.
Magnadóttir, B. *See* Hui, K.-M.
Maguire, M. *See* Agranoff, D.
Mah, A. L. *See* Massey, L. K.
Mahalakshmi, R. N. *See* Béguin, P.
Mahale, S. *See* Kumar, M.
Mahalingam, M. *See* Shenoy, A. R.
Mahimkar, R. M.
——; Visaya, O.; Pollock, A. S.; Lovett, D. H.
The disintegrin domain of ADAM9: a ligand for multiple β1 renal integrins, 385:461
Mahoney, Jr, W. M.
——; Hong, J.-H.; Yaffe, M. B.; Farrance, I. K. G.
The transcriptional co-activator TAZ interacts differentially with transcriptional enhancer factor-1 (TEF-1) family members, 388:217
Maigret, B. *See* Bastos, I. M. D.
Maillet, M.
——; Gastineau, M.; Bochet, P.; Asselin-Labat, M.-L.; Morel, E.; Laverrière, J.-N.; Lompré, A.-M.; Fischmeister, R.; Lezoualc'h, F.
Functional studies of the 5′-untranslated region of human 5-HT$_4$ receptor mRNA, 387:463
Majka, J. *See* Zawilak-Pawlik, A.
Majumder, H. K. *See* Sengupta, T.
Makhnevych, T. *See* Sydorskyy, Y.
Maki, M. *See* Katoh, K.; Yorikawa, C.
Makino, H. *See* Eguchi, J.
Maley, F. *See* Cieśla, J.
Malina, A.
——; Shai, Y.
Conjugation of fatty acids with different lengths modulates the antibacterial and antifungal activity of a cationic biologically inactive peptide, 390:695
Malinowski, J. *See* Barnett, S. F.
Malitskaya, E. *See* Molinaro, G.
Malm, J. *See* Jonsson, M.
Manabe, R.-i. *See* Furutani, Y.
Manconi, B. *See* Sanna, M. T.
Mandal, C. *See* Datta, R.; Sengupta, T.
Mandard, S. *See* Zandbergen, F.
Mander, A. *See* Hodgkinson, C. P.
Mangin, P. *See* Cranmer, S. L.
Mangold, U.
——; Leberer, E.
Regulation of all members of the antizyme family by antizyme inhibitor, 385:21
Manjula, B. N. *See* Hu, T.
Mannervik, B. *See* Shokeer, A.
Mannherz, H. G. *See* Napirei, M.
Mano, M.
——; Teodósio, C.; Paiva, A.; Simões, S.; Pedroso de Lima, M. C.
On the mechanisms of the internalization of S4$_{13}$-PV cell-penetrating peptide, 390:603
Manon, S. *See* Testet, E.
Manoutcharian, K. *See* Gevorkian, G.
Manser, E. *See* Zhao, Z.-s.
Mansuy, D. *See* Capeillere-Blandin, C.
Mantegazza, M. *See* Srairi-Abid, N.
Manzanares, E. *See* Pérez-Gómez, C.
Marambaud, P. *See* d'Abramo, C.
Marchal, G. *See* Pitarque, S.
Marchfelder, A. *See* Schilling, O.
Marco-Ferreres, R.
——; Arredondo, J. J.; Fraile, B.; Cervera, M.
Overexpression of troponin T in *Drosophila* muscles causes a decrease in the levels of thin-filament proteins, 386:145
Marcolongo, P. *See* Senesi, S.
Marden, N. Y.
——; Murray, M.
Characterization of a c-Jun-responsive module in the 5′-flank of the human *CYP2J2* gene that regulates transactivation, 391:631
Marek, C. J.
——; Tucker, S. J.; Konstantinou, D. K.; Elrick, L. J.; Haefner, D.; Sigalas, C.; Murray, G. I.; Goodwin, B.; Wright, M. C.
Pregnenolone-16α-carbonitrile inhibits rodent liver fibrogenesis via PXR (pregnane X receptor)-dependent and PXR-independent mechanisms, 387:601
Marie, N.
——; Lindsay, A. J.; McCaffrey, M. W.
Rab coupling protein is selectively degraded by calpain in a Ca^{2+}-dependent manner, 389:223
Marin, O. *See* Bianchi, M.; Bustos, V. H.; Ferrari, S.
Marinari, U. M. *See* d'Abramo, C.
Marini, A.-M. *See* Javelle, A.
Markkanen, E. *See* Smirnova, E.
Markun, D. R. *See* Brueggemann, L. I.
Marnett, L. J. *See* Clark, S. R.
Márquez, J. *See* Pérez-Gómez, C.
Mars, W. M.
——; Jo, M.; Gonias, S. L.
Activation of hepatocyte growth factor by urokinase-type plasminogen activator is ionic strength-dependent, 390:311
Marshall, M. A. *See* Murphree, L. J.
Martelli, A. *See* Fillebeen, C.
Martens, E. *See* Van Hoof, C.
Martin, D. *See* King, J. A. J.
Martin, G. *See* Vittorelli, A.
Martin, G. G.
——; Atshaves, B. P.; McIntosh, A. L.; Mackie, J. T.; Kier, A. B.; Schroeder, F.
Liver fatty-acid-binding protein (L-FABP) gene ablation alters liver bile acid metabolism in male mice, 391:549
Martín, J. F. *See* Mendes, M. V.

© 2006 Biochemical Society

Martin, L. *See* Stricher, F.
Martín, M. A. *See* Bornstein, B.
Martin, P. M. *See* Srinivas, S. R.
Martinant, J.-P. *See* Kärkönen, A.
Martinez Arias, A. *See* Ehebauer, M. T.
Martínez, Á. T. *See* Ferreira, P.
Martínez, J. *See* Iñarrea, P.
Martínez, M. J. *See* Ferreira, P.
Martín-Oliva, D. *See* Muñoz-Gámez, J. A.
Martinou, J.-C. *See* Goonesinghe, A.
Martins, A. *See* Gomes, R.
Martins, N. F. *See* Bastos, I. M. D.
Martínez-Fleites, C.
——; Ortíz-Lombardía, M.; Pons, T.; Tarbouriech, N.; Taylor, E. J.; Arrieta, J. G.; Hernández, L.; Davies, G. J.
Crystal structure of levansucrase from the Gram-negative bacterium *Gluconacetobacter diazotrophicus*, 390:19
Marui, N.
——; Medford, R. M.; Ahmad, M.
Activation of RelA homodimers by tumour necrosis factor α: a possible transcriptional activator in human vascular endothelial cells, 390:317
Marxsen, J. H. *See* Metzen, E.
Marzari, R. *See* Di Niro, R.
Mas, J. A. *See* Bornstein, B.
Masia, D. *See* Sanna, M. T.
Massey, L. K.
——; Mah, A. L.; Monteiro, M. J.
Ubiquilin regulates presenilin endoproteolysis and modulates γ-secretase components, Pen-2 and nicastrin, 391:513
Masson, D. *See* Gautier, T.
Masson, E.
——; Wiernsperger, N.; Lagarde, M.; El Bawab, S.
Glucosamine induces cell-cycle arrest and hypertrophy of mesangial cells: implication of gangliosides, 388:537
Massone, S. *See* d'Abramo, C.
Masuda, S.
——; Murakami, M.; Mitsuishi, M.; Komiyama, K.; Ishikawa, Y.; Ishii, T.; Kudo, I.
Expression of secretory phospholipase A_2 enzymes in lungs of humans with pneumonia and their potential prostaglandin-synthetic function in human lung-derived cells, 387:27
Masulli, M. *See* Allocati, N.
Matés, J. M. *See* Pérez-Gómez, C.
Mathieu, D. *See* Capeillere-Blandin, C.
Mathieu, P. A. *See* Caruso, J. A.
Mathieu, S. *See* Prorok-Hamon, M.
Matic, S.
——; Geisler, D. A.; Møller, I. M.; Widell, S.; Rasmusson, A. G.
Alamethicin permeabilizes the plasma membrane and mitochondria but not the tonoplast in tobacco (*Nicotiana tabacum* L. cv Bright Yellow) suspension cells, 389:695
Matis, M. *See* Petrovič, U.
Matoba, Y. *See* Noda, M.
Matsubae, M. *See* Kaida, A.
Matsui, K. *See* Ueda, A.
Matsumoto, C. *See* Takahashi, K.
Matsumoto, K. *See* Fukuta, K.
Matsuoka, T. *See* Eguchi, J.
Matsuura, I. *See* Wang, G.
Mattaliano, R. J. *See* Zhu, Y.
Matthews, D. A. *See* Lee, T. W. R.
Matthews, S. *See* Oliver, A. W.
May, B. K. *See* Kolluri, S.; Nutchey, B. K.
Mayer, B. *See* Gorren, A. C. F.; Kollau, A.
Mazzone, M. *See* Perrone, L.
McAvoy, E. M. *See* Barnett, S. F.
McCaffrey, G. *See* MacCormick, M.
McCaffrey, M. W. *See* Marie, N.
McCoy, C. E.
——; Campbell, D. G.; Deak, M.; Bloomberg, G. B.; Arthur, J. S. C.
MSK1 activity is controlled by multiple phosphorylation sites, 387:507
McDermott, M. I. *See* Sigal, Y. J.
McEwan, I. J. *See* Lavery, D. N.
McIntosh, A. L. *See* Martin, G. G.
McLeod, L. E. *See* Rolfe, M.
McManus, E. J. *See* Lipina, C.; Ruiz-Alcaraz, A. J.
McMaster, C. R. *See* Fairn, G. D.
McNeill, H. *See* Eyers, C. E.
McPhie, P. *See* Britto, P. J.
McRae, K. *See* Sandhu, J. K.
McVie-Wylie, A. *See* Zhu, Y.
Mechulam, A. *See* Stricher, F.
Medford, R. M. *See* Marui, N.
Medina, M. *See* Ferreira, P.
Medzihradszky, K. F. *See* Kiss, P.
Meggio, F. *See* Bustos, V. H.; Ferrari, S.
Mehra, P. *See* Soni, R. K.
Mehta, A. *See* Crawford, R. M.
Meighen, E. A. *See* Hosseinkhani, S.
Meininger, D. *See* Herter, S.
Mellody, K. T. *See* Freeman, L. J.
Melloni, E. *See* Sparatore, B.
Melo, J. V. *See* Sánchez-Arévalo Lobo, V. J.
Mély, Y. *See* Bourbigot, S.
Mendel, R. R. *See* Godber, B. L. J.
Mendes, M. V.
——; Antón, N.; Martín, J. F.; Aparicio, J. F.
Characterization of the polyene macrolide P450 epoxidase from *Streptomyces natalensis* that converts de-epoxypimaricin into pimaricin, 386:57
Mendgen, K. *See* Link, T.
Mendonça-Previato, L. *See* Figueiredo, J. M.
Menéndez, M. *See* Monterroso, B.
Menéndez-Arias, L. *See* Cases-González, C. E.
Menez, A. *See* Stricher, F.
Meng, S.
——; Chen, Z.; Munoz-Antonia, T.; Wu, J.
Participation of both Gab1 and Gab2 in the activation of the ERK/MAPK pathway by epidermal growth factor, 391:143
Méré, J.
——; Chahinian, A.; Maciver, S. K.; Fattoum, A.; Bettache, N.; Benyamin, Y.; Roustan, C.
Gelsolin binds to polyphosphoinositide-free lipid vesicles and simultaneously to actin microfilaments, 386:47
Meredith, J. *See* Ding, Y.
Merkel, O.
— —; Oskolkova, O. V.; Raab, F.; El-Toukhy, R.; Paltauf, F.
Regulation of activity *in vitro* and *in vivo* of three phospholipases B from *Saccharomyces cerevisiae*, 387:489
Meroueh, S. *See* Toth, M.
Merrick, M. *See* Javelle, A.
Merrill, A. R. *See* Yates, S. P.
Mertl, M. *See* Foltz, M.
Messana, I. *See* Sanna, M. T.
Messer, W. *See* Zawilak-Pawlik, A.
Metzen, E.
——; Stiehl, D. P.; Doege, K.; Marxsen, J. H.; Hellwig-Bürgel, T.; Jelkmann, W.
Regulation of the prolyl hydroxylase domain protein 2 (*phd2/egln-1*) gene: identification of a functional hypoxia-responsive element, 387:711
Meunier, B. *See* Horan, S.
Meyer, S. *See* Peters, H.
Meyer-Klaucke, W. *See* Schilling, O.
Michaelis, S. *See* Corrigan, D. P.
Michel, G. *See* Jam, M.
Michel, M. *See* de Coupade, C.
Michotte, Y. *See* Laeremans, H.
Michoudet, C. *See* Vittorelli, A.
Mickleburgh, I. *See* Chabanon, H.
Miconnet, I. *See* Roger, T.
Mi-Ichi, F. *See* Yuasa, K.
Miinea, C. P.
——; Sano, H.; Kane, S.; Sano, E.; Fukuda, M.; Peränen, J.; Lane, W. S.; Lienhard, G. E.
AS160, the Akt substrate regulating GLUT4 translocation, has a functional Rab GTPase-activating protein domain, 391:87
Mikail, C. *See* Reboul, E.
Mikkelsen, R.
——; Blennow, A.
Functional domain organization of the potato α-glucan, water dikinase (GWD): evidence for separate site catalysis as revealed by limited proteolysis and deletion mutants, 385:355
Miklis, M. *See* Elliott, C.
Milac, A. L. *See* Costin, G.-E.
Milasta, S.
——; Evans, N. A.; Ormiston, L.; Wilson, S.; Lefkowitz, R. J.; Milligan, G.
The sustainability of interactions between the orexin-1 receptor and β-arrestin-2 is defined by a single C-terminal cluster of hydroxy amino acids and modulates the kinetics of ERK MAPK regulation, 387:573
Milborrow, B. V. *See* Swift, I. E.
Milla, M. E. *See* Leonard, J. D.
Millán, J.
——; Ridley, A. J.
Rho GTPases and leucocyte-induced endothelial remodelling, 385:329
Millar, A. H. *See* Winger, A. M.
Miller, C. M.
——; Szegedi, S. S.; Garrow, T. A.
Conformation-dependent inactivation of human betaine-homocysteine S-methyltransferase by hydrogen peroxide *in vitro*, 392:443
Miller, R. J. D. *See* Raicu, V.
Milligan, G. *See* Barclay, E.; Milasta, S.
Min, T. *See* Hong, J.
Minakata, H. *See* Kanda, A.
Minchin, R. F. *See* Butcher, N. J.
Minetti, M. *See* Olivetta, E.
Minkler, P. E. *See* Kasumov, T.
Minuk, G. Y. *See* Webster, J.
Miquelis, R. *See* Ferracci, G.
Miralles, V. J. *See* Zaragozá, R.
Mishra, D. *See* Jagadish, N.
Misquitta, C. M.
——; Ghosh, P.; Mwanjewe, J.; Grover, A. K.
Role of *cis*-acting elements in the control of SERCA2b Ca^{2+} pump mRNA decay by nuclear proteins, 388:291
Mitchell, C. A. *See* Fodero-Tavoletti, M. T.
Mitchell, C. J. *See* Petersen, J.
Mitchell, E. P. *See* Perret, S.
Mitchell, J. *See* Qian, X.
Mithbaokar, P. *See* Di Natale, P.
Mitsuishi, M. *See* Masuda, S.
Miyagi, T. *See* Yamaguchi, K.

© 2006 Biochemical Society

Miyagishi, M. *See* Katsuyama, M.
Miyake, K. *See* Roger, T.
Miyake, S. *See* Jinawath, A.
Miyake, Y. *See* Tsuzuki, S.
Miyamoto, K.-i. *See* Inoue, Y.
Miyamoto, Y. *See* Yasuhara, R.
Miyauchi, S. *See* Gopal, E.
Miyazawa, K. *See* Kuratomi, G.
Miyazono, K. *See* Kuratomi, G.
Mizuno, K. *See* Tsumura, Y.
Mizuno, T. *See* Katoh, K.
Mizutani, Y.
——; Kihara, A.; Igarashi, Y.
Mammalian Lass6 and its related family members regulate synthesis of specific ceramides, 390:263
Moavero, S. M. *See* Salvioli, R.
Mobashery, S. *See* Toth, M.
Mockett, R. J. *See* Bayne, A.-C. V.; Ferguson, M.
Moderscheim, T. *See* MacCormick, M.
Moini, H. *See* Iñarrea, P.
Moir, J. W. B. *See* Turner, S. M.
Molina, M. *See* Rodríguez-Escudero, I.
Molinaro, G.
——; Carmona, A. K.; Juliano, M. A.; Juliano, L.; Malitskaya, E.; Yessine, M.-A.; Chagnon, M.; Lepage, Y.; Simmons, W. H.; Boileau, G.; Adam, A.
Human recombinant membrane-bound aminopeptidase P: production of a soluble form and characterization using novel, internally quenched fluorescent substrates, 385:389
Møller, I. M. *See* Matic, S.
Møller, M. T. N. *See* Samari, H. R.
Molotkov, M. *See* Graifer, D.
Moncion, A. *See* Truong, N.-T.
Moneer, Z.
——; Pino, I.; Taylor, E. J. A.; Broad, L. M.; Liu, Y.; Tovey, S. C.; Staali, L.; Taylor, C. W.
Different phospholipase-C-coupled receptors differentially regulate capacitative and non-capacitative Ca^{2+} entry in A7r5 cells, 389:821
Monleón, D.
——; Esteve, V.; Kovacs, H.; Calvete, J. J.; Celda, B.
Conformation and concerted dynamics of the integrin-binding site and the C-terminal region of echistatin revealed by homonuclear NMR, 387:57
Monnier, V. M.
——; Bacterial enzymes that can deglycate glucose- and fructose-modified lysine (online-only commentary on Wiame, E.), 392:e1
Montano, M. M. *See* Bianco, N. R.
Monteiro, E. *See* Gomes, R.
Monteiro, M. J. *See* Massey, L. K.
Monteiro, R. Q.
——; Rezaie, A. R.; Ribeiro, J. M. C.; Francischetti, I. M. B.
Ixolaris: a Factor Xa heparin-binding exosite inhibitor, 387:871
Montero, J. C. *See* Juanes, P. P.
Monterroso, B.
——; López-Zumel, C.; García, J. L.; Sáiz, J. L.; García, P.; Campillo, N. E.; Menéndez, M.
Unravelling the structure of the pneumococcal autolytic lysozyme, 391:41
Monti, G. *See* Russo, G.
Moore, A. *See* MacCormick, M.
Moore, C. E. J. *See* Greenman, I. C.
Moore, J. P.
——; Westall, K. L.; Ravenscroft, N.; Farrant, J. M.; Lindsey, G. G.; Brandt, W. F.
The predominant polyphenol in the leaves of the resurrection plant *Myrothamnus flabellifolius*, 3,4,5 tri-*O*-galloylquinic acid, protects membranes against desiccation and free radical-induced oxidation, 385:301
Mora, A. *See* Murray, J. T.
——; Lipina, C.; Tronche, F.; Sutherland, C.; Alessi, D. R.
Deficiency of PDK1 in liver results in glucose intolerance, impairment of insulin-regulated gene expression and liver failure, 385:639
Moreau, H. *See* Domergue, F.
Morel, E. *See* Maillet, M.
Morel, M. *See* Richard, S.
Morellet, N. *See* Bourbigot, S.
Moreno, F. *See* Palomino, A.
Mori, M. *See* Gokoh, M.
Morimoto, H. *See* Paul-Pletzer, K.
Morimura, N. *See* Yasuhara, R.
Morin, C. *See* Reeves, J. R.
Morishita, J. *See* Okamoto, Y.
Moriya, S. *See* Yamaguchi, K.
Moriyon, I. *See* Andrä, J.
Morrice, N. *See* Auld, G. C.; Eyers, C. E.; Zeke, T.
Morrice, N. A. *See* Pozuelo Rubio, M.; Vitari, A. C.
Morris, A. *See* Zhao, Y.
Morris, A. D. *See* Ruiz-Alcaraz, A. J.
Morris, A. J. *See* Sigal, Y. J.
Morrison, B. H.
——; Tang, Z.; Jacobs, B. S.; Bauer, J. A.; Lindner, D. J.
Apo2L/TRAIL induction and nuclear translocation of inositol hexakisphosphate kinase 2 during IFN-β-induced apoptosis in ovarian carcinoma, 385:595
Mortimer, S. E.
——; Hedstrom, L.
Autosomal dominant retinitis pigmentosa mutations in inosine 5′-monophosphate dehydrogenase type I disrupt nucleic acid binding, 390:41
Morton, A. J. *See* Wäsle, B.
Mosbacher, J. *See* Deriu, D.
Mosca, D. *See* Verde, C.
Mouhat, S.
——; Visan, V.; Ananthakrishnan, S.; Wulff, H.; Andreotti, N.; Grissmer, S.; Darbon, H.; De Waard, M.; Sabatier, J.-M.
K^+ channel types targeted by synthetic OSK1, a toxin from *Orthochirus scrobiculosus* scorpion venom, 385:95
Moulis, J.-M. *See* Fillebeen, C.
Mouro-Chanteloup, I. *See* Zidi-Yahiaoui, N.
Mousavi, S. A.
——; Sato, M.; Sporstøl, M.; Smedsrød, B.; Berg, T.; Kojima, N.; Senoo, H.
Uptake of denatured collagen into hepatic stellate cells: evidence for the involvement of urokinase plasminogen activator receptor-associated protein/Endo180, 387:39
Moxley, J. F. *See* Villas-Bôas, S. G.
Mucha, J. *See* Bencúr, P.
Mudrik, N. N. *See* Shkrob, M. A.
Muimo, R. *See* Crawford, R. M.
Mukherjee, M. *See* Sengupta, T.
Mukherjee, S. *See* El-Kafafi, E.-S.
Mukherjee, T. *See* Sengupta, T.
Mukhopadhyay, G. *See* Soni, R. K.
Müller, H.
——; Strom, A.; Hunsmann, G.; Stuke, A. W.
Separation of native prion protein (PrP) glycoforms by copper-binding using immobilized metal affinity chromatography (IMAC), 388:371
Müller, J. *See* Elliott, C.
Müller, M. *See* Zandbergen, F.
Müller, S.
——; Schöttler, M.; Schön, S.; Prante, C.; Brinkmann, T.; Kuhn, J.; Götting, C.; Kleesiek, K.
Human xylosyltransferase I: functional and biochemical characterization of cysteine residues required for enzymic activity, 386:227
Mulligan, I. P. *See* Lipscomb, S.
Mundy, E. S. *See* Goonesinghe, A.
Munoz-Antonia, T. *See* Meng, S.
Muñoz-Gámez, J. A.
——; Martín-Oliva, D.; Aguilar-Quesada, R.; Cañuelo, A.; Nuñez, M. I.; Valenzuela, M. T.; Ruiz de Almodóvar, J. M.; de Murcia, G.; Oliver, F. J.
PARP inhibition sensitizes p53-deficient breast cancer cells to doxorubicin-induced apoptosis, 386:119
Munzinger, M. *See* Böhmer, C.; Kowalczuk, S.
Murai, N. *See* Tsuzuki, S.
Murakami, M. *See* Masuda, S.
Murigneux, A. *See* Kärkönen, A.
Murillo, I.
——; Henderson, L. M.
Expression of $gp91^{phox}$/Nox2 in COS-7 cells: cellular localization of the protein and the detection of outward proton currents, 385:649
Murozumi, K. *See* Nishimura, K.
Murphree, L. J.
——; Sullivan, G. W.; Marshall, M. A.; Linden, J.
Lipopolysaccharide rapidly modifies adenosine receptor transcripts in murine and human macrophages: role of NF-κB in A_{2A} adenosine receptor induction, 391:575
Murphy, M. P. *See* Hughes, G.
Murphy, S. *See* Flood, F.
Murray, G. I. *See* Marek, C. J.
Murray, J. T.
——; Campbell, D. G.; Peggie, M.; Mora, A.; Cohen, P.
Identification of filamin C as a new physiological substrate of PKBα using KESTREL, 385:839 (Correction)
Murray, M. *See* Marden, N. Y.
Murray-Stewart, T. *See* Wang, Y.
Mushtaq, A. *See* Sandy, J.
Muta, Y.
——; Oneda, H.; Inouye, K.
Anomalous pH-dependence of the activity of human matrilysin (matrix metalloproteinase-7) as revealed by nitration and amination of its tyrosine residues, 386:263
Mutus, B. *See* Raturi, A.
Mwanjewe, J. *See* Misquitta, C. M.
Mymin, M. *See* Webster, J.

Naash, M. I. *See* Stricker, H. M.
Nagamune, K. *See* Chini, E. N.
Nagasawa, S.-y.
——; Takuwa, N.; Sugimoto, N.; Mabuchi, H.; Takuwa, Y.
Inhibition of Rac activation as a mechanism for negative regulation of actin cytoskeletal reorganization and cell motility by cAMP, 385:737
Nagashima, K. *See* Béguin, P.

© 2006 Biochemical Society

Nagumo, Y.
——: Kakeya, H.; Shoji, M.; Hayashi, Y.; Dohmae, N.; Osada, H.
Epolactaene binds human Hsp60 Cys^{442} resulting in the inhibition of chaperone activity, 387:835
Nagy, A. *See* Rentsendorj, O.
Nahas, D. D. *See* Barnett, S. F.
Naiki, H. *See* Raman, B.
Najdi, T. *See* Darwiche, N.
Nakagawa, Y. *See* Hattori, H.; Otsu, K.
Nakahata, N. *See* Saito, M.
Nakajima, T. *See* Chagot, B.
Nakamura, M. *See* Yasuhara, R.
Nakamura, T. *See* Fukuta, K.; Kiyohara, M.
Nakatani, K. *See* Kadariya, Y.
Nakazawa, F.
——: Kannemeier, C.; Shibamiya, A.; Song, Y.; Tzima, E.; Schubert, U.; Koyama, T.; Niepmann, M.; Trusheim, H.; Engelmann, B.; Preissner, K. T.
Extracellular RNA is a natural cofactor for the (auto-)activation of Factor VII-activating protease (FSAP), 385:831
Naldini, L. *See* Di Natale, P.
Napirei, M.
——: Wulf, S.; Eulitz, D.; Mannherz, H. G.; Kloeckl, T.
Comparative characterization of rat deoxyribonuclease 1 (Dnase1) and murine deoxyribonuclease 1-like 3 (Dnase1l3), 389:355
Napoli, J. L. *See* Kane, M. A.
Naranjo, S. *See* Pescador, N.
Narayanaswami, V. *See* Raussens, V.
Natal da Luz, H. *See* Schilling, O.
Natalello, A.
——: Ami, D.; Brocca, S.; Lotti, M.; Doglia, S. M.
Secondary structure, conformational stability and glycosylation of a recombinant *Candida rugosa* lipase studied by Fourier-transform infrared spectroscopy, 385:511
Natarajan, V. *See* Zhao, Y.
Natesh, R. *See* Lloyd, M. D.
Nauseef, W. M. *See* Oku, T.
Nauser, T.
——: Koppenol, W. H.; Gebicki, J. M.
The kinetics of oxidation of GSH by protein radicals, 392:693
Nebreda, A. R. *See* Dinarina, A.; Rousseau, S.
Negishi, M. *See* Ueda, A.
Nelson, M. A. *See* Feng, Y.
Nemenoff, R. A. *See* Wick, M. J.
Netzel-Arnett, S. *See* Szabo, R.
Neuschäfer-Rube, F. *See* Pathe-Neuschäfer-Rube, A.
Neyrolles, O. *See* Pitarque, S.
Ng, B. *See* Yang, Y.
Nguyen, H. T. *See* Pandey, K. N.
Nguyen, J. *See* Yang, Y.
Nicaise, M. *See* Perret, S.
Nicola, G.
——: Fedarovich, A.; Nicholas, R. A.; Davies, C.
A large displacement of the SXN motif of Cys^{115}-modified penicillin-binding protein 5 from *Escherichia coli*, 392:55
Nicholas, R. A. *See* Nicola, G.
Nicolas, G. *See* Rotter, B.
Nidetzky, B. *See* Kratzer, R.; Petschacher, B.; Schwarz, A.
Nielsen, J. *See* Villas-Bôas, S. G.
Nielsen, M. S. *See* Christensen, B.
Niepmann, M. *See* Nakazawa, F.
Nieto, J. M. *See* García, J.
Nieuw Amerongen, A. V. *See* den Hertog, A. L.
Nieznanski, K.
——: Rutkowski, M.; Dominik, M.; Stepkowski, D.
Proteolytic processing and glycosylation influence formation of porcine prion protein complexes, 387:93
Nigam, S. *See* Ciccoli, R.
Nigou, J. *See* Pitarque, S.
Nilakantan, V. *See* Pieper, G. M.
Nilsson, Å. *See* Wu, J.
Nishikimi, M. *See* Shiraishi, N.
Nishimura, K.
——: Murozumi, K.; Shirahata, A.; Park, M. H.; Kashiwagi, K.; Igarashi, K.
Independent roles of eIF5A and polyamines in cell proliferation, 385:779
Nishimura, W.
——: Salameh, T.; Kondo, T.; Sharma, A.
Regulation of insulin gene expression by overlapping DNA-binding elements, 392:181
Nishinaka, T. *See* Katsuyama, M.
Nishioka, J. *See* Kadariya, Y.
Nissim, Ilana *See* Horyn, O.
Nissim, Itzhak *See* Horyn, O.
Nitsch, L. *See* Perrone, L.
Niv-Spector, L.
——: Raver, N.; Friedman-Einat, M.; Grosclaude, J.; Gussakovsky, E. E.; Livnah, O.; Gertler, A.
Mapping leptin-interacting sites in recombinant leptin-binding domain (LBD) subcloned from chicken leptin receptor, 390:475
——: Gonen-Berger, D.; Gourdou, I.; Biener, E.; Gussakovsky, E. E.; Benomar, Y.; Ramanujan, K. V.; Taouis, M.; Herman, B.; Callebaut, I.; Djiane, J.; Gertler, A.
Identification of the hydrophobic strand in the A–B loop of leptin as major binding site III: implications for large-scale preparation of potent recombinant human and ovine leptin antagonists, 391:221
Noack, D. *See* Johnson, J. L.
Noble, M. E. M. *See* Sandy, J.; Westwood, I. M.
Nobori, T. *See* Kadariya, Y.
Noda, M.
——: Matoba, Y.; Kumagai, T.; Sugiyama, M.
A novel assay method for an amino acid racemase reaction based on circular dichroism, 389:491
Nombela, C. *See* Rodríguez-Escudero, I.
Nordlund, H. R.
——: Hytönen, V. P.; Hörhä, J.; Määttä, J. A. E.; White, D. J.; Halling, K.; Porkka, E. J.; Slotte, J. P.; Laitinen, O. H.; Kulomaa, M. S.
Tetravalent single-chain avidin: from subunits to protein domains via circularly permuted avidins, 392:485
Not, T. *See* Di Niro, R.
Notel, F. *See* Prorok-Hamon, M.
Noubhani, A. *See* Testet, E.
Nousbeck, J. *See* Magenheim, J.
Nunes, V. A. *See* Shin, H.
Nuñez, M. I. *See* Muñoz-Gámez, J. A.
Nury, D.
——: Chabanon, H.; Levadoux-Martin, M.; Hesketh, J.
An eleven nucleotide section of the 3′-untranslated region is required for perinuclear localization of rat metallothionein-1 mRNA, 387:419
Nutchey, B. K.
——: Kaplan, J. S.; Dwivedi, P. P.; Omdahl, J. L.; Ferrante, A.; May, B. K.; Hii, C. S. T.
Molecular action of 1,25-dihydroxyvitamin D_3 and phorbol ester on the activation of the rat cytochrome P450C24 (CYP24) promoter: role of MAP kinase activities and identification of an important transcription factor binding site, 389:753
Nyga, R.
——: Pecquet, C.; Harir, N.; Gu, H.; Dhennin-Duthille, I.; Régnier, A.; Gouilleux-Gruart, V.; Lassoued, K.; Gouilleux, F.
Activated STAT5 proteins induce activation of the PI 3-kinase/Akt and Ras/MAP kinase pathways via the Gab2 scaffolding adapter, 390:359

Oakley, A. J. *See* Udomsinprasert, R.
Obeid, L. M. *See* Birbes, H.
Obermann, W. M. J. *See* Harst, A.
O'Callaghan, D. W.
——: Haynes, L. P.; Burgoyne, R. D.
High-affinity interaction of the N-terminal myristoylation motif of the neuronal calcium sensor protein hippocalcin with phosphatidylinositol 4,5-bisphosphate, 391:231
Ocloo, A. *See* Brand, M. D.
O'Donnell, V. B. *See* Clark, S. R.
Oetjen, E. *See* Sharma, S. K.
Ogawa, N. *See* Eguchi, J.
Ogawa, T. *See* Zhang, P.
Ogishima, T. *See* Oshima, T.
Oh, Y.-S. *See* Hwang, J.-I.
O'Hare, P. *See* Bailey, D.
Ohashi, K. *See* Tsumura, Y.
Ohba, Y. *See* Otsu, K.; Suto, D.
Ohnuma, M. *See* Terui, Y.
Oikawa, D.
——: Kimata, Y.; Takeuchi, Masato; Kohno, K.
An essential dimer-forming subregion of the endoplasmic reticulum stress sensor Ire1, 391:135
Oikawa, S. *See* Furukawa, A.
Oishi, K.
——: Shirai, H.; Ishida, N.
CLOCK is involved in the circadian transactivation of peroxisome-proliferator-activated receptor α (*PPARα*) in mice, 386:575
Oka, S. *See* Gokoh, M.
Okamoto, Y.
——: Morishita, J.; Wang, J.; Schmid, P. C.; Krebsbach, R. J.; Schmid, H. H. O.; Ueda, N.
Mammalian cells stably overexpressing *N*-acylphosphatidylethanolamine-hydrolysing phospholipase D exhibit significantly decreased levels of *N*-acylphosphatidylethanolamines, 389:241
Oku, T.
——: Itoh, S.; Ishii, R.; Suzuki, K.; Nauseef, W. M.; Toyoshima, S.; Tsuji, T.
Homotypic dimerization of the actin-binding protein p57/coronin-1 mediated by a leucine zipper motif in the C-terminal region, 387:325
Okumura, K. *See* Jagadish, N.
Oláh, J.
——: Orosz, F.; Puskás, L. G.; Hackler, Jr, L.; Horányi, M.; Polgár, L.; Hollán, S.; Ovádi, J.

© 2006 Biochemical Society

Triosephosphate isomerase deficiency: consequences of an inherited mutation at mRNA, protein and metabolic levels, 392:675
Oleinik, N. V.
——; Krupenko, N. I.; Priest, D. G.; Krupenko, S. A.
Cancer cells activate p53 in response to 10-formyltetrahydrofolate dehydrogenase expression, 391:503
Oleinikov, V. *See* Barakat, S.
Olianas, A. *See* Sanna, M. T.
Oliveira, M. A. *See* Patel, C. N.
Oliver, A. W.
——; Jones, S. A.; Roe, S. M.; Matthews, S.; Goodwin, G. H.; Pearl, L. H.
Crystal structure of the proximal BAH domain of the polybromo protein, 389:657
Oliver, F. J. *See* Muñoz-Gámez, J. A.
Olivetta, E.
——; Pietraforte, D.; Schiavoni, I.; Minetti, M.; Federico, M.; Sanchez, M.
HIV-1 Nef regulates the release of superoxide anions from human macrophages, 390:591
Olkkonen, V. M. *See* Hynynen, R.
Olmo, N. *See* Turnay, J.
Olsen, D. Aa. *See* Petersen, S. V.
Olsson, T. *See* Ono, S.
O'Malley, P. G. P.
——; Sangster, S. M.; Abdelmagid, S. A.; Bearne, S. L.; Too, C. K. L.
Characterization of a novel, cytokine-inducible carboxypeptidase D isoform in haematopoietic tumour cells, 390:665
Omdahl, J. L. *See* Nutchey, B. K.
O'Meara, S. J.
——; Kinsella, B. T.
The effect of the farnesyl protein transferase inhibitor SCH66336 on isoprenylation and signalling by the prostacyclin receptor, 386:177
Omori, K. *See* Yuasa, K.
Oneda, H. *See* Muta, Y.
O'Neill, C. A. *See* Lambert, D.
Ono, S.
——; Goldberg, M. D.; Olsson, T.; Esposito, D.; Hinton, J. C. D.; Ladbury, J. E.
H-NS is a part of a thermally controlled mechanism for bacterial gene regulation, 391:203
O'Reilly, M. *See* Barclay, E.
Orlicky, D. J. *See* Claas, C.
Ormiston, L. *See* Milasta, S.
Orosz, F. *See* Oláh, J.
Orr, W. C. *See* Bayne, A.-C. V.; Ferguson, M.
Orrell, D. *See* de Atauri, P.
Orriss, G. L. *See* Hui, K.-M.
Orsini, E. *See* Fontana, M.
Ortíz-Lombardía, M. *See* Martínez-Fleites, C.
Orton, R. J.
——; Sturm, O. E.; Vyshemirsky, V.; Calder, M.; Gilbert, D. R.; Kolch, W.
Computational modelling of the receptor-tyrosine-kinase-activated MAPK pathway, 392:249
Osada, H. *See* Nagumo, Y.
Osago, H. *See* Terashima, M.
Osanai, H. *See* Suzuki, T.
Osborne, D. A. *See* Inagaki, Y.
Osborne, T. F. *See* Zhang, C.
Osenkowski, P. *See* Toth, M.
Oshima, T. *See* Terui, Y.
——; Yamasaki, E.; Ogishima, T.; Kadowaki, K.-i.; Ito, A.; Kitada, S.
Recognition and processing of a nuclear-encoded polyprotein precursor by mitochondrial processing peptidase, 385:755
Oskolkova, O. V. *See* Merkel, O.
Otsu, K.
——; Sato, K.; Ikeda, Y.; Imai, H.; Nakagawa, Y.; Ohba, Y.; Fujii, J.
Abortive apoptotic pathway by singlet oxygen is due to the suppression of caspase activation, 389:197
Ou, X. *See* Yang, H.
Ouali, A. *See* Tassy, C.
Ouellet, M.-È. *See* Gagné, J.-P.
Oueslati, M. *See* Alken, M.
Oury, T. D. *See* Petersen, S. V.
Outten, C. E.
——; Falk, R. L.; Culotta, V. C.
Cellular factors required for protection from hyperoxia toxicity in *Saccharomyces cerevisiae*, 388:93
Ovádi, J. *See* Oláh, J.
Ovcharenko, D. *See* Tong, Z.
Overmars, H. *See* van Vlies, N.
Overton, T. W. *See* Turner, S. M.
Oza, S. L. *See* Ariyanayagam, M. R.

Paakkarinen, V. *See* Zhang, P.
Packer, N. H. *See* Schulz, B. L.
Padányi, R. *See* Pászty K.
Pacor, S. *See* Zelezetsky, I.
Padfield, P. J. *See* Lambert, D.
Pag, U. *See* Zelezetsky, I.
Pagano, M. A. *See* Ferrari, S.
Pais De Barros, J.-P. *See* Gautier, T.
Paiva, A. *See* Mano, M.
Pajares, M. A. *See* Garrido, F.
Pakay, J. L. *See* Brand, M. D.
Pakrasi, H. B. *See* Zhang, P.
Pál, M. *See* Kiss, P.
Paladino, S. *See* Perrone, L.
Palfrey, H. C. *See* Soiomaha, E.
Pallardó, F. V. *See* Zaragozá, R.
Palma, J. P. *See* Gevorkian, G.
Palmer, C. P.
——; Aydar, E.; Djamgoz, M. B. A.
A microbial TRP-like polycystic-kidney-disease-related ion channel gene, 387:211
Palmieri, F. *See* Iacobazzi, V.
Palomino, A.
——; Herrero, P.; Moreno, F.
Rgt1, a glucose sensing transcription factor, is required for transcriptional repression of the *HXK2* gene in *Saccharomyces cerevisiae*, 388:697
Paltauf, F. *See* Merkel, O.
Pamlard, O. *See* Ramaen, O.
Pan, C.
——; Bai, X.; Fan, L.; Ji, Y.; Li, X.; Chen, Q.
Cytoprotection by glycine against ATP-depletion-induced injury is mediated by glycine receptor in renal cells, 390:447
Pan, Y.-X. *See* Chen, C.
Pance, A. *See* Yu, E. J.
Panchal, C. *See* Reeves, J. R.
Pandey, K. N.
——; Nguyen, H. T.; Garg, R.; Khurana, M. L.; Fink, J.
Internalization and trafficking of guanylyl (guanylate) cyclase/natriuretic peptide receptor A is regulated by an acidic tyrosine-based cytoplasmic motif GDAY, 388:103
Pandiella, A. *See* Juanes, P. P.
Panstruga, R. *See* Elliott, C.
Pantopoulos, K. *See* Fillebeen, C.; Wang, J.
Papakosta, P. *See* Koutsodontis, G.
Papo, N. *See* Zelezetsky, I.
Parada Cobo, C. *See* Sánchez-Arévalo Lobo, V. J.
Paradis, I. *See* Angers, M.; Rouget, R.
Pariente, J. A. *See* López, J. J.
Parisi, E. *See* Capasso, C.
Park, E. A. *See* Cagen, L. M.
Park, E.-J. *See* Lee, S. Y.
Park, J.-H. *See* Lee, S. Y.
Park, M. H. *See* Nishimura, K.
Parker, A. W. *See* Botchway, S. W.
Parker, E. J. *See* Webby, C. J.
Parkinson-Lawrence, E.
——; Turner, C.; Hopwood, J.; Brooks, D.
Analysis of normal and mutant iduronate-2-sulphatase conformation, 386:395
Parkkila, S. *See* Hilvo, M.
Parness, J. *See* Paul-Pletzer, K.
Parra-Palau, J. L.
——; Scheper, G. C.; Harper, D. E.; Proud, C. G.
The *Drosophila* protein kinase LK6 is regulated by ERK and phosphorylates the eukaryotic initiation factor eIF4E *in vivo*, 385:695
Parrill, A. L. *See* Inagaki, Y.
Parthasarthy, A.
——; Gopinathan, K. P.
Modulation of differential transcription of tRNA genes through chromatin organization, 391:371
Parton, R. G. *See* Hancock, J. F.
Passalacqua, M. *See* Sparatore, B.
Pasta, S. Y. *See* Raman, B.
Pászty, K.
——; Antalffy, G.; Penheiter, A. R.; Homolya, L.; Padányi, R.; Iliás, A.; Filoteo, A. G.; Penniston, J. T.; Enyedi, Á.
The caspase-3 cleavage product of the plasma membrane Ca^{2+}-ATPase 4b is activated and appropriately targeted, 391:687
Patamia, M. *See* Sanna, M. T.
Patchett, M. L. *See* Webby, C. J.
Patel, C. N.
——; Koh, D. W.; Jacobson, M. K.; Oliveira, M. A.
Identification of three critical acidic residues of poly(ADP-ribose) glycohydrolase involved in catalysis: determining the PARG catalytic domain, 388:493
Patel, D. D. *See* Knight, B. L.
Patel, M. K. *See* Yu, E. J.
Patel, S. *See* Churamani, D.
Pathe-Neuschäfer-Rube, A.
——; Neuschäfer-Rube, F.; Püschel, G. P.
Role of the ERC motif in the proximal part of the second intracellular loop and the C-terminal domain of the human prostaglandin $F_{2\alpha}$ receptor (hFP-R) in G-protein coupling control, 388:317
Patrone, M. *See* Sparatore, B.
Patrono, C. *See* Bornstein, B.
Patsouris, D. *See* Zandbergen, F.
Pattison, D. I. *See* Rees, M. D.
Patton, S. *See* Surguladze, N.
Patwa, T. H. *See* Sigman, J. A.
Paul-Pletzer, K.
——; Yamamoto, T.; Ikemoto, N.; Jimenez, L. S.; Morimoto, H.; Williams, P. G.; Ma, J.; Parness, J.
Probing a putative dantrolene-binding site on the cardiac ryanodine receptor, 387:905
Paulsson, M. *See* Ko, Y.-P.
Payne, S. G. *See* Safadi-Chamberlain, F.

© 2006 Biochemical Society

Payre, B. *See* Pitarque, S.
Peak-Chew, S.-Y. *See* Bajohrs, M.
Pearl, L. H. *See* Oliver, A. W.
Pecci, L. *See* Fontana, M.
Pecina, P. *See* Stiburek, L.
Pecquet, C. *See* Nyga, R.
Pedder, C. *See* Chabanon, H.
Pederick, R. L. *See* Lloyd, M. D.
Pedersen, L. C. *See* Ueda, A.
Pedraza, N. *See* Solanes, G.
Pedrazzi, M. *See* Sparatore, B.
Pedroso de Lima, M. C. *See* Mano, M.
Peduzzi, J. *See* Destoumieux-Garzón, D.
Peggie, M. *See* Darragh, J.; Murray, J. T.; Rousseau, S.
Peinado-Onsurbe, J. *See* Carmona, M. C.
Pélissier, P. *See* Tassy, C.
Pellegrini, M. *See* Sanna, M. T.
Pelosi, L. *See* Saksouk, N.
Pelt, P. *See* Schweizer, U.
Penheiter, A. R. *See* Pászty, K.
Penniston, J. T. *See* Pászty, K.
Pentimalli, F. *See* Battista, S.
Pepey, E. *See* Kärkönen, A.
Peränen, J. *See* Mĩinea, C. P.
Pereira, P. *See* Gomes, R.
Peres, V. J. *See* Tonhosolo, R.
Perez, L. H. *See* Dinarina, A.
Perez-Acle, T. *See* Strobel, P.
Perez-Castillo, A. *See* Sanchez-Rodriguez, J.
Pérez-Gómez, C.
——; Campos-Sandoval, J. A.; Alonso, F. J.; Segura, J. A.; Manzanares, E.; Ruiz-Sánchez, P.; González, M. E.; Márquez, J.; Matés, J. M.
Co-expression of glutaminase K and L isoenzymes in human tumour cells, 386:535
Perrais, M. *See* Fauquette, V.
Perreault, K. R. *See* Plummer, G.
Perret, S.
——; Sabin, C.; Dumon, C.; Pokorná, M.; Gautier, C.; Galanina, O.; Ilia, S.; Bovin, N.; Nicaise, M.; Desmadril, M.; Gilboa-Garber, N.; Wimmerová, M.; Mitchell, E. P.; Imberty, A.
Structural basis for the interaction between human milk oligosaccharides and the bacterial lectin PA-IIL of *Pseudomonas aeruginosa*, 389:325
Perriott, L. M. *See* Whitesell, R. R.
Perrone, L.
——; Paladino, S.; Mazzone, M.; Nitsch, L.; Gulisano, M.; Zurzolo, C.
Functional interaction between $p75^{NTR}$ and TrkA: the endocytic trafficking of $p75^{NTR}$ is driven by TrkA and regulates TrkA-mediated signalling, 385:233
Person, M. D. *See* Swiercz, R.
Persson, H. L.
——; Kurz, T.; Eaton, J. W.; Brunk, U. T.
Radiation-induced cell death: importance of lysosomal destabilization, 389:877
Perugini, M. A. *See* Luke, M. R.
Pescador, N.
——; Cuevas, Y.; Naranjo, S.; Alcaide, M.; Villar, D.; Landázuri, M. O.; del Peso, L.
Identification of a functional hypoxia-responsive element that regulates the expression of the *egl nine* homologue 3 (*egln3*/*phd3*) gene, 390:189
Peter-Katalinić, J. *See* Petrovič, U.
Peters, H.
——; Kusov, Y. Y.; Meyer, S.; Benie, A. J.; Bäuml, E.; Wolff, M.; Rademacher, C.; Peters, T.; Gauss-Müller, V.
Hepatitis A virus proteinase 3C binding to viral RNA: correlation with substrate binding and enzyme dimerization, 385:363
Peters, T. *See* Peters, H.
Petersen, J.
——; Gessner, C.; Fisher, K.; Mitchell, C. J.; Lowe, D. J.; Lubitz, W.
Mn^{2+}-adenosine nucleotide complexes in the presence of the nitrogenase iron-protein: detection of conformational rearrangements directly at the nucleotide binding site by EPR and 2D-ESEEM (two-dimensional electron spin-echo envelope modulation spectroscopy), 391:527
Petersen, S. V.
——; Olsen, D. Aa.; Kenney, J. M.; Oury, T. D.; Valnickova, Z.; Thøgersen, I. B.; Crapo, J. D.; Enghild, J. J.
The high concentration of $Arg^{213} \rightarrow Gly$ extracellular superoxide dismutase (EC-SOD) in plasma is caused by a reduction of both heparin and collagen affinities, 385:427
Petersen, T. E. *See* Christensen, B.
Peterson, K. *See* D'Aniello, S.
Petheő, G. L.
——; Demaurex, N.
Voltage- and NADPH-dependence of electron currents generated by the phagocytic NADPH oxidase, 388:485
Petkovich, M. *See* Loudig, O.
Petrescu, A.-J. *See* Costin, G.-E.
Petrie, J. R. *See* Ruiz-Alcaraz, A. J.
Petrovič, U.
——; Šribar, J.; Matis, M.; Anderluh, G.; Peter-Katalinić, J.; Križaj, I.; Gubenšek, F.
Ammodytoxin, a secretory phospholipase A_2, inhibits G_2 cell-cycle arrest in yeast *Saccharomyces cerevisiae*, 391:383
Petrovich, R. M. *See* Qian, X.
Petruzzelli, R. *See* Sanna, M. T.
Petschacher, B.
——; Leitgeb, S.; Kavanagh, K. L.; Wilson, D. K.; Nidetzky, B.
The coenzyme specificity of *Candida tenuis* xylose reductase (AKR2B5) explored by site-directed mutagenesis and X-ray crystallography, 385:75
Pettitt, T. R. *See* Zouwail, S.
Peyrot, F.
——; Grillon, C.; Vergely, C.; Rochette, L.; Ducrocq, C.
Pharmacokinetics of 1-nitrosomelatonin and detection by EPR using iron dithiocarbamate complex in mice, 387:473
Pfleger, K. D. G.
——; Eidne, K. A.
Monitoring the formation of dynamic G-protein-coupled receptor–protein complexes in living cells, 385:625
Pham, T. T. *See* Inagaki, Y.
Phillips, A. M. *See* Kelly, L. E.
Piens, K. *See* Kallas, Å. M.
Pieper, G. M.
——; Nilakantan, V.; Halligan, N. L. N.; Khanna, A. K.; Hilton, G.; Vásquez-Vivar, J.
Nitric oxide formation in acutely rejecting cardiac allografts correlates with GTP cyclohydrolase I activity, 391:541
Pierantoni, G. M. *See* Battista, S.
Pierfederici, F. M. *See* Schwarz, A.
Pietracupa, M. *See* Allocati, N.
Pietraforte, D. *See* Olivetta, E.
Pietropaolo, C. *See* Russo, G.
Piette, J. *See* Kustermans, G.
Pignot-Paintrand, I. *See* El-Kafafi, E.-S.
Pigny, P. *See* Fauquette, V.
Pikovski, I. *See* Cranmer, S. L.
Pil, J. *See* Chagot, B.
Pillai, A.
——; Ueno, S.; Zhang, H.; Lee, J. M.; Kato, Y.
Cecropin P1 and novel nematode cecropins: a bacteria-inducible antimicrobial peptide family in the nematode *Ascaris suum*, 390:207
Pimentel, C. *See* Chagot, B.
Pinna, L. A. *See* Bustos, V. H.; Ferrari, S.
Pino, I. *See* Moneer, Z.
Piper, D. E. *See* Herter, S.
Pitarque, S.
——; Herrmann, J.-L.; Duteyrat, J.-L.; Jackson, M.; Stewart, G. R.; Lecointe, F.; Payre, B.; Schwartz, O.; Young, D. B.; Marchal, G.; Lagrange, P. H.; Puzo, G.; Gicquel, B.; Nigou, J.; Neyrolles, O.
Deciphering the molecular bases of *Mycobacterium tuberculosis* binding to the lectin DC-SIGN reveals an underestimated complexity, 392:615
Pizzuti, A. *See* d'Abramo, C.
Plou, F. J. *See* Ferrer, M.
Plummer, G.
——; Perreault, K. R.; Holmes, C. F. B.; Posse de Chaves, E. I.
Activation of serine/threonine protein phosphatase-1 is required for ceramide-induced survival of sympathetic neurons, 385:685
Poccia, D. L. *See* Byrne, R. D.
Pogenberg, V. *See* Stricher, F.
Poirier, G. G. *See* Gagné, J.-P.
Pojasek, K. *See* Prabhakar, V.
Pokorná, M. *See* Perret, S.
Polgár, L. *See* Oláh, J.
Poli, V. *See* Carmona, M. C.
Pollock, A. S. *See* Mahimkar, R. M.
Ponces Freire, A. *See* Gomes, R.
Pongjaroenkit, S. *See* Udomsinprasert, R.
Pons, I. *See* García, J.
Pons, M. *See* García, J.
Pons, T. *See* Martínez-Fleites, C.
Pontremoli, S. *See* Sparatore, B.
Poon, C. L. C. *See* King, J. A. J.
Poponov, S. Y. *See* Shkrob, M. A.
Popov, K. M. *See* Tuganova, A.
Porkka, E. J. *See* Nordlund, H. R.
Porter, S.
——; Clark, I. M.; Kevorkian, L.; Edwards, D. R.
The ADAMTS metalloproteinases, 386:15
Portugal, H. *See* Reboul, E.
Posse de Chaves, E. I. *See* Plummer, G.
Postlethwait, J. *See* Kuo, M.-W.
Potin, P. *See* Jam, M.
Potter, B. V. L. *See* Lloyd, M. D.
Pouliquin, P. *See* Dulhunty, A. F.
Powers, A. C. *See* Whitesell, R. R.
Powner, D. J. *See* Zouwail, S.
Pozdnev, V. F. *See* Skirgello, O. E.
Pozuelo Rubio, M.
——; Campbell, D. G.; Morrice, N. A.; MacKintosh, C.
Phosphodiesterase 3A binds to 14-3-3 proteins in response to PMA-induced phosphorylation of Ser^{428}, 392:163
Prabhakar, V.
——; Capila, I.; Bosques, C. J.; Pojasek, K.; Sasisekharan, R.

© 2006 Biochemical Society

Chondroitinase ABC I from *Proteus vulgaris*: cloning, recombinant expression and active site identification, 386:103
——; Raman, R.; Capila, I.; Bosques, C. J.; Pojasek, K.; Sasisekharan, R.
Biochemical characterization of the chondroitinase ABC I active site, 390:395
Prabhakaran, M. *See* Hu, T.
Prakash, H. *See* Ciccoli, R.
Prante, C. *See* Müller, S.
Prapanthadara, L.-a. *See* Udomsinprasert, R.
Prasad, P. D. *See* Gopal, E.; Srinivas, S. R.
Prashar, V. *See* Kumar, M.
Prassl, R. *See* Gamsjaeger, R.
Pratt, P. F. *See* Rolfe, M.
Preissner, K. T. *See* Nakazawa, F.
Preston, L. C. *See* Lipscomb, S.
Previato, J. O. *See* Figueiredo, J. M.
Price, L. S. *See* Riedl, J. A.
Price, N. T. *See* Faye, A.
Priest, D. G. *See* Oleinik, N. V.
Prip-Buus, C. *See* Faye, A.
Probst, H. *See* Riedinger, H.-J.
Proctor, G. B.
——; Hamdan, S.; Carpenter, G. H.; Wilde, P.
A statherin and calcium enriched layer at the air interface of human parotid saliva, 389:111
Pronk, J. T. *See* Aguilera, J.
Pronzato, M. A. *See* d'Abramo, C.
Proost, P. *See* Simonet, G.
Prorok-Hamon, M.
——; Notel, F.; Mathieu, S.; Langlet, C.; Fukuda, M.; El-Battari, A.
N-glycans of core2 β(1,6)-*N*-acetylglucosaminyltransferase-I (C2GnT-I) but not those of α(1,3)-fucosyltransferase-VII (FucT-VII) are required for the synthesis of functional P-selectin glycoprotein ligand-1 (PSGL-1): effects on P-, L- and E-selectin binding, 391:491
Prosinecki, V. *See* Franco, R.
Proud, C. G. *See* Parra-Palau, J. L.; Rolfe, M.
Proulx, C. D.
——; Simaan, M.; Escher, E.; Laporte, S. A.; Guillemette, G.; Leduc, R.
Involvement of a cytoplasmic-tail serine cluster in urotensin II receptor internalization, 385:115
Pryor, S. C. *See* MacCormick, M.
Pucci, P. *See* Russo, G.
Puglielli, L. *See* Costantini, C.
Purohit, A. *See* Lloyd, M. D.
Püschel, G. P. *See* Pathe-Neuschäfer-Rube, A.
Puskás, L. G. *See* Oláh, J.
Putaux, J.-L. *See* El-Kafafi, E.-S.
Puzia, K. *See* Wladyka, B.
Puzo, G. *See* Pitarque, S.
Pyne, N. J. *See* Long, J.
Pyne, S. *See* Long, J.

Qian, X.
——; Mitchell, J.; Wei, S.-J.; Williams, J.; Petrovich, R. M.; Shears, S. B.
The Ins(1,3,4)P_3 5/6-kinase/Ins(3,4,5,6)P_4 1-kinase is not a protein kinase, 389:389
Qian, Z. *See* Hong, J.
Qiu, A.
——; Hogstrand, C.
Functional expression of a low-affinity zinc uptake transporter (*Fr*ZIP2) from pufferfish (*Takifugu rubripes*) in MDCK cells, 390:777
——; Shayeghi, M.; Hogstrand, C.
Molecular cloning and functional characterization of a high-affinity zinc importer (*Dr*ZIP1) from zebrafish (*Danio rerio*), 388:745
Quagraine, M. O.
——; Tan, F.; Tamei, H.; Erdös, E. G.; Skidgel, R. A.
Plasmin alters the activity and quaternary structure of human plasma carboxypeptidase N, 388:81
Quiambao, A. *See* Stricker, H. M.
Quigley, J. *See* Wilson, S.
Quinn, C. M.
——; Jessup, W.; Wong, J.; Kritharides, L.; Brown, A. J.
Expression and regulation of sterol 27-hydroxylase (CYP27A1) in human macrophages: a role for RXR and PPARγ ligands, 385:823
Quintas, A. *See* Gomes, R.

Ra, C. *See* Takahashi, K.
Raab, F. *See* Merkel, O.
Raben, N. *See* Zhu, Y.
Raber, J. *See* van Meer, P.
Rademacher, C. *See* Peters, H.
Raeymaekers, L. *See* Vangheluwe, P.
Raghothama, S. *See* Chakraborty, K.
Raghow, R. *See* Cagen, L. M.
Rahimian, R. *See* Bose, D. D.
Raia, C. A. *See* Giordano, A.
Raicu, V.
——; Jansma, D. B.; Miller, R. J. D.; Friesen, J. D.
Protein interaction quantified *in vivo* by spectrally resolved fluorescence resonance energy transfer, 385:265
Raikwar, N. S.
——; Bowen, R. F.; Deeg, M. A.
Mutating His^{29}, His^{125}, His^{133} or His^{158} abolishes glycosylphosphatidylinositol-specific phospholipase D catalytic activity, 391:285
Raiola, L. *See* Verde, C.
Raj, M. *See* Jamil, S.
Ramadan, K. *See* Locatelli, G. A.
Ramaen, O.
——; Sizun, C.; Pamlard, O.; Jacquet, E.; Lallemand, J.-Y.
Attempts to characterize the NBD heterodimer of MRP1: transient complex formation involves Gly^{771} of the ABC signature sequence but does not enhance the intrinsic ATPase activity, 391:481
Ramakrishna, T. *See* Raman, B.
Raman, B.
——; Ban, T.; Sakai, M.; Pasta, S. Y.; Ramakrishna, T.; Naiki, H.; Goto, Y.; Rao, Ch. M.
αB-crystallin, a small heat-shock protein, prevents the amyloid fibril growth of an amyloid β-peptide and β_2-microglobulin, 392:573
Raman, R. *See* Prabhakar, V.
Ramanujan, K. V. *See* Niv-Spector, L.
Ramasamy, S. *See* Jia, Y.
Ramón y Cajal, S. *See* Sánchez-Arévalo Lobo, V. J.
Ramos, J. W. *See* Sur, R.; Renganathan, H.
Ramsey, S. *See* de Atauri, P.
Rana, R. *See* Jagadish, N.
Ranganathan, P. N.
——; Whalen, R.; Boyer, T. D.
Characterization of the molecular forms of glutathione S-transferase P1 in human gastric cancer cells (Kato III) and in normal human erythrocytes, 386:525
Ranson, H. *See* Ding, Y.
Rao, Ch. M. *See* Raman, B.
Rasko, J. E. J. *See* Böhmer, C.
Rasmusson, A. G. *See* Matic, S.
Ratke, R. *See* Sharma, S. K.
Raturi, A.
——; Vacratsis, P. O.; Seslija, D.; Lee, L.; Mutus, B.
A direct, continuous, sensitive assay for protein disulphide-isomerase based on fluorescence self-quenching, 391:351
Raul, J.-S. *See* Di Scala, F.
Raussens, V.
——; Drury, J.; Forte, T. M.; Choy, N.; Goormaghtigh, E.; Ruysschaert, J.-M.; Narayanaswami, V.
Orientation and mode of lipid-binding interaction of human apolipoprotein E C-terminal domain, 387:747
Ravel, D. *See* de Coupade, C.
Ravenscroft, N. *See* Moore, J. P.
Raver, N. *See* Niv-Spector, L.
Ravulapalli, R.
——; Garcia Diaz, B.; Campbell, R. L.; Davies, P. L.
Homodimerization of calpain 3 penta-EF-hand domain, 388:585
Ray, R. M. *See* Bhattacharya, S.
Reaven, E. *See* Schwartz, E. A.
Reboul, E.
——; Abou, L.; Mikail, C.; Ghiringhelli, O.; André, M.; Portugal, H.; Jourdheuil-Rahmani, D.; Amiot, M.-J.; Lairon, D.; Borel, P.
Lutein transport by Caco-2 TC-7 cells occurs partly by a facilitated process involving the scavenger receptor class B type I (SR-BI), 387:455
Rebuffat, S. *See* Destoumieux-Garzón, D.
Reddy, G. B. *See* Kumar, M. S.
Reddy, P. Y. *See* Kumar, M. S.
Redelinghuys, P. *See* Woodman, Z. L.
Redfern, C. P. F. *See* Brown, A. M.
Redondo-Horcajo, M. *See* Reimunde, F. M.
Redwood, C. S. *See* Lipscomb, S.
Reed, M. J. *See* Lloyd, M. D.
Rees, H. H. *See* Takeuchi, H.
Rees, M. D.
——; Pattison, D. I.; Davies, M. J.
Oxidation of heparan sulphate by hypochlorite: role of N-chloro derivatives and dichloramine-dependent fragmentation, 391:125
Reeves, J. R.
——; Xuan, J. W.; Arfanis, K.; Morin, C.; Garde, S. V.; Ruiz, M. T.; Wisniewski, J.; Panchal, C.; Tanner, J. E.
Identification, purification and characterization of a novel human blood protein with binding affinity for prostate secretory protein of 94 amino acids, 385:105
Régnier, A. *See* Nyga, R.
Reimunde, F. M.
——; Castañares, C.; Redondo-Horcajo, M.; Lamas, S.; Rodríguez-Pascual, F.
Endothelin-1 expression is strongly repressed by AU-rich elements in the 3′-untranslated region of the gene, 387:763
Reiner, O. *See* Jiménez-Mateos, E. M.
Reiners, Jr, J. J. *See* Caruso, J. A.

© 2006 Biochemical Society

Reithmeier, R. A. F. *See* Cheung, J. C.; Cheung, J. C.
Renatus, M. *See* Shin, H.
Rendina, A. R.
——; Cheng, D.
Characterization of the inactivation of rat fatty acid synthase by C75: inhibition of partial reactions and protection by substrates, 388:895
Renganathan, H.
——; Vaidyanathan, H.; Knapinska, A.; Ramos, J. W.
Phosphorylation of PEA-15 switches its binding specificity from ERK/MAPK to FADD, 390:729
Rentsendorj, O.
——; Nagy, A.; Sinkó, I.; Daraba, A.; Barta, E.; Kiss, I.
Highly conserved proximal promoter element harbouring paired Sox9-binding sites contributes to the tissue- and developmental stage-specific activity of the matrilin-1 gene, 389:705
Repkova, M. *See* Graifer, D.
Rettori, D. *See* Iñarrea, P.
Rezaie, A. R. *See* Monteiro, R. Q.
Rhim, H. *See* Lee, S.-J.
Ribeiro, J. M. C. *See* Monteiro, R. Q.
Ricard-Blum, S. *See* Desmaris, F.
Ricciarelli, R. *See* d'Abramo, C.
Richard, S.
——; Morel, M.; Cléroux, P.
Arginine methylation regulates IL-2 gene expression: a role for protein arginine methyltransferase 5 (PRMT5), 388:379
Richardson, D. R.
——; More roles for selenoprotein P: local selenium storage and recycling protein in the brain (online-only commentary on Schweizer, U.), 386:e5
Richter, W.
——; Jin, S.-L. C.; Conti, M.
Splice variants of the cyclic nucleotide phosphodiesterase PDE4D are differentially expressed and regulated in rat tissue, 388:803
Rickman, C.
——; Hu, K.; Carroll, J.; Davletov, B.
Self-assembly of SNARE fusion proteins into star-shaped oligomers, 388:75
Rida, P. C. G. *See* Tan, A. L. C.
Riddoch, F. C. *See* Brown, A. M.
Ridgway, N. D. *See* Lagace, T. A.
Ridley, A. J. *See* Millán, J.
Riedinger, H.-J.
——; Eger, F.; Trummler, K.; Probst, H.
Replication of simian virus 40 (SV40) DNA in virus-infected CV1 cells selectively permeabilized for small molecules by *Staphylococcus aureus* α-toxin: involvement of mitochondria in the fast O_2-dependent regulation of SV40 DNA replication, 386:557
Riedl, J. A.
——; Brandt, D. T.; Batlle, E.; Price, L. S.; Clevers, H.; Bos, J. L.
Down-regulation of Rap1 activity is involved in ephrinB1-induced cell contraction, 389:465
Riemen, C. E. *See* Crawford, R. M.
Riendeau, D. *See* Hétu, P.-O.
Rifkind, J. M. *See* Jia, Y.
Rigden, D. J. *See* Takeuchi, H.
Ripoche, P. *See* Zidi-Yahiaoui, N.
Rippstein, P. *See* Sandhu, J. K.
Ristig, D. *See* Deriu, D.
Ritter, G. *See* Löscher, M.
Rittinger, K. *See* Groemping, Y.; Wheatley, E.
Rivas, G. *See* Barral, P.
Rivett, A. J. *See* Löscher, M.
Roaden, L. *See* Williams, B. J. L.
Roberts, A. G. *See* Clark, S. R.
Roberts, M. L. *See* Rychkov, G. Y.
Robertson, D. H. L. *See* Armstrong, S. D.
Robinson, L. J. *See* Schulz, B. L.
Robinson, P. *See* Lipscomb, S.
Robinson, R. G. *See* Barnett, S. F.
Robson, A. *See* Brown, A. M.
Robson, S. C. *See* Wang, C. J. H.
Rochette, C. *See* Rouget, R.
Rochette, L. *See* Peyrot, F.
Rode, W. *See* Cieśla, J.
Rodionov, D. I. *See* Feofanov, A. V.
Rodrigues-Lima, F. *See* Westwood, I. M.
Rodríguez, R. *See* Barral, P.
Rodríguez De La Concepción, M. L. *See* Carmona, M. C.
Rodríguez-Escudero, I.
——; Roelants, F. M.; Thorner, J.; Nombela, C.; Molina, M.; Cid, V. J.
Reconstitution of the mammalian PI3K/PTEN/Akt pathway in yeast, 390:613
Rodríguez-García, M. I. *See* Barral, P.
Rodríguez-Pascual, F. *See* Reimunde, F. M.
Rodríguez-Sureda, V. *See* Carmona, M. C.
Roe, S. M. *See* Oliver, A. W.
Roelants, F. M. *See* Rodríguez-Escudero, I.
Roger, T.
——; Miconnet, I.; Schiesser, A.-L.; Kai, H.; Miyake, K.; Calandra, T.
Critical role for Ets, AP-1 and GATA-like transcription factors in regulating mouse Toll-like receptor 4 (*Tlr4*) gene expression, 387:355
Rohloff, P. *See* Vieira, M.
Rohmer, M. *See* Kuntz, L.
Roitbak, T.
——; Surviladze, Z.; Tikkanen, R.; Wandinger-Ness, A.
A polycystin multiprotein complex constitutes a cholesterol-containing signalling microdomain in human kidney epithelia, 392:29
Rojas-Caro, S. *See* Zandbergen, F.
Rokka, A.
——; Suorsa, M.; Saleem, A.; Battchikova, N.; Aro, E.-M.
Synthesis and assembly of thylakoid protein complexes: multiple assembly steps of photosystem II, 388:159
Rolfe, M.
——; McLeod, L. E.; Pratt, P. F.; Proud, C. G.
Activation of protein synthesis in cardiomyocytes by the hypertrophic agent phenylephrine requires the activation of ERK and involves phosphorylation of tuberous sclerosis complex 2 (TSC2), 388:973
Romanin, C. *See* Gamsjaeger, R.
Ron, D. *See* Kreuger, J.
Roques, B. P. *See* Bourbigot, S.
Rosado, J. A. *See* López, J. J.
Rose, T. M. *See* Burton, M.
Rosenthal, W. *See* Alken, M.
Rossi, M. *See* Giordano, A.
Rotter, B.
——; Bournier, O.; Nicolas, G.; Dhermy, D.; Lecomte, M.-C.
αII-Spectrin interacts with Tes and EVL, two actin-binding proteins located at cell contacts, 388:631
Rouget, R.
——; Vigneault, F.; Codio, C.; Rochette, C.; Paradis, I.; Drouin, R.; Simard, L. R.
Characterization of the survival motor neuron (SMN) promoter provides evidence for complex combinatorial regulation in undifferentiated and differentiated P19 cells, 385:433
Roumestand, C. *See* Stricher, F.
Rouse, J. *See* Flott, S.
Rousseau, S.
——; Peggie, M.; Campbell, D. G.; Nebreda, A. R.; Cohen, P.
Nogo-B is a new physiological substrate for MAPKAP-K2, 391:433
Roustan, C. *See* Méré, J.
Rouzaud, F. *See* Costin, G.-E.
Row, P. E.
——; Clague, M. J.; Urbé, S.
Growth factors induce differential phosphorylation profiles of the Hrs–STAM complex: a common node in signalling networks with signal-specific properties, 389:629
Roy, A.-F. *See* Benomar, Y.
Roy, U.
——; Joshua, R.; Stark, R. L.; Balazy, M.
Cytochrome P450/NADPH-dependent biosynthesis of 5,6-*trans*-epoxyeicosatrienoic acid from 5,6-*trans*-arachidonic acid, 390:719
Roy-Chowdhury, J. *See* Ghosh, S. S.
Roy-Chowdhury, N. *See* Ghosh, S. S.
Royer, C. *See* Stricher, F.
Rufiange, A. *See* Zaniolo, K.
Ruiz, M. T. *See* Reeves, J. R.
Ruiz-Alcaraz, A. J.
——; Liu, H.-K.; Cuthbertson, D. J.; McManus, E. J.; Akhtar, S.; Lipina, C.; Morris, A. D.; Petrie, J. R.; Hundal, H. S.; Sutherland, C.
A novel regulation of IRS1 (insulin receptor substrate-1) expression following short term insulin administration, 392:345
Ruiz de Almodóvar, J. M. *See* Muñoz-Gámez, J. A.
Ruiz-Sánchez, P. *See* Pérez-Gómez, C.
Runeberg-Roos, P. *See* Virtanen, H.
Rus, A. D. *See* Zaragozá, R.
Rusinol, A. E. *See* Corrigan, D. P.
Russo, A. *See* Russo, G.
Russo, C. *See* Giordano, A.
Russo, G.
——; Cuccurese, M.; Monti, G.; Russo, A.; Amoresano, A.; Pucci, P.; Pietropaolo, C.
Ribosomal protein L7a binds RNA through two distinct RNA-binding domains, 385:289
Russwurm, M. *See* Gorren, A. C. F.; Kollau, A.
Rutkowski, M. *See* Nieznanski, K.
Rutz, C. *See* Alken, M.
Ruysschaert, J.-M. *See* Raussens, V.
Ruzgas, T. *See* Shleev, S.
Ruzzene, M. *See* Barberis, M.
Rychkov, G. Y.
——; Litjens, T.; Roberts, M. L.; Barritt, G. J.
Arachidonic acid inhibits the store-operated Ca^{2+} current in rat liver cells, 385:551
Rychnovsky, S. D. *See* Epand, R. M.
Ryder, S. J. *See* Thackray, A. M.
Rylett, C. M. *See* Thomas, J. E.
Ryu, S. H. *See* Hwang, J.-I.

Saarma, M. *See* Virtanen, H.

© 2006 Biochemical Society

Saatian, B. *See* Zhao, Y.
Saavedra, M. *See* Wick, M. J.
Sabatier, J.-M. *See* Mouhat, S.
Sabin, C. *See* Perret, S.
Sadek, C. M. *See* Fodero-Tavoletti, M. T.
Sadlon, T. J. *See* Kolluri, S.
Sadoshima, J. *See* Hase, M.
Safadi-Chamberlain, F.
——; Wang, L.-P.; Payne, S. G.; Lim, C.-U.; Stratford, S.; Chavez, J. A.; Fox, M. H.; Spiegel, S.; Summers, S. A.
Effect of a membrane-targeted sphingosine kinase 1 on cell proliferation and survival, 388:827
Sahal, D. *See* Kannan, R.
Sahi, S. *See* Ciccoli, R.
Sahl, H.-G. *See* Zelezetsky, I.
Saito, H. *See* Inoue, Y.
Saito, K. *See* Shiokawa, D.
Saito, M.
——; Sugai, M.; Katsushima, Y.; Yanagisawa, T.; Sukegawa, J.; Nakahata, N.
Increase in cell-surface localization of parathyroid hormone receptor by cytoskeletal protein 4.1G, 392:75
Sáiz, J. L. *See* Monterroso, B.
Sakaguchi, K. *See* Kiyohara, M.
Sakai, H. *See* Ban, N.
Sakai, M. *See* Raman, B.
Sakr, W. *See* Toth, M.
Saksouk, N.
——; Pelosi, L.; Colin-Morel, P.; Boumedienne, M.; Abdian, P. L.; Geremia, R. A.
The capsular polysaccharide biosynthesis of *Streptococcus pneumoniae* serotype 8: functional identification of the glycosyltransferase WciS (Cap8H), 389:63
Sal-Man, N.
——; Shai, Y.
Arginine mutations within a transmembrane domain of Tar, an *Escherichia coli* aspartate receptor, can drive homodimer dissociation and heterodimer association *in vivo*, 385:29
Salameh, T. *See* Nishimura, W.
Sale, G. J. *See* Hodgkinson, C. P.
Saleem, A. *See* Rokka, A.
Salehi, P. *See* Walker, J.
Salem, H. H. *See* Cranmer, S. L.
Salhany, J. M.
——; Cordes, K. S.; Sloan, R. L.
Identification and characterization of a second 4,4′-dibenzamido-2,2′-stilbenedisulphonate (DBDS)-binding site on band 3 and its relationship with the anion/proton co-transport function, 388:343
Salido, G. M. *See* López, J. J.
Salmivirta, M. *See* Kreuger, J.
Salvesen, G. *See* Shin, H.; Vucic, D.
Salvioli, R.
——; Tatti, M.; Scarpa, S.; Moavero, S. M.; Ciaffoni, F.; Felicetti, F.; Kaneski, C. R.; Brady, R. O.; Vaccaro, A. M.
The N370S ($Asn^{370} \rightarrow Ser$) mutation affects the capacity of glucosylceramidase to interact with anionic phospholipid-containing membranes and saposin C, 390:95
Samali, A. *See* Halvey, P. J.
Samari, H. R.
——; Møller, M. T. N.; Holden, L.; Asmyhr, T.; Seglen, P. O.
Stimulation of hepatocytic AMP-activated protein kinase by okadaic acid and other autophagy-suppressive toxins, 386:237
Sampaio, C. A. M. *See* Shin, H.
Samuel, S.
——; Twizere, J.-C.; Bernstein, L. R.
YB-1 represses AP1-dependent gene transactivation and interacts with an AP-1 DNA sequence, 388:921
Samuels, D. C. *See* Bradshaw, P. C.
Sanchez, M. *See* Olivetta, E.
Sánchez-Arévalo Lobo, V. J.
——; Aceves Luquero, C. I.; Álvarez-Vallina, L.; Tipping, A. J.; Viniegra, J. G.; Hernández Losa, J.; Parada Cobo, C.; Galán Moya, E. M.; Gayoso Cruz, J.; Melo, J. V.; Ramón y Cajal, S.; Sánchez-Prieto, R.
Modulation of the p38 MAPK (mitogen-activated protein kinase) pathway through Bcr/Abl: implications in the cellular response to Ara-C, 387:231
Sánchez-Barbero, F. *See* García-Verdugo, I.
Sánchez-Prieto, R. *See* Sánchez-Arévalo Lobo, V. J.
Sanchez-Rodriguez, J.
——; Kaninda-Tshilumbu, J. P.; Santos, A.; Perez-Castillo, A.
The spot 14 protein inhibits growth and induces differentiation and cell death of human MCF-7 breast cancer cells, 390:57
Sancho, J. M. *See* Ciudad, A.
Sanders-Lindberg, E. *See* Kreuger, J.
Sandhu, J. K.
——; Sodja, C.; McRae, K.; Li, Y.; Rippstein, P.; Wei, Y.-H.; Lach, B.; Lee, F.; Bucurescu, S.; Harper, M.-E.; Sikorska, M.
Effects of nitric oxide donors on cybrids harbouring the mitochondrial myopathy, encephalopathy, lactic acidosis and stroke-like episodes A3243G mitochondrial DNA mutation, 391:191
Sandy, J.
——; Mushtaq, A.; Holton, S. J.; Schartau, P.; Noble, M. E. M.; Sim, E.
Investigation of the catalytic triad of arylamine N-acetyltransferases: essential residues required for acetyl transfer to arylamines, 390:115
Sang, Q.-X. A. *See* Hurst, D. R.
Sangster, S. M. *See* O'Malley, P. G. P.
Sanna, M. T.
——; Manconi, B.; Castagnola, M.; Giardina, B.; Masia, D.; Messana, I.; Olianas, A.; Patamia, M.; Petruzzelli, R.; Pellegrini, M.
Functional and structural characterization of the myoglobin from the polychaete *Ophelia bicornis*, 389:497
Sanna, P. *See* Gaetani, G. F.
Sano, E. *See* Miinea, C. P.
Sano, H. *See* Miinea, C. P.
Sanowar, S.
——; Le Moual, H.
Functional reconstitution of the *Salmonella typhimurium* PhoQ histidine kinase sensor in proteoliposomes, 390:769
Santana, J. M. *See* Bastos, I. M. D.
Santorelli, F. M. *See* Bornstein, B.
Santos, A. *See* Sanchez-Rodriguez, J.
Santos, H. *See* Wiame, E.
Sanz, J. M. *See* Maestro, B.
Sanz-Aparicio, J. *See* Garrido, F.
Saraiva, M. J. *See* Gales, L.
Sarcevic, B. *See* King, J. A. J.
Sarno, S. *See* Barberis, M.
Sasaki, M. *See* Ban, N.
Sasisekharan, R. *See* Prabhakar, V.
Sass, G.
——; Shembade, N. D.; Tiegs, G.
Tumour necrosis factor α (TNF)–TNF receptor 1-inducible cytoprotective proteins in the mouse liver: relevance of suppressors of cytokine signalling, 385:537
Satake, H. *See* Kanda, A.
Sato, K. *See* Otsu, K.; Suto, D.
Sato, M. *See* Mousavi, S. A.
Satrústegui, J. *See* Cavero, S.
Savio, M. *See* Locatelli, G. A.
Sawney, H. *See* Vergnolle, M. A. S.
Sblattero, D. *See* Di Niro, R.
Scalabrino, G. A. *See* Kelly, J. A.
Scarpa, S. *See* Salvioli, R.
Schallmach, E. *See* Steiner, D.
Scharpé, S. *See* Maes, M.-B.
Schartau, P. *See* Sandy, J.
Schell, M. J. *See* Brough, D.; Yu, J. C. H.
Schepens, B. *See* Tinton, S. A.
Scheper, G. C. *See* Parra-Palau, J. L.
Scheurer, S. *See* Wiche, R.
Schiavoni, I. *See* Olivetta, E.
Schiesser, A.-L. *See* Roger, T.
Schifferli, J. A. *See* Hui, K.-M.
Schilling, O.
——; Vogel, A.; Kostelecky, B.; Natal da Luz, H.; Spemann, D.; Späth, B.; Marchfelder, A.; Tröger, W.; Meyer-Klaucke, W.
Zinc- and iron-dependent cytosolic metallo-β-lactamase domain proteins exhibit similar zinc-binding affinities, independent of an atypical glutamate at the metal-binding site, 385:145
Schirmer, T. *See* Hui, K.-M.
Schmid, H. H. O. *See* Okamoto, Y.
Schmid, J. A. *See* Löscher, M.
Schmid, P. C. *See* Okamoto, Y.
Schmidt, K. *See* Gorren, A. C. F.; Kollau, A.
Schmitt, L. *See* Benabdelhak, H.
Schmitz, A. *See* Donoso, G.
Schneider, C.
——; Boeglin, W. E.; Brash, A. R.
Human cyclo-oxygenase-1 and an alternative splice variant: contrasts in expression of mRNA, protein and catalytic activities, 385:57
Schnölzer, M. *See* Claas, C.
Schofield, C. J. *See* Elkins, J. M.
Scholz, A. *See* Alken, M.
Schomburg, L. *See* Schweizer, U.
Schön, S. *See* Müller, S.
Schöttler, M. *See* Müller, S.
Schrével, J. *See* Bastos, I. M. D.
Schroeder, F. *See* Martin, G. G.
Schroit, A. J. *See* Bevers, E. M.
Schubert, U. *See* Nakazawa, F.
Schubert, W.-D. *See* Fock, U.
Schuermans, M. *See* Vangheluwe, P.
Schülein, R. *See* Alken, M.
Scrutton, N. S. *See* Hothi, P.
Schulz, B. L.
——; Sloane, A. J.; Robinson, L. J.; Sebastian, L. T.; Glanville, A. R.; Song, Y.; Verkman, A. S.; Harry, J. L.; Packer, N. H.; Karlsson, N. G.
Mucin glycosylation changes in cystic fibrosis lung disease are not manifest in submucosal gland secretions, 387:911
Schulze, A. *See* van den Heuvel, A. P. J.
Schulze-Lefert, P. *See* Elliott, C.
Schwab, M. *See* Dinarina, A.
Schwager, S. L. U. *See* Woodman, Z. L.

© 2006 Biochemical Society

Schwarz, A.
——; Pierfederici, F. M.; Nidetzky, B.
Catalytic mechanism of α-retaining glucosyl transfer by *Corynebacterium callunae* starch phosphorylase: the role of histidine-334 examined through kinetic characterization of site-directed mutants, 387:437
Schwartz, E. A.
——; Reaven, E.; Topper, J. N.; Tsao, P. S.
Transforming growth factor-β receptors localize to caveolae and regulate endothelial nitric oxide synthase in normal human endothelial cells, 390:199
Schwarz, G. *See* Godber, B. L. J.
Schwartz, M. A. *See* Hurst, D. R.
Schwartz, O. *See* Pitarque, S.
Schweizer, U.
——; Streckfuß, F.; Pelt, P.; Carlson, B. A.; Hatfield, D. L.; Köhrle, J.; Schomburg, L.
Hepatically derived selenoprotein P is a key factor for kidney but not for brain selenium supply, 386:221 (*See* Richardson, D. R. for online-only commentary)
Seabra, M. C. *See* Johnson, J. L.
Seagar, M. *See* Ferracci, G.
Sebastian, L. T. *See* Schulz, B. L.
Segawa, H. *See* Inoue, Y.
Seglen, P. O. *See* Samari, H. R.
Segura, E. *See* Gevorkian, G.
Segura, J. A. *See* Pérez-Gómez, C.
Segura-Cobos, D. *See* Cerbón, J.
Seifart, C. *See* Lin, Z.
Seino, Y. *See* Béguin, P.
Sekiguchi, K. *See* Furutani, Y.
Seko, A.
——; Sumiya, J.-i.; Yamashita, K.
Porcine, mouse and human galactose 3-O-sulphotransferase-2 enzymes have different substrate specificities; the porcine enzyme requires basic compounds for its catalytic activity, 391:77
Selvi, R. *See* Jagadish, N.
Sen, B. *See* Datta, R.
Senda, T. *See* Kimura, S.
Senesi, S.
——; Marcolongo, P.; Kardon, T.; Bucci, G.; Sukhodub, A.; Burchell, A.; Benedetti, A.; Fulceri, R.
Immunodetection of the expression of microsomal proteins encoded by the glucose 6-phosphate transporter gene, 389:57
Sengupta, T.
——; Mukherjee, M.; Das, A.; Mandal, C.; Das, R.; Mukherjee, T.; Majumder, H. K.
Characterization of the ATPase activity of topoisomerase II from *Leishmania donovani* and identification of residues conferring resistance to etoposide, 390:419
Senoo, H. *See* Mousavi, S. A.
Sentandreu, M. A. *See* Tassy, C.
Senten, K. *See* Maes, M.-B.
Serezhenkov, V. *See* Shleev, S.
Serkiz, B. *See* Ferry, G.
Serrano, S. M. T.
——; Jia, L.-G.; Wang, D.; Shannon, J. D.; Fox, J. W.
Function of the cysteine-rich domain of the haemorrhagic metalloproteinase atrolysin A: targeting adhesion proteins collagen I and von Willebrand factor, 391:69
Seslija, D. *See* Raturi, A.
Sévigny, J. *See* Wang, C. J. H.
Sevillano, J.
——; López-Pérez, I. C.; Herrera, E.; del Pilar Ramos, M.; Bocos, C.
Englitazone administration to late pregnant rats produces delayed body growth and insulin resistance on their fetuses and neonates, 389:913
Sha, B. *See* Li, J.
Shah, G. N. *See* Hilvo, M.
Shahi, S. *See* Janvilisri, T.
Shai, Y. *See* Malina, A.; Sal-Man, N.; Zelezetsky, I.
Shakoor, H. *See* Lin, Z.
Shannon, J. D. *See* Serrano, S. M. T.
Sharma, A. *See* Nishimura, W.
Sharma, N.
——; Laftah, A. H.; Brookes, M. J.; Cooper, B.; Iqbal, T.; Tselepis, C.
A role for tumour necrosis factor α in human small bowel iron transport, 390:437
Sharma, S. K.
——; Leinemann, U.; Ratke, R.; Oetjen, E.; Blume, R.; Dickel, C.; Knepel, W.
Characterization of a novel Foxa (hepatocyte nuclear factor-3) site in the glucagon promoter that is conserved between rodents and human, 389:831
Sharom, F. J. *See* Eckford, P. D. W.
Sharonov, G. V. *See* Feofanov, A. V.
Shayeghi, M. *See* Qiu, A.
Shears, S. B. *See* Qian, X.
Shechter, I. *See* Le Jossic-Corcos, C.
Sheflyan, G. Ya. *See* Wu, J.
Shembade, N. D. *See* Sass, G.
Shen, B. *See* Hilvo, M.
Shen, S. *See* Hong, J.
Shen, Y. *See* Ferguson, M.
Shenoy, A. R.
——; Sreenath, N. P.; Mahalingam, M.; Visweswariah, S. S.
Characterization of phylogenetically distant members of the adenylate cyclase family from mycobacteria: Rv1647 from *Mycobacterium tuberculosis* and its orthologue ML1399 from *M. leprae*, 387:541
Sheppard, D. *See* Bridges, L. C.
Sherratt, M. J. *See* Freeman, L. J.
Sheu, L. *See* Leung, Y. M.
Shevelev, I. *See* Locatelli, G. A.
Shi, J. *See* Feng, Y.
Shi, X. *See* Lin, L.
Shi, Y. *See* Zhang, S.
Shibamiya, A. *See* Nakazawa, F.
Shibata, H. *See* Katoh, K.; Yorikawa, C.
Shibuya, H. *See* Kikuchi, T.
Shika, Y. *See* Shiokawa, D.
Shikata, K. *See* Eguchi, J.
Shimoda, L. M. N. *See* Small-Howard, A. L.
Shimotohno, K. *See* Kaida, A.
Shimoyama, M. *See* Terashima, M.
Shin, D.-J. *See* Zhang, C.
Shin, H. *See* Vucic, D.
——; Renatus, M.; Eckelman, B. P.; Nunes, V. A.; Sampaio, C. A. M.; Salvesen, G. S.
The BIR domain of IAP-like protein 2 is conformationally unstable: implications for caspase inhibition, 385:1 (*See* Duckett, C. S. for online-only commentary)
Shin, K.-J. *See* Hwang, J.-I.
Shinozaki, M. *See* Kuratomi, G.
Shiokawa, D.
——; Shika, Y.; Saito, K.; Yamazaki, K.; Tanuma, S.-i.
Physical and biochemical properties of mammalian DNase X proteins: non-AUG translation initiation of porcine and bovine mRNAs for DNase X, 392:511
Shiozaki, K. *See* Yamaguchi, K.
Shirahata, A. *See* Nishimura, K.
Shirai, H. *See* Oishi, K.
Shiraishi, N.
——; Inai, Y.; Bi, W.; Nishikimi, M.
Fragmentation and dimerization of copper-loaded prion protein by copper-catalysed oxidation, 387:247
Shiraki, K. *See* Konishi, T.
Shiro, Y. *See* Kimura, S.
Shirras, A. D. *See* Thomas, J. E.
Shivakumar, P. *See* Chakraborty, K.
Shkrob, M. A.
——; Yanushevich, Y. G.; Chudakov, D. M.; Gurskaya, N. G.; Labas, Y. A.; Poponov, S. Y.; Mudrik, N. N.; Lukyanov, S.; Lukyanov, K. A.
Far-red fluorescent proteins evolved from a blue chromoprotein from *Actinia equina*, 392:649
Shleev, S.
——; Christenson, A.; Serezhenkov, V.; Burbaev, D.; Yaropolov, A.; Gorton, L.; Ruzgas, T.
Electrochemical redox transformations of T1 and T2 copper sites in native *Trametes hirsuta* laccase at gold electrode, 385:745
Shoji, M. *See* Nagumo, Y.
Shokeer, A.
——; Larsson, A.-K.; Mannervik, B.
Residue 234 in glutathione transferase T1-1 plays a pivotal role in the catalytic activity and the selectivity against alternative substrates, 388:387
Shoshan-Barmatz, V. *See* Zalk, R.
Shukla, D. *See* Xu, D.
Shuttleworth, A. *See* Freeman, L. J.
Sibley, L. D. *See* Chini, E. N.
Siddle, K. *See* Holt, L. J.
Siebers, B. *See* Ahmed, H.
Sigal, Y. J.
——; McDermott, M. I.; Morris, A. J.
Integral membrane lipid phosphatases/phosphotransferases: common structure and diverse functions, 387:281
Sigalas, C. *See* Marek, C. J.
Sigman, J. A.
——; Patwa, T. H.; Tablante, A. V.; Joseph, C. D.; Glucksman, M. J.; Wolfson, A. J.
Flexibility in substrate recognition by thimet oligopeptidase as revealed by denaturation studies, 388:255
Sikorska, M. *See* Sandhu, J. K.
Sim, E. *See* Sandy, J.; Westwood, I. M.
Simaan, M. *See* Proulx, C. D.
Simard, L. R. *See* Rouget, R.
Simm, A. M.
——; Loveridge, E. J.; Crosby, J.; Avison, M. B.; Walsh, T. R.; Bennett, P. M.
Bulgecin A: a novel inhibitor of binuclear metallo-β-lactamases, 387:585
Simmons, L. A. *See* Kamau, E.
Simmons, W. H. *See* Molinaro, G.
Simões, S. *See* Mano, M.
Simon, J. *See* Gross, R.
Simonet, G.
——; Breugelmans, B.; Proost, P.; Claeys, I.; Van Damme, J.; De Loof, A.; Vanden Broeck, J.
Characterization of two novel pacifastin-like peptide precursor isoforms in the desert locust (*Schistocerca gregaria*): cDNA cloning, functional analysis and real-time RT-PCR gene expression studies, 388:281
Sinensky, M. S. *See* Corrigan, D. P.

© 2006 Biochemical Society

Singh, S. *See* Ciccoli, R.
Sinha, A.
——; Faller, D. V.; Denis, G. V.
Bromodomain analysis of Brd2-dependent transcriptional activation of *cyclin A*, 387:257
Sinkó, I. *See* Rentsendorj, O.
Sizun, C. *See* Ramaen, O.
Skepper, J. *See* Wäsle, B.
Skidgel, R. A. *See* Quagraine, M. O.
Skipsey, M.
——; Davis, B. G.; Edwards, R.
Diversification in substrate usage by glutathione synthetases from soya bean (*Glycine max*), wheat (*Triticum aestivum*) and maize (*Zea mays*), 391:567
Skirgello, O. E.
——; Binevski, P. V.; Pozdnev, V. F.; Kost, O. A.
Kinetic probes for inter-domain co-operation in human somatic angiotensin-converting enzyme, 391:641
Skopiński, T. *See* Cieśla, J.
Slator, G. R. *See* Kelly, J. A.
Sloan, R. L. *See* Salhany, J. M.
Sloane, A. J. *See* Schulz, B. L.
Slotte, J. P. *See* Nordlund, H. R.
Sly, W. S. *See* Hilvo, M.
Small-Howard, A. L.
——; Shimoda, L. M. N.; Adra, C. N.; Turner, H.
Anti-inflammatory potential of CB1-mediated cAMP elevation in mast cells, 388:465
Smeds, E. *See* Xu, S.
Smedsrød, B. *See* Mousavi, S. A.
Smidt, M. P. *See* van der Heide, L. P.
Smirnova, E.
——; Toueille, M.; Markkanen, E.; Hübscher, U.
The human checkpoint sensor and alternative DNA clamp Rad9–Rad1–Hus1 modulates the activity of DNA ligase I, a component of the long-patch base excision repair machinery, 389:13
Smith, C. M. *See* King, J. A. J.
Smith, E. S. *See* Ding, B.
Smith, H. *See* Turner, S. M.
Smith, M. *See* Goonesinghe, A.
Smith, S. *See* Chang, W.
Smulczyk-Krawczyszyn, A. *See* Zawilak-Pawlik, A.
Snedden, W. A. *See* Turner, W. L.
Sobouti, R. *See* Jamil, S.
Sodja, C. *See* Sandhu, J. K.
Soeller, C. *See* Wang, C. J. H.
Sohal, R. S. *See* Bayne, A.-C. V.; Ferguson, M.
Solaini, G.
——; Harris, D. A.
Biochemical dysfunction in heart mitochondria exposed to ischaemia and reperfusion, 390:377
Solanes, G.
——; Pedraza, N.; Calvo, V.; Vidal-Puig, A.; Lowell, B. B.; Villarroya, F.
Thyroid hormones directly activate the expression of the human and mouse uncoupling protein-3 genes through a thyroid response element in the proximal promoter region, 386:505
Solano, F. *See* Costin, G.-E.
Soldau, K. *See* García-Verdugo, I.
Soloaga, A. *See* Darragh, J.
Solomaha, E.
——; Palfrey, H. C.
Conformational changes in dynamin on GTP binding and oligomerization reported by intrinsic and extrinsic fluorescence, 391:601
Somerharju, P. *See* Hynynen, R.; Vainio, S.
Sondek, J. *See* Zhou, Y.
Song, Y. *See* Nakazawa, F.; Schulz, B. L.
Soni, R. K.
——; Mehra, P.; Mukhopadhyay, G.; Kumar Dhar, S.
Helicobacter pylori DnaB helicase can bypass *Escherichia coli* DnaC function *in vivo*, 389:541
Sørensen, E. S. *See* Christensen, B.
Sorrell, T. C. *See* Djordjevic, J. T.
Soulsby, M. D.
——; Wojcikiewicz, R. J. H.
The type III inositol 1,4,5-trisphosphate receptor is phosphorylated by cAMP-dependent protein kinase at three sites, 392:493
Sousa Silva, M. *See* Gomes, R.
Spaapen, R. *See* Hassink, G.
Spadaccini, R. *See* Capasso, C.
Spadari, S. *See* Locatelli, G. A.
Spannhake, E. W. *See* Zhao, Y.
Sparatore, B.
——; Patrone, M.; Passalacqua, M.; Pedrazzi, M.; Ledda, S.; Pontremoli, S.; Melloni, E.
Activation of A431 human carcinoma cell motility by extracellular high-mobility group box 1 protein and epidermal growth factor stimuli, 389:215
Späth, B. *See* Schilling, O.
Sparks, S. *See* Kane, M. A.
Speer, O.
——; Bäck, N.; Buerklen, T.; Brdiczka, D.; Koretsky, A.; Wallimann, T.; Eriksson, O.
Octameric mitochondrial creatine kinase induces and stabilizes contact sites between the inner and outer membrane, 385:445
Spemann, D. *See* Schilling, O.
Spiegel, S. *See* Safadi-Chamberlain, F.
Spinelli, P. *See* D'Aniello, S.
Sporstøl, M. *See* Mousavi, S. A.
Srairi-Abid, N.
——; Guijarro, J. I.; Benkhalifa, R.; Mantegazza, M.; Cheikh, A.; Ben Aissa, M.; Haumont, P.-Y.; Delepierre, M.; El Ayeb, M.
A new type of scorpion Na^+-channel-toxin-like polypeptide active on K^+ channels, 388:455
Sreedhar, B. *See* Kumar, M. S.
Sreenath, N. P. *See* Shenoy, A. R.
Šribar, J. *See* Petrovič, U.
Srinivas, S. R.
——; Gopal, E.; Zhuang, L.; Itagaki, S.; Martin, P. M.; Fei, Y.-J.; Ganapathy, V.; Prasad, P. D.
Cloning and functional identification of slc5a12 as a sodium-coupled low-affinity transporter for monocarboxylates (SMCT2), 392:655
Staali, L. *See* Moneer, Z.
Stadlmann, J. *See* Strasser, R.
Stains, J. P.
——; Lecanda, F.; Towler, D. A.; Civitelli, R.
Heterogeneous nuclear ribonucleoprotein K represses transcription from a cytosine/thymidine-rich element in the osteocalcin promoter, 385:613
Staquet, K. *See* Fisher, P. W.
Stark, R. L. *See* Roy, U.
Starkman, B. G.
——; Cravero, J. D.; DelCarlo, Jr, M.; Loeser, R. F.
IGF-1 stimulation of proteoglycan synthesis by chondrocytes requires activation of the PI 3-kinase pathway but not ERK MAPK, 389:723
Steer, C. J. *See* Yin, W.
Steffensen, B. *See* Xu, X.
Steiner, D.
——; Avidor-Reiss, T.; Schallmach, E.; Butovsky, E.; Lev, N.; Vogel, Z.
Regulation of adenylate cyclase type VIII splice variants by acute and chronic $G_{i/o}$-coupled receptor activation, 386:341
Steinkellner, H. *See* Bencúr, P.
Stephanopoulos, G. *See* Villas-Bôas, S. G.
Stepkowski, D. *See* Nieznanski, K.
Stevens, I. *See* Van Hoof, C.
Stewart, G. R. *See* Pitarque, S.
Stiburek, L.
——; Vesela, K.; Hansikova, H.; Pecina, P.; Tesarova, M.; Cerna, L.; Houstek, J.; Zeman, J.
Tissue-specific cytochrome *c* oxidase assembly defects due to mutations in *SCO2* and *SURF1*, 392:625
Stiehl, D. P. *See* Metzen, E.
Stivala, L. A. *See* Locatelli, G. A.
Stokoe, D. *See* Bilanges, B.
Stolk, M.
——; Cooper, E.; Vilk, G.; Litchfield, D. W.; Hammond, J. R.
Subtype-specific regulation of equilibrative nucleoside transporters by protein kinase CK2, 386:281
Storz, P.
——; Döppler, H.; Ferran, C.; Grey, S. T.; Toker, A.
Functional dichotomy of A20 in apoptotic and necrotic cell death, 387:47
Straffon, A. F. L. *See* King, J. A. J.
Strasser, R. *See* Bencúr, P.
——; Stadlmann, J.; Svoboda, B.; Altmann, F.; Glössl, J.; Mach, L.
Molecular basis of *N*-acetylglucosaminyltransferase I deficiency in *Arabidopsis thaliana* plants lacking complex N-glycans, 387:385
Stratford, S. *See* Safadi-Chamberlain, F.
Streckfuß, F. *See* Schweizer, U.
Stricher, F.
——; Martin, L.; Barthe, P.; Pogenberg, V.; Mechulam, A.; Menez, A.; Roumestand, C.; Veas, F.; Royer, C.; Vita, C.
A high-throughput fluorescence polarization assay specific to the CD4 binding site of HIV-1 glycoproteins based on a fluorescein-labelled CD4 mimic, 390:29
Stricker, H. M.
——; Ding, X.-Q.; Quiambao, A.; Fliesler, S. J.; Naash, M. I.
The $Cys^{214} \rightarrow Ser$ mutation in peripherin/*rds* causes a loss-of-function phenotype in transgenic mice, 388:605
Stringfield, T. M. *See* Lin, L.
Strobel, P.
——; Allard, C.; Perez-Acle, T.; Calderon, R.; Aldunate, R.; Leighton, F.
Myricetin, quercetin and catechin-gallate inhibit glucose uptake in isolated rat adipocytes, 386:471
Strom, A. *See* Müller, H.
Stroobant, V. *See* Fortpied, J.
Stuke, A. W. *See* Müller, H.
Sturm, O. E. *See* Orton, R. J.
Sturrock, E. D. *See* Woodman, Z. L.
Suárez, C. *See* Barral, P.
Sueyoshi, T. *See* Ueda, A.
Sugai, M. *See* Saito, M.
Sugimoto, N. *See* Furutani, Y.; Nagasawa, S.-y.
Sugiura, N. *See* Furutani, Y.

© 2006 Biochemical Society

Sugiura, T. *See* Gokoh, M.
Sugiyama, J. *See* Hult, E.-L.
Sugiyama, M. *See* Noda, M.
Suh, P.-G. *See* Hwang, J.-I.
Sukegawa, J. *See* Saito, M.
Sukhodub, A. *See* Senesi, S.
Sullivan, G. W. *See* Murphree, L. J.
Sumiya, J.-i. *See* Seko, A.
Summers, S. A. *See* Safadi-Chamberlain, F.
Sun, Y.-S. *See* Chen, A. P.-C.
Sund, M.
——; Maeshima, Y.; Kalluri, R.
Bifunctional promoter of type IV collagen COL4A5 and COL4A6 genes regulates the expression of α5 and α6 chains in a distinct cell-specific fashion, 387:755
Sunn, K. L.
——; Eisman, J. A.; Gardiner, E. M.; Jans, D. A.
FRAP analysis of nucleocytoplasmic dynamics of the vitamin D receptor splice variant VDRB1: preferential targeting to nuclear speckles, 388:509
Suorsa, M. *See* Rokka, A.
Sur, R.
——; Ramos, J. W.
Vanishin is a novel ubiquitinylated death-effector domain protein that blocks ERK activation, 387:315
Surana, U. *See* Tan, A. L. C.
Surguladze, N.
——; Patton, S.; Cozzi, A.; Fried, M. G.; Connor, J. R.
Characterization of nuclear ferritin and mechanism of translocation, 388:731
Suri, A. *See* Jagadish, N.
Surolia, A. *See* Brinda, K. V.
Surviladze, Z. *See* Roitbak, T.
Susnjar, M. *See* Wilson, D. P.
Sutcliffe, M. J. *See* Hothi, P.
Sutherland, C. *See* Mora, A.; Ruiz-Alcaraz, A. J.; Wilson, D. P.
Sutherland, Calum *See* Lipina, C.
Sutherland, Cindy *See* Wilson, D. P.
Suto, D.
——; Sato, K.; Ohba, Y.; Yoshimura, T.; Fujii, J.
Suppression of the pro-apoptotic function of cytochrome *c* by singlet oxygen via a haem redox state-independent mechanism, 392:399
Suzuki, H. *See* Katoh, K.
Suzuki, K. *See* Oku, T.
Suzuki, T.
——; Takagi, Y.; Osanai, H.; Li, L.; Takeuchi, Miki; Katoh, Y.; Kobayashi, M.; Yamamoto, M.
Pi class glutathione S-transferase genes are regulated by Nrf2 through an evolutionarily conserved regulatory element in zebrafish, 388:65
Svoboda, B. *See* Bencúr, P.; Strasser, R.
Swiercz, R.
——; Person, M. D.; Bedford, M. T.
Ribosomal protein S2 is a substrate for mammalian PRMT3 (protein arginine methyltransferase 3), 386:85
Swift, I. E.
——; Milborrow, B. V.
Retention of the 4-pro-R hydrogen atom of mevalonate at C-2,2′ of bacterioruberin in *Halobacterium halobium*, 389:919 (Retraction)
Stereochemistry of allene biosythesis and the formation of the acetylenic carotenoid diadinoxanthin and peridinin (C37) from neoxanthin, 389:919 (Retraction)
Sydorskyy, Y.
——; Dilworth, D. J.; Halloran, B.; Yi, E. C.; Makhnevych, T.; Wozniak, R. W.; Aitchison, J. D.
Nop53p is a novel nucleolar 60 S ribosomal subunit biogenesis protein, 388:819
Szabó, Á. *See* Kiss, P.
Szabo, R.
——; Netzel-Arnett, S.; Hobson, J. P.; Antalis, T. M.; Bugge, T. H.
Matriptase-3 is a novel phylogenetically preserved membrane-anchored serine protease with broad serpin reactivity, 390:231
Szegedi, S. S. *See* Miller, C. M.
Szittner, R. *See* Hosseinkhani, S.

Taanman, J.-W. *See* Horan, S.
Tabary, O. *See* Terrien, X.
Tabas, I. *See* Baez, J. M.
Tablante, A. V. *See* Sigman, J. A.
Tafuri, S. *See* Zandbergen, F.
Taira, K. *See* Katsuyama, M.; Wadhwa, R.
Takagi, M. *See* Konishi, T.
Takagi, Y. *See* Suzuki, T.
Takahashi, K.
——; Matsumoto, C.; Ra, C.
FHL3 negatively regulates human high-affinity IgE receptor β-chain gene expression by acting as a transcriptional co-repressor of MZF-1, 386:191
Takami, M. *See* Yasuhara, R.
Takano, S. *See* Wadhwa, R.
Takao, T. *See* Kaida, A.
Takasuga, S. *See* Kubo, H.
Takeuchi, H.
——; Rigden, D. J.; Ebrahimi, B.; Turner, P. C.; Rees, H. H.
Regulation of ecdysteroid signalling during *Drosophila* development: identification, characterization and modelling of ecdysone oxidase, an enzyme involved in control of ligand concentration, 389:637
Takeuchi, Masato *See* Oikawa, D.
Takeuchi, Miki *See* Suzuki, T.
Takuwa, N. *See* Nagasawa, S.-y.
Takuwa, Y. *See* Nagasawa, S.-y.
Tamaru, Y. *See* Konishi, T.
Tamei, H. *See* Quagraine, M. O.
Tan, A. L. C.
——; Rida, P. C. G.; Surana, U.
Essential tension and constructive destruction: the spindle checkpoint and its regulatory links with mitotic exit, 386:1
Tan, C. *See* Hong, J.
Tan, F. *See* Quagraine, M. O.
Tan, N. S. *See* Zandbergen, F.
Tang, D. D.
——; Bai, Y.; Gunst, S. J.
Silencing of p21-activated kinase attenuates vimentin phosphorylation on Ser-56 and reorientation of the vimentin network during stimulation of smooth muscle cells by 5-hydroxytryptamine, 388:773
Tang, Z. *See* Morrison, B. H.
Tanguay, R. M. *See* Veldhuizen, E. J. A.
Tanhuanpää, K. *See* Hynynen, R.
Tanigawa, Y. *See* Terashima, M.
Tanner, J. E. *See* Reeves, J. R.
Tanuma, S.-i. *See* Shiokawa, D.
Taouis, M. *See* Benomar, Y.; Niv-Spector, L.
Tarbouriech, N. *See* Martínez-Fleites, C.
Tasciotti, E. *See* de Coupade, C.
Tassy, C.
——; Herrera-Mendez, C. H.; Sentandreu, M. A.; Aubry, L.; Brémaud, L.; Pélissier, P.; Delourme, D.; Brillard, M.; Gauthier, F.; Levéziel, H.; Ouali, A.
Muscle endopin 1, a muscle intracellular serpin which strongly inhibits elastase: purification, characterization, cellular localization and tissue distribution, 388:273
Tatout, C. *See* Kärkönen, A.
Tatti, M. *See* Salvioli, R.
Tavaré, J. M. *See* Hers, I.
Taylor, C. W. *See* Moneer, Z.
Taylor, E. J. *See* Martínez-Fleites, C.
Taylor, E. J. A. *See* Moneer, Z.
Taylor, P. L. *See* Yates, S. P.
Taylor, W. A. *See* Webster, J.
Teeri, T. T. *See* Kallas, Å. M.
Teintenier-Lelièvre, M.
——; Julien, S.; Juliant, S.; Guerardel, Y.; Duonor-Cérutti, M.; Delannoy, P.; Harduin-Lepers, A.
Molecular cloning and expression of a human hST8Sia VI (α2,8-sialyltransferase) responsible for the synthesis of the diSia motif on O-glycosylproteins, 392:665
Teixeira, A. R. L. *See* Bastos, I. M. D.
Temussi, P. A. *See* Capasso, C.
Tenopoulou, M.
——; Doulias, P.-T.; Barbouti, A.; Brunk, U.; Galaris, D.
Role of compartmentalized redox-active iron in hydrogen peroxide-induced DNA damage and apoptosis, 387:703
Teodósio, C. *See* Mano, M.
Terasawa, Y. *See* Katoh, K.
Terashima, M.
——; Osago, H.; Hara, N.; Tanigawa, Y.; Shimoyama, M.; Tsuchiya, M.
Purification, characterization and molecular cloning of glycosylphosphatidylinositol-anchored arginine-specific ADP-ribosyltransferases from chicken, 389:853
Terrien, X.
——; Bonvin, E.; Corroyer, S.; Tabary, O.; Clement, A.; Henrion Caude, A.
Intracellular colocalization and interaction of IGF-binding protein-2 with the cyclin-dependent kinase inhibitor $p21^{CIP1/WAF1}$ during growth inhibition, 392:457
Terrier, M. *See* Gillibert, M.
Terui, Y.
——; Ohnuma, M.; Hiraga, K.; Kawashima, E.; Oshima, T.
Stabilization of nucleic acids by unusual polyamines produced by an extreme thermophile, *Thermus thermophilus*, 388:427
Tesarova, M. *See* Stiburek, L.
Testet, E.
——; Laroche-Traineau, J.; Noubhani, A.; Coulon, D.; Bunoust, O.; Camougrand, N.; Manon, S.; Lessire, R.; Bessoule, J.-J.
Ypr140wp, 'the yeast tafazzin', displays a mitochondrial lysophosphatidylcholine (lyso-PC) acyltransferase activity related to triacylglycerol and mitochondrial lipid synthesis, 387:617
Thackray, A. M.
——; Ryder, S. J.; Bujdoso, R.
Modification of blood cell PrP epitope exposure during prion disease, 390:563
Tharanathan, R. N. *See* Vishu Kumar, A. B.
Thewke, D. P. *See* Corrigan, D. P.
Thien, C. B. F.
——; Langdon, W. Y.

© 2006 Biochemical Society

c-Cbl and Cbl-b ubiquitin ligases: substrate diversity and the negative regulation of signalling responses, 391:153
Thion, L. *See* Jam, M.
Thøgersen, I. B. *See* Petersen, S. V.
Thomas, D. *See* Dudley, A. C.
Thomas, D. W. *See* Bose, D. D.
Thomas, G. *See* Javelle, A.
Thomas, J. E.
——; Rylett, C. M.; Carhan, A.; Bland, N. D.; Bingham, R. J.; Shirras, A. D.; Turner, A. J.; Isaac, R. E.
Drosophila melanogaster NEP2 is a new soluble member of the neprilysin family of endopeptidases with implications for reproduction and renal function, 386:357
Thomas, K. R. *See* Kasumov, T.
Thomas, M. B. *See* Visudtiphole, V.
Thomas, N. J. *See* Lin, Z.
Thompson, P. E. *See* Cranmer, S. L.
Thorn, P. *See* Wäsle, B.
Thorne, P. R. *See* Wang, C. J. H.
Thorner, J. *See* Rodríguez-Escudero, I.
Thornhill, W. B. *See* Zhu, J.
Thurberg, B. L. *See* Zhu, Y.
Tian, L. *See* van Vlies, N.
Tiegs, G. *See* Sass, G.
Tietze, N. *See* Kowalczuk, S.
Tiganis, T. *See* Fodero-Tavoletti, M. T.
Tigyi, G. *See* Inagaki, Y.
Tikkanen, R. *See* Roitbak, T.
Timmis, K. N. *See* Ferrer, M.
Tinton, S. A.
——; Schepens, B.; Bruynooghe, Y.; Beyaert, R.; Cornelis, S.
Regulation of the cell-cycle-dependent internal ribosome entry site of the PITSLRE protein kinase: roles of Unr (upstream of N-ras) protein and phosphorylated translation initiation factor eIF-2α, 385:155
Tipping, A. J. *See* Sánchez-Arévalo Lobo, V. J.
Tipton, K. F. *See* Kelly, J. A.
Tischenko, V. M. *See* Zavialov, A. V.
Tiwari, V. *See* Xu, D.
Tjaden, B. *See* Ahmed, H.
Tobias, P. S. *See* García-Verdugo, I.
Tokatlidis, K. *See* Vergnolle, M. A. S.
Toker, A. *See* Storz, P.
Tolvanen, M. *See* Hilvo, M.
Tompa, P. *See* Bozóky, Z.
Tong, Z.
——; Wu, X.; Ovcharenko, D.; Zhu, J.; Chen, C.-S.; Kehrer, J. P.
Neutrophil gelatinase-associated lipocalin as a survival factor, 391:441
Tonhosolo, R.
——; D'Alexandri, F. L.; Genta, F. A.; Wunderlich, G.; Gozzo, F. C.; Eberlin, M. N.; Peres, V. J.; Kimura, E. A.; Katzin, A. M.
Identification, molecular cloning and functional characterization of an octaprenyl pyrophosphate synthase in intra-erythrocytic stages of *Plasmodium falciparum*, 392:117
Too, C. K. L. *See* O'Malley, P. G. P.
Topper, J. N. *See* Schwartz, E. A.
Torres, A. M.
——; Tsampazi, C.; Geraghty, D. P.; Bansal, P. S.; Alewood, P. F.; Kuchel, P. W.
D-Amino acid residue in a defensin-like peptide from platypus venom: effect on structure and chromatographic properties, 391:215
Torres, L. *See* Zaragozá, R.
Toshima, J. *See* Tsumura, Y.
Tossi, A. *See* Zelezetsky, I.
Toth, M.
——; Osenkowski, P.; Hesek, D.; Brown, S.; Meroueh, S.; Sakr, W.; Mobashery, S.; Fridman, R.
Cleavage at the stem region releases an active ectodomain of the membrane type 1 matrix metalloproteinase, 387:497
Toueille, M. *See* Smirnova, E.
Tovey, S. C. *See* Moneer, Z.
Towler, D. A. *See* Stains, J. P.
Toyoshima, S. *See* Oku, T.
Traba, J. *See* Cavero, S.
Tran, K. *See* Chu, B. Y.
Treharne, K. J. *See* Crawford, R. M.
Trimble, W. S. *See* Beites, C. L.
Tritsch, D. *See* Kuntz, L.
Tröger, W. *See* Schilling, O.
Tronche, F. *See* Mora, A.
Trummler, K. *See* Riedinger, H.-J.
Truong, N.-T.
——; Moncion, A.; Barouki, R.; Beaune, P.; de Waziers, I.
Regulatory sequence responsible for insulin destabilization of cytochrome P450 2B1 (CYP2B1) mRNA, 388:227
Truscott, R. J. W. *See* Ferry, G.
Trusheim, H. *See* Nakazawa, F.
Tsai, J. Y. *See* Grewal, J. S.
Tsampazi, C. *See* Torres, A. M.
Tsao, P. S. *See* Schwartz, E. A.
Tselepis, C. *See* Sharma, N.
Tsesarskia, M. *See* D'Aniello, S.
Tsihlis, N. D. *See* Kamau, E.
Tsuchiya, M. *See* Terashima, M.
Tsuji, T. *See* Oku, T.
Tsumura, Y.
——; Toshima, J.; Leeksma, O. C.; Ohashi, K.; Mizuno, K.
Sprouty-4 negatively regulates cell spreading by inhibiting the kinase activity of testicular protein kinase, 387:627
Tsushima, R. G. *See* Leung, Y. M.
Tsutsui, K. *See* Furutani, Y.
Tsuzuki, S.
——; Murai, N.; Miyake, Y.; Inouye, K.; Hirayasu, H.; Iwanaga, T.; Fushiki, T.
Evidence for the occurrence of membrane-type serine protease 1/matriptase on the basolateral sides of enterocytes, 388:679
Tucker, S. J. *See* Marek, C. J.
Tuganova, A.
——; Popov, K. M.
Role of protein–protein interactions in the regulation of pyruvate dehydrogenase kinase activity, 387:147
Tunnacliffe, A. *See* Goyal, K.
Turnay, J.
——; Lecona, E.; Fernández-Lizarbe, S.; Guzmán-Aránguez, A.; Fernández, M. P.; Olmo, N.; Lizarbe, A. M^a.
Structure–function relationship in annexin A13, the founder member of the vertebrate family of annexins, 389:899
Turner, A. J. *See* Thomas, J. E.
Turner, C. *See* Parkinson-Lawrence, E.
Turner, D. L. *See* Bianchi, M.
Turner, H. *See* Small-Howard, A. L.
Turner, K. M. *See* Djordjevic, J. T.
Turner, P. C. *See* Takeuchi, H.
Turner, S. M.
——; Moir, J. W. B.; Griffiths, L.; Overton, T. W.; Smith, H.; Cole, J. A.
Mutational and biochemical analysis of cytochrome *c*′, a nitric oxide-binding lipoprotein important for adaptation of *Neisseria gonorrhoeae* to oxygen-limited growth, 388:545
Turner, W. L.
——; Waller, J. C.; Snedden, W. A.
Identification, molecular cloning and functional characterization of a novel NADH kinase from *Arabidopsis thaliana* (thale cress), 385:217
Turvey, M. *See* Wäsle, B.
Twining, S. S. *See* Warejcka, D. J.
Twizere, J.-C. *See* Samuel, S.
Tyndall, A. *See* Ilic, M. Z.
Tytgat, J. *See* Chagot, B.
Tzima, E. *See* Nakazawa, F.

Ubeaud, C. *See* Ferry, G.
Uchiyama, T. *See* Hult, E.-L.
Uchiyama, Y. *See* Yorikawa, C.
Udomsinprasert, R.
——; Pongjaroenkit, S.; Wongsantichon, J.; Oakley, A. J.; Prapanthadara, L.-a.; Wilce, M. C. J.; Ketterman, A. J.
Identification, characterization and structure of a new Delta class glutathione transferase isoenzyme, 388:763
Udvardy, A. *See* Kiss, P.
Ueda, A.
——; Matsui, K.; Yamamoto, Y.; Pedersen, L. C.; Sueyoshi, T.; Negishi, M.
Thr^{176} regulates the activity of the mouse nuclear receptor CAR and is conserved in the NR1I subfamily members PXR and VDR, 388:623
Ueda, K. *See* Ban, N.
Ueda, N. *See* Okamoto, Y.
Ueno, S. *See* Pillai, A.
Urbé, S. *See* Row, P. E.
Urrutia, R. *See* Lomberk, G.
Usatyuk, P. V. *See* Zhao, Y.
Usdin, K. *See* Kumari, D.
Usheva, A. *See* Angers, M.
Utkin, Y. N. *See* Dubovskii, P. V.; Feofanov, A. V.
Utzat, C. D. *See* Liu, Yiyong

Vaccari, M. *See* Benfante, R.
Vaccaro, A. M. *See* Salvioli, R.
Vacratsis, P. *See* Ahn, S.-G.
Vacratsis, P. O. *See* Raturi, A.
Vaidyanathan, H. *See* Renganathan, H.
Vaillancourt, F. H. *See* Veldhuizen, E. J. A.
Vaillancourt, R. R. *See* Halfter, U. M.
Vainio, S.
——; Bykov, I.; Hermansson, M.; Jokitalo, E.; Somerharju, P.; Ikonen, E.
Defective insulin receptor activation and altered lipid rafts in Niemann–Pick type C disease hepatocytes, 391:465
Valencia, G. *See* Gales, L.
Valencia, J. C. *See* Costin, G.-E.
Valenzuela, M. T. *See* Muñoz-Gámez, J. A.
Väljamäe, P. *See* Kipper, K.
Valnickova, Z. *See* Petersen, S. V.
Vanamala, S. K. *See* Kalivendi, S. V.
Van Berkel, W. J. H. *See* Ferreira, P.
Vance, D. E. *See* Karten, B.; Wei, E.
Vance, J. E. *See* Karten, B.
Van Damme, J. *See* Simonet, G.
Vanden Broeck, J. *See* Simonet, G.
van den Heuvel, A. P. J.
——; Schulze, A.; Burgering, B. M. T.
Direct control of caveolin-1 expression by FOXO transcription factors, 385:795

© 2006 Biochemical Society

van der Heide, L. P.
——; Jacobs, F. M. J.; Burbach, J. P. H.; Hoekman, M. F. M.; Smidt, M. P.
FoxO6 transcriptional activity is regulated by Thr^{26} and Ser^{184}, independent of nucleo-cytoplasmic shuttling, 391:623
Vanderheyden, P. M. L. *See* Laeremans, H.
Van Der Meer, W. *See* Whitesell, R. R.
van der Oost, J. *See* Ahmed, H.; Chiaraluce, R.
van der Salm, L. W. M. *See* MacCormick, M.
Van der Veken, P. *See* Maes, M.-B.
van Dijken, J. P. *See* Aguilera, J.
Vangheluwe, P.
——; Schuermans, M.; Zádor, E.; Waelkens, E.; Raeymaekers, L.; Wuytack, F.
Sarcolipin and phospholamban mRNA and protein expression in cardiac and skeletal muscle of different species, 389:151
Van Hoof, C.
——; Martens, E.; Longin, S.; Jordens, J.; Stevens, I.; Janssens, V.; Goris, J.
Specific interactions of PP2A and PP2A-like phosphatases with the yeast PTPA homologues, Ypa1 and Ypa2, 386:93
van Lieshout, J. F. T. *See* Chiaraluce, R.
van Marle, J. *See* den Hertog, A. L.
van Meer, P.
——; Raber, J.
Mouse behavioural analysis in systems biology, 389:593
Vannini, V. *See* Locatelli, G. A.
Vanoni, M. *See* Barberis, M.
Van Putten, V. *See* Wick, M. J.
van Roermund, C. W. *See* Visser, W. F.
van Schaftingen, E. *See* Fortpied, J.; Wiame, E.
Van Seuningen, I. *See* Fauquette, V.
van't Hof, W. *See* den Hertog, A. L.
van Veen, H. A. *See* den Hertog, A. L.
van Veen, H. W. *See* Janvilisri, T.
van Vlies, N.
——; Tian, L.; Overmars, H.; Bootsma, A. H.; Kulik, W.; Wanders, R. J. A.; Wood, P. A.; Vaz, F. M.
Characterization of carnitine and fatty acid metabolism in the long-chain acyl-CoA dehydrogenase-deficient mouse, 387:185
Varadaraj, M. C. *See* Vishu Kumar, A. B.
Varadarajan, R. *See* Chakraborty, K.
Varhaug, J. E. *See* Arnesen, T.
Vasilaki, E. *See* Koutsodontis, G.
Vásquez-Vivar, J. *See* Pieper, G. M.
Vassieva, O. *See* Wang, X. J.
Vatner, S. F. *See* Hase, M.
Vauquelin, G. *See* Laeremans, H.
Vaz, F. M. *See* van Vlies, N.
Vázquez-Martin, C. *See* Zeke, T.
Veas, F. *See* Stricher, F.
Veerman, E. C. I. *See* den Hertog, A. L.
Veldhuizen, E. J. A.
——; Vaillancourt, F. H.; Whiting, C. J.; Hsiao, M. M.-Y.; Gingras, G.; Xiao, Y.; Tanguay, R. M.; Boukouvalas, J.; Eltis, L. D.
Steady-state kinetics and inhibition of anaerobically purified human homogentisate 1,2-dioxygenase, 386:305
Veljkovic, E. *See* Franca, R.
Ven'yaminova, A. *See* Graifer, D.
Venema, R. C. *See* Li, C.
Venge, P. *See* Xu, S.
Venkatesh, K. V. *See* Verma, M.
Venter, H. *See* Janvilisri, T.
Verde, C.
——; De Rosa, M. C.; Giordano, D.; Mosca, D.; De Pascale, D.; Raiola, L.; Cocca, E.; Carratore, V.; Giardina, B.; Di Prisco, G.
Structure, function and molecular adaptations of haemoglobins of the polar cartilaginous fish *Bathyraja eatonii* and *Raja hyperborea*, 389:297
Vergely, C. *See* Peyrot, F.
Vergnolle, M. A. S.
——; Sawney, H.; Junne, T.; Dolfini, L.; Tokatlidis, K.
A cryptic matrix targeting signal of the yeast ADP/ATP carrier normally inserted by the TIM22 complex is recognized by the TIM23 machinery, 385:173
Verkman, A. S. *See* Schulz, B. L.
Verma, M.
——; Bhat, P. J.; Venkatesh, K. V.
Steady-state analysis of glucose repression reveals hierarchical expression of proteins under Mig1p control in *Saccharomyces cerevisiae*, 388:843
Verma, N. K. *See* Lehane, A. M.
Verrey, F. *See* Franca, R.
Vesela, K. *See* Stiburek, L.
Vidal-Puig, A. *See* Solanes, G.
Vieira, M.
——; Rohloff, P.; Luo, S.; Cunha-e-Silva, N. L.; de Souza, W.; Docampo, R.
Role for a P-type H^+-ATPase in the acidification of the endocytic pathway of *Trypanosoma cruzi*, 392:467
Vieira, W. D. *See* Costin, G.-E.
Vierstra, R. D. *See* Karniol, B.
Vieths, S. *See* Wiche, R.
Vigneault, F. *See* Rouget, R.
Vihinen, M. *See* Hilvo, M.
Vilk, G. *See* Stolk, M.
Villa-Moruzzi, E. *See* Bianchi, M.
Villalba, M. *See* Barral, P.
Villani, G. R. D. *See* Di Natale, P.
Villar, D. *See* Pescador, N.
Villarroya, F. *See* Carmona, M. C.; Solanes, G.
Villas-Bôas, S. G.
——; Moxley, J. F.; Åkesson, M.; Stephanopoulos, G.; Nielsen, J.
High-throughput metabolic state analysis: the missing link in integrated functional genomics of yeasts, 388:669
Villemure, J.-F.
——; Adam, L.; Bevan, N. J.; Gearing, K.; Chénier, S.; Bouvier, M.
Subcellular distribution of $GABA_B$ receptor homo- and hetero-dimers, 388:47
Viña, J. R. *See* Zaragozá, R.
Viniegra, J. G. *See* Sánchez-Arévalo Lobo, V. J.
Vinogradov, A. D. *See* Loskovich, M. V.
Virtanen, H.
——; Yang, J.; Bespalov, M. M.; Hiltunen, J. O.; Leppänen, V.-M.; Kalkkinen, N.; Goldman, A.; Saarma, M.; Runeberg-Roos, P.
The first cysteine-rich domain of the receptor GFRα1 stabilizes the binding of GDNF, 387:817
Visan, V. *See* Mouhat, S.
Visaya, O. *See* Mahimkar, R. M.
Vishu Kumar, A. B.
——; Varadaraj, M. C.; Gowda, L. R.; Tharanathan, R. N.
Characterization of chito-oligosaccharides prepared by chitosanolysis with the aid of papain and Pronase, and their bactericidal action against *Bacillus cereus* and *Escherichia coli*, 391:167
Vishveshwara, S. *See* Brinda, K. V.
Visone, R. *See* Battista, S.
Visser, W. F.
——; van Roermund, C. W.; Ijlst, L.; Hellingwerf, K. J.; Wanders, R. J. A.; Waterham, H. R.
Demonstration and characterization of phosphate transport in mammalian peroxisomes, 389:717
Visudtiphole, V.
——; Thomas, M. B.; Chalton, D. A.; Lakey, J. H.
Refolding of *Escherichia coli* outer membrane protein F in detergent creates LPS-free trimers and asymmetric dimers, 392:375
Visweswariah, S. S. *See* Shenoy, A. R.
Vita, C. *See* Stricher, F.
Vitari, A. C.
——; Deak, M.; Morrice, N. A.; Alessi, D. R.
The WNK1 and WNK4 protein kinases that are mutated in Gordon's hypertension syndrome phosphorylate and activate SPAK and OSR1 protein kinases, 391:17 (*See* Gamba, G. for online-only commentary)
Vittorelli, A.
——; Gauthier, C.; Michoudet, C.; Martin, G.; Baverel, G.
Characteristics of glutamine metabolism in human precision-cut kidney slices: a ^{13}C-NMR study, 387:825
Vlajkovic, S. M. *See* Wang, C. J. H.
Voegele, R. T. *See* Link, T.
Vogel, A. *See* Schilling, O.
Vogel, Z. *See* Steiner, D.
Voglauer, R. *See* Löscher, M.
Volanakis, J. E. *See* Ligoudistianou, C.
Voorden, S. v. *See* Hassink, G.
Voragen, A. *See* Zandleven, J.
Vucic, D.
——; Franklin, M. C.; Wallweber, H. J. A.; Das, K.; Eckelman, B. P.; Shin, H.; Elliott, L. O.; Kadkhodayan, S.; Deshayes, K.; Salvesen, G.; Fairbrother, W. J.
Engineering ML-IAP to produce an extraordinarily potent caspase 9 inhibitor: implications for Smac-dependent anti-apoptotic activity of ML-IAP, 385:11 (*See* Duckett, C. S. for online-only commentary)
Vyshemirsky, V. *See* Orton, R. J.

Wada, J. *See* Eguchi, J.
Wada, T. *See* Yamaguchi, K.
Wadhwa, R.
——; Takano, S.; Kaur, K.; Aida, S.; Yaguchi, T.; Kaul, Z.; Hirano, T.; Taira, K.; Kaul, S. C.
Identification and characterization of molecular interactions between mortalin/mtHsp70 and HSP60, 391:185
Waelkens, E. *See* Vangheluwe, P.
Wagener, R. *See* Ko, Y.-P.
Wagner, C. A. *See* Franca, R.
Wagner, J. R. *See* Karniol, B.
Waguri, S. *See* Yorikawa, C.
Waheed, A. *See* Hilvo, M.
Wahl, J. *See* Claas, C.
Wahli, W. *See* Zandbergen, F.
Wakamatsu, K. *See* Costin, G.-E.
Wakelam, M. J. O. *See* Zouwail, S.
Waku, K. *See* Gokoh, M.
Walker, B. *See* Flood, F.; Wilson, S.
Walker, J.
——; Jijon, H. B.; Diaz, H.; Salehi, P.; Churchill, T.; Madsen, K. L.
5-Aminoimidazole-4-carboxamide riboside (AICAR) enhances GLUT2-dependent

© 2006 Biochemical Society

jejunal glucose transport: a possible role for AMPK, 385:485
Walker, J. E. *See* Gledhill, J. R.
Walker, J. M. *See* Karniol, B.
Walker, N. *See* Herter, S.
Wallace, D. C. *See* Brand, M. D.
Waller, J. C. *See* Turner, W. L.
Wallimann, T. *See* Speer, O.
Wallweber, H. J. A. *See* Vucic, D.
Walsh, M. P. *See* Wilson, D. P.
Walsh, P. N. *See* Yang, X.
Walsh, T. R. *See* Simm, A. M.
Walter, S. *See* Franca, R.
Walton, L. J. *See* Goyal, K.
Wan, K. F. *See* Long, J.
Wanders, R. J. A. *See* Visser, W. F.; van Vlies, N.
Wandinger-Ness, A. *See* Roitbak, T.
Wandosell, F. *See* Jiménez-Mateos, E. M.
Wang, A. H.-J. *See* Chen, A. P.-C.
Wang, C. J. H.
——; Vlajkovic, S. M.; Housley, G. D.; Braun, N.; Zimmermann, H.; Robson, S. C.; Sévigny, J.; Soeller, C.; Thorne, P. R.
C-terminal splicing of NTPDase2 provides distinctive catalytic properties, cellular distribution and enzyme regulation, 385:729
Wang, D. *See* Serrano, S. M. T.
Wang, G.
——; Long, J.; Matsuura, I.; He, D.; Liu, F.
The Smad3 linker region contains a transcriptional activation domain, 386:29 (*See* Inman, G. J. for online-only commentary)
Wang, H. *See* Yang, Y.
Wang, J. *See* Liu, D.; Okamoto, Y.
——; Chen, G.; Pantopoulos, K.
Inhibition of transferrin receptor 1 transcription by a cell density response element, 392:383
Wang, L.-P. *See* Safadi-Chamberlain, F.
Wang, X. *See* Ghosh, S. S.
Wang, X. J.
——; Chamberlain, M.; Vassieva, O.; Henderson, C. J.; Wolf, C. R.
Relationship between hepatic phenotype and changes in gene expression in cytochrome P450 reductase (POR) null mice, 388:857
Wang, Y. *See* Bai, C.; Lin, Z.; Xu, X.
——; Hacker, A.; Murray-Stewart, T.; Fleischer, J. G.; Woster, P. M.; Casero, Jr, R. A.
Induction of human spermine oxidase SMO(PAOh1) is regulated at the levels of new mRNA synthesis, mRNA stabilization and newly synthesized protein, 386:543
Wangorsch, A. *See* Wiche, R.
Wardleworth, B. N.
——; Downs, J. A.
Spotting new DNA damage-responsive chromatin-binding proteins (online only commentary on Lee, S. Y.), 388:e1
Warejcka, D. J.
——; Twining, S. S.
Specific conformational changes of plasminogen induced by chloride ions, 6-aminohexanoic acid and benzamidine, but not the overall openness of plasminogen regulate, production of biologically active angiostatins, 392:703
Warren, D. T. *See* Costa, R.
Wäsle, B.
——; Turvey, M.; Larina, O.; Thorn, P.; Skepper, J.; Morton, A. J.; Edwardson, J. M.
Syncollin is required for efficient zymogen granule exocytosis, 385:721
Watanabe, I. *See* Zhu, J.
Watanabe, T. *See* Hult, E.-L.; Kamitsuji, H.
Waterham, H. R. *See* Visser, W. F.
Watkins, T. *See* Zhao, Y.
Watson, W. H. *See* Halvey, P. J.
Watters, S. *See* Löscher, M.
Watts, F. Z. *See* Zhou, L.
Webby, C. J.
——; Patchett, M. L.; Parker, E. J.
Characterization of a recombinant type II 3-deoxy-D-*arabino*-heptulosonate-7-phosphate synthase from *Helicobacter pylori*, 390:223
Webster, J.
——; Jiang, J. Y.; Lu, B.; Xu, F. Y.; Taylor, W. A.; Mymin, M.; Zhang, M.; Minuk, G. Y.; Hatch, G. M.
On the mechanism of the increase in cardiolipin biosynthesis and resynthesis in hepatocytes during rat liver regeneration, 386:137
Wei, E.
——; Lehner, R.; Vance, D. E.
C/EBPα activates the transcription of triacylglycerol hydrolase in 3T3-L1 adipocytes, 388:959
Wei, S.-J. *See* Qian, X.
Wei, Y.-H. *See* Sandhu, J. K.
Weindruch, R. *See* Costantini, C.
Weiss, A. S. *See* Freeman, L. J.
Wek, R. C. *See* Jiang, H.-Y.
Westall, K. L. *See* Moore, J. P.
Westover, E. J. *See* Liu, J.
Westwood, I. M.
——; Holton, S. J.; Rodrigues-Lima, F.; Dupret, J.-M.; Bhakta, S.; Noble, M. E. M.; Sim, E.
Expression, purification, characterization and structure of *Pseudomonas aeruginosa* arylamine N-acetyltransferase, 385:605
Wetzel, D. M. *See* Chini, E. N.
Whalen, R. *See* Ranganathan, P. N.
Whang, J. *See* Lee, T. D.
Wheatley, E.
——; Rittinger, K.
Interactions between Cdc42 and the scaffold protein Scd2: requirement of SH3 domains for GTPase binding, 388:177
Wheeler, D. *See* Kumari, D.
White, D. J. *See* Nordlund, H. R.
Whitehouse, A. *See* Williams, B. J. L.
Whitesell, R. R.
——; Ardehali, H.; Beechem, J. M.; Powers, A. C.; Van Der Meer, W.; Perriott, L. M.; Granner, D. K.
Compartmentalization of transport and phosphorylation of glucose in a hepatoma cell line, 386:245
Whiting, C. J. *See* Veldhuizen, E. J. A.
Wiame, E.
——; Lamosa, P.; Santos, H.; Van Schaftingen, E.
Identification of glucoselysine-6-phosphate deglycase, an enzyme involved in the metabolism of the fructation product glucoselysine, 392:263 (*See* Monnier, V. M. for online-only commentary)
Wiche, R.
——; Gubesch, M.; König, H.; Fötisch, K.; Hoffmann, A.; Wangorsch, A.; Scheurer, S.; Vieths, S.
Molecular basis of pollen-related food allergy: identification of a second cross-reactive IgE epitope on Pru av 1, the major cherry (*Prunus avium*) allergen, 385:319
Wick, M. J.
——; Blaine, S.; Van Putten, V.; Saavedra, M.; Nemenoff, R. A.
Lung Krüppel-like factor (LKLF) is a transcriptional activator of the cytosolic phospholipase A_2 α promoter, 387:239
Widell, S. *See* Matic, S.
Widersten, M. *See* Elfström, L. T.
Wiernsperger, N. *See* Masson, E.
Wiertz, E. *See* Hassink, G.
Wietfeld, D. *See* Alken, M.
Wiggin, G. R. *See* Darragh, J.
Wiggins, D. *See* Knight, B. L.
Wilce, M. C. J. *See* Udomsinprasert, R.
Wilcox, H. G. *See* Cagen, L. M.
Wilde, P. *See* Proctor, G. B.
Willem, A. *See* Kuntz, L.
Willems, G. M. *See* Bevers, E. M.
Williams, B. J. L.
——; Boyne, J. R.; Goodwin, D. J.; Roaden, L.; Hautbergue, G. M.; Wilson, S. A.; Whitehouse, A.
The prototype γ-2 herpesvirus nucleocytoplasmic shuttling protein, ORF 57, transports viral RNA through the cellular mRNA export pathway, 387:295
Williams, C. H. *See* Kelly, J. A.
Williams, J. *See* Qian, X.
Williams, P. G. *See* Paul-Pletzer, K.
Williams, S.-P. *See* Botchway, S. W.
Wilson, D. K. *See* Petschacher, B.
Wilson, D. P.
——; Susnjar, M.; Kiss, E.; Sutherland, C.; Walsh, M. P.
Thromboxane A_2-induced contraction of rat caudal arterial smooth muscle involves activation of Ca^{2+} entry and Ca^{2+} sensitization: Rho-associated kinase-mediated phosphorylation of MYPT1 at Thr-855, but not Thr-697, 389:763
——; Sutherland, Cindy; Borman, M. A.; Deng, J. T.; MacDonald, J. A.; Walsh, M. P.
Integrin-linked kinase is responsible for Ca^{2+}-independent myosin diphosphorylation and contraction of vascular smooth muscle, 392:641
Wilson, S. *See* Milasta, S.
——; Greer, B.; Hooper, J.; Zijlstra, A.; Walker, B.; Quigley, J.; Hawthorne, S.
The membrane-anchored serine protease, TMPRSS2, activates PAR-2 in prostate cancer cells, 388:967
Wilson, S. A. *See* Williams, B. J. L.
Wimmerová, M. *See* Perret, S.
Wing, M. R. *See* Zhou, Y.
Wingate, A. D. *See* Darragh, J.
Winger, A. M.
——; Millar, A. H.; Day, D. A.
Sensitivity of plant mitochondrial terminal oxidases to the lipid peroxidation product 4-hydroxy-2-nonenal (HNE), 387:865
Winterbourn, C. C. *See* Baty, J. W.
Wisniewski, J. *See* Reeves, J. R.
Wladyka, B.
——; Puzia, K.; Dubin, A.
Efficient co-expression of a recombinant staphopain A and its inhibitor staphostatin A in *Escherichia coli*, 385:181
Wojcikiewicz, R. J. H. *See* Alzayady, K. J.; Soulsby, M. D.
Wolf, C. R. *See* Wang, X. J.
Wolff, J. *See* Britto, P. J.

© 2006 Biochemical Society

Wolff, M. *See* Peters, H.
Wolfson, A. J. *See* Sigman, J. A.
Wong, J. *See* Quinn, C. M.
Wong, L. *See* Fan, Y.-X.
Wongsantichon, J. *See* Udomsinprasert, R.
Woo, C.-H. *See* You, H. J.
Woo, L. W. L. *See* Lloyd, M. D.
Wood, F. *See* Jia, Y.
Wood, P. A. *See* van Vlies, N.
Woodard, R. W. *See* Wu, J.
Woodman, Z. L.
——; Schwager, S. L. U.; Redelinghuys, P.; Carmona, A. K.; Ehlers, M. R. W.; Sturrock, E. D.
The N domain of somatic angiotensin-converting enzyme negatively regulates ectodomain shedding and catalytic activity, 389:739
Woodruff, J. H. *See* Dailey, T. A.
Woster, P. M. *See* Wang, Y.
Wostry, M. *See* Löscher, M.
Wozniak, R. W. *See* Sydorskyy, Y.
Wray, S. *See* Draeger, A.
Wright, L. C. *See* Djordjevic, J. T.
Wright, M. C. *See* Marek, C. J.
Wu, J. *See* Meng, S.
——; Hansen, G. H.; Nilsson, Å.; Duan, R.-D.
Functional studies of human intestinal alkaline sphingomyelinase by deglycosylation and mutagenesis, 386:153
——; Sheflyan, G. Ya.; Woodard, R. W.
Bacillus subtilis 3-deoxy-D-*arabino*-heptulosonate 7-phosphate synthase revisited: resolution of two long-standing enigmas, 390:583
Wu, S.-C. *See* Huang, C.-J.
Wu, S.-J. *See* Fisher, P. W.
Wu, S.-Y. *See* Lee, H.-J.
Wu, X. *See* Tong, Z.
——; Yang, Z.; Liu, Y.; Zou, Y.
Preferential localization of hyperphosphorylated replication protein A to double-strand break repair and checkpoint complexes upon DNA damage, 391:473
Wu, Z. L.
——; Lech, M.
Modification degrees at specific sites on heparan sulphate: an approach to measure chemical modifications on biological molecules with stable isotope labelling, 389:383
Wulf, S. *See* Napirei, M.
Wulff, H. *See* Mouhat, S.
Wunderlich, G. *See* Tonhosolo, R.
Wuytack, F. *See* Vangheluwe, P.

Xia, F. *See* Leung, Y. M.
Xia, G. *See* Xu, D.
Xiao, Q.
——; Hsu, C. Y.; Chen, H.; Ma, X.; Xu, J.; Lee, J.-M.
Characterization of *cis*-regulatory elements of the vascular endothelial growth inhibitor gene promoter, 388:913
Xiao, Y. *See* Veldhuizen, E. J. A.
Xie, H. *See* Leung, Y. M.
Xiong, Z. *See* Yang, Y.
Xu, D.
——; Tiwari, V.; Xia, G.; Clement, C.; Shukla, D.; Liu, J.
Characterization of heparan sulphate 3-O-sulphotransferase isoform 6 and its role in assisting the entry of herpes simplex virus, type 1, 385:451
Xu, F. Y. *See* Lu, B.; Webster, J.
Xu, J. *See* Xiao, Q.
Xu, J. F. *See* Hong, J.
Xu, L.-X. *See* Liao, X.-H.
Xu, S.
——; Zhao, L.; Larsson, A.; Smeds, E.; Kusche-Gullberg, M.; Venge, P.
Purification of a 75 kDa protein from the organelle matrix of human neutrophils and identification as *N*-acetylglucosamine-6-sulphatase, 387:841
Xu, X.
——; Chen, Z.; Wang, Y.; Yamada, Y.; Steffensen, B.
Functional basis for the overlap in ligand interactions and substrate specificities of matrix metalloproteinases-9 and -2, 392:127
Xu, Y. *See* Ligoudistianou, C.
Xu, Z.
——; Au, S. W. N.
Mapping residues of SUMO precursors essential in differential maturation by SUMO-specific protease, SENP1, 386:325
Xuan, J. W. *See* Reeves, J. R.

Yabe-Nishimura, C. *See* Fan, C. Y.; Katsuyama, M.
Yadav, S. *See* Jagadish, N.
Yaffe, M. B. *See* Mahoney, Jr, W. M.
Yaghootfam, A. *See* Eckhardt, M.
Yaguchi, T. *See* Wadhwa, R.
Yamada, A.
——; Hirose, K.; Hashimoto, A.; Iino, M.
Real-time imaging of myosin II regulatory light-chain phosphorylation using a new protein biosensor, 385:589
Yamada, M. *See* Ishii, M.
Yamada, T. *See* Furutani, Y.
Yamada, Y. *See* Béguin, P.; Xu, X.
Yamaguchi, K. *See* Kiyohara, M.
——; Hata, K.; Koseki, K.; Shiozaki, K.; Akita, H.; Wada, T.; Moriya, S.; Miyagi, T.
Evidence for mitochondrial localization of a novel human sialidase (NEU4), 390:85
Yamaguchi, Y. *See* Costin, G.-E.
Yamamoto, M. *See* Suzuki, T.
Yamamoto, T. *See* Paul-Pletzer, K.
Yamamoto, Y. *See* Ueda, A.
Yamanaka, S. *See* Inoue, Y.
Yamanouchi, M. *See* Yuasa, K.
Yamasaki, E. *See* Oshima, T.
Yamashita, K. *See* Seko, A.
Yamashita, M. *See* Kotani, T.
Yamazaki, K. *See* Shiokawa, D.
Yan, Y. *See* Yang, Y.
Yanagisawa, T. *See* Saito, M.
Yanagisawa, Y. *See* Jinawath, A.
Yang, C.-P. *See* Liao, X.-H.
Yang, F. *See* Yang, Y.
Yang, H. *See* Lee, T. D.
——; Magilnick, N.; Ou, X.; Lu, S. C.
Tumour necrosis factor α induces co-ordinated activation of rat GSH synthetic enzymes via nuclear factor κB and activator protein-1, 391:399
Yang, J. *See* Fisher, P. W.; Liu, R.; Virtanen, H.
Yang, M.
——; Jensen, L. T.; Gardner, A. J.; Culotta, V. C.
Manganese toxicity and *Saccharomyces cerevisiae* Mam3p, a member of the ACDP (ancient conserved domain protein) family, 386:479
Yang, X.
——; Walsh, P. N.
An ordered sequential mechanism for Factor IX and Factor IXa binding to platelet receptors in the assembly of the Factor X-activating complex, 390:157
Yang, X.-F. *See* Yang, Y.
Yang, Y. *See* Zhang, S.
——; Xiong, Z.; Zhang, S.; Yan, Y.; Nguyen, J.; Ng, B.; Lu, H.; Brendese, J.; Yang, F.; Wang, H.; Yang, X.-F.
Bcl-xL inhibits T-cell apoptosis induced by expression of SARS coronavirus E protein in the absence of growth factors, 392:135
Yang, Z. *See* Liu, Yiyong; Wu, X.
Yanushevich, Y. G. *See* Shkrob, M. A.
Yao, H. *See* Liu, D.
Yaropolov, A. *See* Shleev, S.
Yasu, K. *See* Yasuhara, R.
Yasuda, J. *See* Katoh, K.
Yasuhara, R.
——; Miyamoto, Y.; Akaike, T.; Akuta, T.; Nakamura, M.; Takami, M.; Morimura, N.; Yasu, K.; Kamijo, R.
Interleukin-1β induces death in chondrocyte-like ATDC5 cells through mitochondrial dysfunction and energy depletion in a reactive nitrogen and oxygen species-dependent manner, 389:315
Yates, S. P.
——; Taylor, P. L.; Jørgensen, R.; Ferraris, D.; Zhang, J.; Andersen, G. R.; Merrill, A. R.
Structure–function analysis of water-soluble inhibitors of the catalytic domain of exotoxin A from *Pseudomonas aeruginosa*, 385:667
Yessine, M.-A. *See* Molinaro, G.
Yi, E. C. *See* Sydorskyy, Y.
Yin, W.
——; Kren, B. T.; Steer, C. J.
Site-specific base changes in the coding or promoter region of the human β- and γ-globin genes by single-stranded oligonucleotides, 390:253
Yoo, Y. J. *See* You, H. J.
Yoon, J.-H. *See* Ahn, S.-G.
Yorikawa, C.
——; Shibata, H.; Waguri, S.; Hatta, K.; Horii, M.; Katoh, K.; Kobayashi, T.; Uchiyama, Y.; Maki, M.
Human CHMP6, a myristoylated ESCRT-III protein, interacts directly with an ESCRT-II component EAP20 and regulates endosomal cargo sorting, 387:17
Yoshimura, T. *See* Suto, D.
You, H. J.
——; Woo, C.-H.; Choi, E.-Y.; Cho, S.-H.; Yoo, Y. J.; Kim, J.-H.
Roles of Rac and p38 kinase in the activation of cytosolic phospholipase A_2 in response to PMA, 388:527
Young, D. B. *See* Pitarque, S.
Yu, E. J.
——; Ko, S.-H.; Lenkowski, P. W.; Pance, A.; Patel, M. K.; Jackson, A. P.
Distinct domains of the sodium channel β3-subunit modulate channel-gating kinetics and subcellular location, 392:519
Yu, J. C. H.
——; Lloyd-Burton, S. M.; Irvine, R. F.; Schell, M. J.

© 2006 Biochemical Society

Regulation of the localization and activity of inositol 1,4,5-trisphosphate 3-kinase B in intact cells by proteolysis, 392:435
Yu, J. W. *See* Flesch, F. M.
Yuasa, K.
——; Mi-Ichi, F.; Kobayashi, T.; Yamanouchi, M.; Kotera, J.; Kita, K.; Omori, K.
PfPDE1, a novel cGMP-specific phosphodiesterase from the human malaria parasite *Plasmodium falciparum*, 392:221
Yuasa, Y. *See* Jinawath, A.
Yudkoff, M. *See* Horyn, O.
Yun, Y. *See* Lee, S. Y.
Yusa, A.
——; Kitajima, K.; Habuchi, O.
N-linked oligosaccharides are required to produce and stabilize the active form of chondroitin 4-sulphotransferase-1, 388:115

Zacheo, G. *See* Bleve, G.
Zádor, E. *See* Vangheluwe, P.
Zafiriou, M.-P. *See* Ciccoli, R.
Zaghini, I. *See* Le Jossic-Corcos, C.
Zähringer, U. *See* Domergue, F.
Zak, Z. *See* Gautier, T.
Zakrzewska-Czerwińska, J. *See* Zawilak-Pawlik, A.
Zalk, R.
——; Israelson, A.; Garty, E. S.; Azoulay-Zohar, H.; Shoshan-Barmatz, V.
Oligomeric states of the voltage-dependent anion channel and cytochrome *c* release from mitochondria, 386:73
Zammit, V. A. *See* Faye, A.
Zandbergen, F.
——; Mandard, S.; Escher, P.; Tan, N. S.; Patsouris, D.; Jatkoe, T.; Rojas-Caro, S.; Madore, S.; Wahli, W.; Tafuri, S.; Müller, M.; Kersten, S.
The G_0/G_1 switch gene 2 is a novel PPAR target gene, 392:313
Zandleven, J.
——; Beldman, G.; Bosveld, M.; Benen, J.; Voragen, A.
Mode of action of xylogalacturonan hydrolase towards xylogalacturonan and xylogalacturonan oligosaccharides, 387:719
Zaniolo, K.
——; Rufiange, A.; Leclerc, S.; Desnoyers, S.; Guérin, S. L.
Regulation of the poly(ADP-ribose) polymerase-1 gene expression by the transcription factors Sp1 and Sp3 is under the influence of cell density in primary cultured cells, 389:423
Zaragozá, R.
——; Miralles, V. J.; Rus, A. D.; García, C.; Carmena, R.; García-Trevijano, E. R.; Barber, T.; Pallardó, F. V.; Torres, L.; Viña, J. R.
Weaning induces NOS-2 expression through NF-κB modulation in the lactating mammary gland: importance of GSH, 391:581
Zavialov, A. V.
——; Engström, Å
Human ADA2 belongs to a new family of growth factors with adenosine deaminase activity, 391:51
——; Tischenko, V. M.; Fooks, L. J.; Brandsdal, B. O.; Åqvist, J.; Zav'yalov, V. P.; MacIntyre, S.; Knight, S. D.
Resolving the energy paradox of chaperone/usher-mediated fibre assembly, 389:685
Zav'yalov, V. P. *See* Zavialov, A. V.
Zawilak-Pawlik, A.
——; Kois, A.; Majka, J.; Jakimowicz, D.; Smulczyk-Krawczyszyn, A.; Messer, W.; Zakrzewska-Czerwińska, J.
Architecture of bacterial replication initiation complexes: orisomes from four unrelated bacteria, 389:471
Zeke, T.
——; Morrice, N.; Vázquez-Martin, C.; Cohen, P. T. W.
Human protein phosphatase 5 dissociates from heat-shock proteins and is proteolytically activated in response to arachidonic acid and the microtubule-depolymerizing drug nocodazole, 385:45
Zelezetsky, I.
——; Pacor, S.; Pag, U.; Papo, N.; Shai, Y.; Sahl, H.-G.; Tossi, A.
Controlled alteration of the shape and conformational stability of α-helical cell-lytic peptides: effect on mode of action and cell specificity, 390:177
Zeman, J. *See* Stiburek, L.
Zhang, C.
——; Shin, D.-J.; Osborne, T. F.
A simple promoter containing two Sp1 sites controls the expression of sterol-regulatory-element-binding protein 1a (SREBP-1a), 386:161
Zhang, H. *See* Eguchi, J.; Pillai, A.
Zhang, J. *See* Yates, S. P.
——; Dampening the silencing effect of RNA interference in mammals (online-only commentary on Hong, J.), 390:e5
Zhang, L.
——; Buchet, R.; Azzar, G.
Distinct structure and activity recoveries reveal differences in metal binding between mammalian and *Escherichia coli* alkaline phosphatases, 392:407
Zhang, M. *See* Webster, J.
Zhang, M.-L. *See* Liao, X.-H.
Zhang, P.
——; Battchikova, N.; Paakkarinen, V.; Katoh, H.; Iwai, M.; Ikeuchi, M.; Pakrasi, H. B.; Ogawa, T.; Aro, E.-M.
Isolation, subunit composition and interaction of the NDH-1 complexes from *Thermosynechococcus elongatus* BP-1, 390:513
Zhang, S. *See* Yang, Y.
——; Yang, Y.; Shi, Y.
Characterization of human SCD2, an oligomeric desaturase with improved stability and enzyme activity by cross-linking in intact cells, 388:135
Zhao, L. *See* Xu, S.
Zhao, Y. *See* Hong, J.
——; Usatyuk, P. V.; Cummings, R.; Saatian, B.; He, D.; Watkins, T.; Morris, A.; Spannhake, E. W.; Brindley, D. N.; Natarajan, V.
Lipid phosphate phosphatase-1 regulates lysophosphatidic acid-induced calcium release, NF-κB activation and interleukin-8 secretion in human bronchial epithelial cells, 385:493
Zhao, Z.
——; Gruszczynska-Biegala, J.; Zolkiewska, A.
ADP-ribosylation of integrin α7 modulates the binding of integrin $\alpha 7\beta 1$ to laminin, 385:309
Zhao, Z.-s.
——; Manser, E.
PAK and other Rho-associated kinases – effectors with surprisingly diverse mechanisms of regulation, 386:201
Zhou, J.-Q. *See* Liao, X.-H.
Zhou, L.
——; Watts, F. Z.
Nep1, a *Schizosaccharomyces pombe* deneddylating enzyme, 389:307
Zhou, Y. *See* Lu, B.
——; Wing, M. R.; Sondek, J.; Harden, T. K.
Molecular cloning and characterization of PLC-η2, 391:667 (*See* Katan, M. for online-only commentary)
Zhu, C.
——; Bossy-Wetzel, E.; Jiang, W.
Recruitment of MKLP1 to the spindle midzone/midbody by INCENP is essential for midbody formation and completion of cytokinesis in human cells, 389:373
Zhu, J. *See* Tong, Z.
——; Gomez, B.; Watanabe, I.; Thornhill, W. B.
Amino acids in the pore region of Kv1 potassium channels dictate cell-surface protein levels: a possible trafficking code in the Kv1 subfamily, 388:355
Zhu, Y.
——; Li, X.; McVie-Wylie, A.; Jiang, C.; Thurberg, B. L.; Raben, N.; Mattaliano, R. J.; Cheng, S. H.
Carbohydrate-remodelled acid α-glucosidase with higher affinity for the cation-independent mannose 6-phosphate receptor demonstrates improved delivery to muscles of Pompe mice, 389:619
Zhuang, L. *See* Gopal, E.; Srinivas, S. R.
Zidi-Yahiaoui, N.
——; Mouro-Chanteloup, I.; D'Ambrosio, A.-M.; Lopez, C.; Gane, P.; Le Van Kim, C.; Cartron, J.-P.; Colin, Y.; Ripoche, P.
Human Rhesus B and Rhesus C glycoproteins: properties of facilitated ammonium transport in recombinant kidney cells, 391:33
Zijlstra, A. *See* Wilson, S.
Zimmermann, H. *See* Wang, C. J. H.
Zingg, J.-M. *See* d'Abramo, C.
Zolkiewska, A. *See* Zhao, Z.
Zöller, I. *See* Eckhardt, M.
Zöller, M. *See* Claas, C.
Zou, Y. *See* Liu, Yiyong; Wu, X.
Zouwail, S.
——; Pettitt, T. R.; Dove, S. K.; Chibalina, M. V.; Powner, D. J.; Haynes, L.; Wakelam, M. J. O.; Insall, R. H.
Phospholipase D activity is essential for actin localization and actin-based motility in *Dictyostelium*, 389:207
Zurzolo, C. *See* Perrone, L.
Zwaal, R. F. A. *See* Bevers, E. M.

© 2006 Biochemical Society

Keyword Index

VOLUMES 385–392 (2005)

A20, 387:47
ABCC1, 391:481
ABCG2, 385:419
acetylcarnitine, 389:397
acetyl-CoA, 389:397
acetyl-CoA carboxylase, 392:201
α-*N*-acetylglucosaminidase, 388:639
N-acetylglucosamine-6-sulphatase, 387:841
N-acetylglucosaminyltransferase I, 387:385
N^1-acetylpolyamine oxidase (PAO), 386:543
acetyltransferase, 386:433
N-acetyltransferase, 387:119
N-acetyltransferase human (NATH), 386:433
acid α-glucosidase, 389:619
acidic mutation, 388:493
acidic organelle, 390:243
acinar cell, 385:721
aconitase, 388:143
acrosomal reaction, 389:577
acrosome, 389:73
actin, 389:127, 389:343
actin-binding protein, 387:325
actin-binding site, 385:659
actin cytoskeleton, 385:329, 385:737, 386:47, 387:531
actin dynamics, 387:649
Actinia equina, 392:649
actin polymerization, 386:583, 389:207
activating transcription factor 1 (ATF-1), 386:255, 390:761
activating transcription factor 3 (ATF3), 391:649
activating transcription factor 4 (ATF4), 391:649
activation function 1 transactivation domain, 391:449
activation function 2 (AF2) domain, 388:623
activator of Hsp 90 ATPase (Aha1), 387:789
activator protein 1 (AP1), 388:921, 391:399, 391:631, 392:589
active site, 386:103, 387:591, 389:507, 390:395, 390:633
active-site titration, 391:641
acylation, 385:197
acylcarnitine, 387:185
acyl-carrier, 389:483
acyl-CoA:cholesterol acyltransferase, 391:389
acyl-CoA desaturase, 389:483
acyl-CoA ester, 392:299
1-acyl-*sn*-glycerol 3-phosphate, 385:469
acyltransferase, 385:469, 387:617
N-acylethanolamine, 389:241
N-acylphosphatidylethanolamine, 389:241
adapter protein, 388:393
adaptor protein-4 (AP-4), 385:503
adduct, 385:519
adenosine, 386:281, 392:607
adenine nucleotide translocator (ANT), 385:445
adenine nucleotide translocase (ANT) knock-out mouse, 392:353
adenosine deaminase (ADA), 391:51
adenosine kinase, 387:591
adenosine receptor, 391:575
adenovirus, 387:1
adenylate cyclase, 387:541
adenylate cyclase type VIII, 386:341
adhesion molecule, 387:343
adhesion receptor, 387:849
adipogenesis, 392:313
adipose tissue, 387:343
adipocyte, 388:959
a disintegrin and metalloprotease (ADAM), 387:101
a disintegrin and metalloproteinase (ADAM), 387:797
a disintegrin and metalloprotease 9 (ADAM9), 385:461
ADP/ATP carrier, 385:173
ADP-ribosylation, 385:309
ADP-ribosylation factor 3 (Arf3), 387:649
ADP-ribosyltransferase, 389:853
adsorption, 385:479
advanced glycation end-product (AGE), 385:339, 392:e1
adverse reaction, 385:389
affinity purification, 390:513
affinity tag, 387:479
β-agarase, 385:703
agarose, 385:703
aggrecan, 385:381
aggrecanase, 386:15
aggregation, 388:151
aggregation state, 387:401
aging, 391:59, 391:277
air interface, 389:111
Akt, 385:399, 389:723, 391:87, 392:607
Akt substrate of 160 kDa (AS160), 391:87
alamethicin permeabilization, 389:695
D-alanine carboxypeptidase, 392:55
alanine racemase, 389:491
aldehyde dehydrogenase, 385:769
aldo–keto reductase, 385:75, 389:507
alkaline phosphatase, 392:407
alkaline sphingomyelinase, 386:153
alkaptonuria, 386:305
alkylation, 392:685
alkyl halide, 388:387
allergen, 390:77
allergy, 385:319, 386:191
allosteric, 390:351
allosteric activation, 392:39
allosteric inhibitor, 385:399
allosteric model, 391:389
allostery, 390:e1, 390:485, 392:21
alloxan, 388:731
alternative oxidase (Aox), 387:865
alternative splicing, 389:343
aluminium, 387:489
Alu repeat, 389:647
alveolar epithelium, 392:457
Alzheimer's disease, 385:545, 391:59, 391:513, 391:693
Amadori product, 388:795, 392:263
D-amino acid, 389:491
amino acid influx, 388:435
amino acid pair, 388:355
amino acid response element (AARE), 391:649
amino acid transport, 386:417, 386:607, 389:745
amino acid transporter, 388:435
aminoacylation, 387:773
6-aminohexanoic acid, 392:703 (*see also* ε-aminocaproic acid)
5-aminoimidazole-4-carboxamide riboside (AICAR), 385:485
ε-aminocaproic acid (EACA), 390:311
aminolaevulinate, 386:381
5-aminolaevulinic acid synthase-1 (ALAS-1), 392:173
Aβ peptide, 392:573
aminopeptidase P, 385:389
5-aminosalicylic acid, 385:605
ammonia channel, 391:33
ammoniagenesis, 387:825
ammonium channel, 390:215
ammonium transport, 390:215, 391:33
AMP-activated protein kinase (AMPK), 385:485, 386:237, 392:201
amphipathic helix, 390:177
amphiphilic peptide, 386:591
AmtB, 390:215
amyloid, 385:339, 392:565
amyloid-β, 391:693
amyloid fibril, 388:615, 392:573
amyloid inhibitor, 388:615
β-amyloid peptide, 385:545 (*see also* amyloid-β)
amyloid precursor protein (APP), 391:59, 391:693
anaemia, 390:437
anaesthesia, 388:39
anandamide, 386:583, 389:241
Androctonus australis, 388:455
angiogenesis, 386:15, 390:427
angiostatin, 392:703
angiotensin, 390:351
angiotensin-converting enzyme (ACE), 389:739, 391:641
angiotensin II receptor subtype 1 (AT_1 receptor), 390:367
anhydrobiosis, 388:151
anion exchanger, 390:137
anion exchanger 1 (AE1), 392:425
anionic phospholipid, 390:95
anion/proton co-transport, 388:343
anisomycin, 388:527
ankyrin, 392:13
annexin, 387:309
annexin A13, 389:899
annexin II, 388:17
Anopheles dirus, 388:763
Anopheles gambiae, 387:879
antagonist, 391:221
Antarctic, 389:297
antibacterial drug, 386:127
antibiotic, 389:843, 385:419
antibiotic resistance, 387:585
antibody, 385:319
antibody 17b, 390:573
antifungal agent, 390:695
anti-inflammatory potential, 388:465
anti-leishmanial agent, 390:419
antimalarial drug, 392:117, 392:221
antimicrobial activity, 389:249
antimicrobial peptide, 385:135, 388:689, 389:869, 390:177, 390:695
antioxidant, 389:83, 392:583
antioxidant defence, 386:e5
antioxidant-responsive element (ARE), 388:65
antiphospholipid syndrome, 389:665
antisense oligonucleotide (ASO), 388:573
antisepsis, 385:135
antiviral toxicity, 392:363
antizyme inhibitor (AZI), 385:21
apolipoprotein A1 (apo A1), 387:779
apolipoprotein AI (apo AI), 388:57

© 2006 Biochemical Society

apolipoprotein CI (apo CI), 385:189
apolipoprotein E (apo E), 387:747, 387:779, 389:593
apolipoprotein H, 389:665
Apo2L/tumour-necrosis-factor-related apoptosis-inducing ligand (Apo2L/TRAIL), 385:595
apoptosis, 385:1, 385:11, 385:125, 385:537, 385:595, 385:e1, 386:73, 386:119, 386:433, 386:445, 387:47, 387:109, 387:315, 387:703, 388:185, 389:197, 389:443, 389:527, 389:877, 390:57, 391:25, 391:441, 391:503, 391:687, 392:47, 392:65, 392:325, 392:449
apoptosis-linked gene 2 (ALG-2), 391:677
Arabidopsis thaliana, 385:217, 387:385, 388:515
1-β-D-arabinofuranosylcytosine (Ara-C), 387:231
arabinose, 391:409
D-arabitol dehydrogenase, 389:289
archaeal alcohol dehydrogenase, 388:657
arachidonic acid, 385:57, 385:551, 387:27, 387:695, 388:527, 390:719
2-arachidonoylglycerol, 386:583
A7r5 cell, 388:237
Arctic, 389:297
ARD1, 386:433
arginase, 388:419
arginine biosynthesis, 385:565
arginine decarboxylase, 388:419
arginine methylation, 386:85, 388:379
arginine paradox, 386:567
arginine transport, 386:567
argininosuccinate lyase, 392:545
argpyrimidine, 385:339
aromatic amino acids, 390:223
arrestin, 385:625
β-arrestin, 385:115, 387:573
arsenite, 392:93
artemisinin, 385:409
articular cartilage, 389:723
aryl-alcohol oxidase, 389:731
arylamine N-acetyltransferase (NAT), 385:605, 390:115
arylamine *N*-transferase (NAT), 387:119
aryl hydrocarbon receptor (AHR), 392:153
ascorbate, 387:685
ascorbate peroxidase, 390:465
D-aspartate racemase, 386:331
aspen (*Populus tremula* × *tremuloides*) hybrid, 390:105
assembly, 385:29
assembly–disassembly, 391:301
astroglia, 387:779
ataxia telangiectasia-mutated, 391:325
ataxia telangiectasia-mutated and Rad3-related (ATR), 391:325
atherosclerosis, 385:823, 388:57
atomic force microscopy (AFM), 388:563, 389:665
ATP, 392:291
ATPase, 386:489, 388:291, 388:563
ATPase domain, 390:419
ATP-binding cassette (ABC signature), 391:481
ATP-binding cassette transporter (ABC transporter), 385:419, 386:489, 391:481
ATP depletion, 390:447
ATP-grasp protein, 389:389
ATP hydrolysis, 389:457
ATP-Mg/P_i carrier, 389:647
ATP transport, 392:537
atrium, 389:151
atrolysin A, 391:69
AU-rich element, 387:763
aureobasidin A, 387:519
Aurora-A, 390:293
autophosphorylation, 392:417
autoxidation rate, 389:497
auxiliary β-subunit, 392:519
avidin–biotin technology, 392:485
axial haem *c* iron ligation, 390:689
Axl, 387:727
[^{3}H]azidodantrolene, 387:905
AZT (*see* zidovudine)

Bacillus subtilis, 390:583
Bacillus subtilis-encoded HU homologue (HBsu), 390:49
bacterial chromatin, 391:203
bacterial glutathione S-transferase (GST), 385:37
bacterial luciferase, 385:575
bacterial signal transduction, 385:255, 390:769
bacterial toxin, 385:667
bactericidal activity, 391:167
baculovirus, 387:385
baculovirus IAP repeat (BIR) domain, 385:1
bafilomycin, 390:243
Band 3, 390:137
barley–powdery mildew interaction, 385:243
basement membrane, 387:755
basic leucine-zipper (bZiP), 391:649
Bax, 386:119
Bax translocation, 386:445
Bcl-2, 387:109
Bcl-X_L, 392:135
Bcr/Abl protein, 387:231
beadlet anemone (*see Actinia equina*)
behavioural phenotyping, 389:593
behavioural testing, 389:593
betaine–homocysteine methyltransferase folding, 391:589
betaine-homocysteine S-methyltransferase (BHMT), 392:443
Bid, 387:109
bifunctional enzyme, 390:583
biglycan, 385:381
bile acid, 388:857, 391:549
bilin, 392:103
bilirubin, 392:685
Bim (Bcl-2-interacting mediator of cell death), 388:185
binding affinity, 385:519
bioactivation, 388:387
bioactive phospholipid (*see also* phospholipid), 385:493
bioinformatics, 390:115, 392:83
bioluminescence, 385:575
bioluminescence resonance energy transfer (BRET), 385:625, 388:47
biopterin, 391:541
biosynthetic inhibitor, 385:779
biotrophy, 389:289
bivalent cation, 385:225
blood cell, 390:563
blood coagulation, 385:831
blood feeding, 387:871
blue chromoprotein, 392:649
Blue Native gel electrophoresis, 388:159, 390:703
Bohr effect, 389:297
bone morphogenetic protein (BMP), 386:461
botulinum neurotoxin, 391:659
bovine enzyme, 388:501
bovine muscle, 388:273
bradykinin B1 receptor, 389:37
brain, 386:221, 391:561
brain cell, 387:685
breast cancer, 385:279, 386:119, 390:57
breast cancer cell, 386:535
breast cancer resistance protein (BCRP), 385:419
bromo-associated homology domain (BAH domain), 389:657
bromodomain, 387:257
brown fat, 389:47
brown recluse spider, 391:317
bulgecin A, 387:585
burst kinetics, 385:527
Bombyx mori, 391:371
Bursaphelenchus xylophilus, 389:117

C75, 388:895
Ca^{2+} (*see* calcium)
Caco-2 cell, 387:553, 390:437
Caco-2 TC-7 cells, 387:455
Caenorhabditis elegans, 390:207
c-Akt, 390:613
calcium, 386:497, 386:515, 387:309, 387:905, 388:741, 389:111, 389:181, 389:527, 392:435, 392:537, 392:601
calcium-activated K^+ channel, 385:95
calcium binding, 389:899
calcium-binding protein, 391:231, 391:677
calcium/calmodulin, 385:65, 385:217
calcium/calmodulin-dependent protein kinase II (CamKII), 390:729
calcium channel, 389:269, 390:67
calcium-dependent mitochondrial carrier (CaMC), 389:647, 392:537
calcium entry, 388:237
calcium influx factor, 386:291
calcium pump, 388:291
calcium-regulated heat-stable protein of 24 kDa (CRHSP24), 389:775
Calcium-release-activated Calcium channel (CRAC channel), 385:551
calcium sensitization, 389:763
calcium signalling, 392:291
calcium stores, 390:243
calmodulin (CaM), 390:67, 391:687
calpain, 388:741, 389:223
calpain 3, 388:585
cAMP, 385:737, 386:341, 387:463, 387:541, 388:419, 388:465, 392:163
cAMP-dependent protein kinase, 392:493
cAMP phosphodiesterase, 388:803
cAMP-response-element-binding protein-binding protein, 391:239
cancer, 385:715, 386:153
Candida albicans, 388:689, 389:27
Candida rugosa lipase, 385:511
Candida tenuis, 389:507
cannabinoid, 386:583, 388:465
capacitation, 389:577
capacitative calcium entry, 388:941, 389:821
cap-independent translation, 385:155
capsular polysaccharide, 389:63
carbohydrate-binding module, 385:479, 388:949, 390:77
carbohydrate metabolism, 387:147, 390:529
carbohydrate remodelling, 389:619
carbohydrate storage, 389:289
carbomoyl-phosphate synthetase, 391:311
carbon dioxide, 390:513, 391:311
carbonic anhydrase, 391:311
carbonic anhydrase inhibitor, 385:715
carbonic anhydrase XV, 392:83
carbonyl, 387:247
carboxyatractylate, 392:353
carboxylase, 391:311
carboxylation, 391:311
carboxypeptidase, 388:81
carboxypeptidase D isoform (CPD-N), 390:665
carcinogenesis, 386:35, 388:813

© 2006 Biochemical Society

carcinoma cell, 389:99, 391:143
cardiac allograft, 391:541
cardiac muscle, 385:803
cardiac myocyte, 388:475
cardiac potentiator, 388:905
cardiolipin, 386:137, 387:617
cardiomyopathy, 387:185, 389:151
carnitine acyltransferase, 387:67
carnitine biosynthesis intermediate, 387:185
carnitine palmitoyltransferase, 387:67
carotenoid, 387:455
cartilage-specific gene regulation, 389:705
casein kinase, 391:417
casein kinase II, 390:285
caspase, 385:1, 385:e1, 389:83, 389:197, 392:399
caspase 3, 385:545, 388:475, 391:687, 392:335
caspase-independence, 391:191
CAT-1 arginine transporter, 386:567
catalase, 385:763, 391:277
catalysis, 389:365, 390:633
catalytic activity, 389:739, 391:285
catalytic mechanism, 389:507, 392:55
catalytic nucleophile, 391:269
catalytic particle, 391:301
catalytic subunit, 392:201
catalytic triad, 388:721
catechin-gallate, 386:471
β-catenin–T-cell factor 4, 390:493
cat eye syndrome critical region candidate 1 (CECR1), 391:51
cathepsin D, 392:325
cation-independent mannose 6-phosphate receptor, 385:503, 389:619
cauda epididymal plasma, 392:211
caveola, 390:199
caveolin-1, 385:795, 388:563
caveolin protein, 390:199
Cbl, 391:153
CCAAT-binding factor (CBF), 387:367
CCAAT/enhancer-binding protein (C/EBP), 391:649, 392:93
CCAAT/enhancer-binding protein α (C/EBPα), 388:959
CCAAT/enhancer-binding protein β (C/EBPβ), 389:47
CCAAT motif, 387:175
C4β chain, 389:863
CD14, 391:115
CD39L1, 385:729
CD4 binding, 390:29
CD4i, 390:573
CD9, 389:99
CD83, 385:85
Cdc42, 386:201
cDNA cloning, 392:511
cecropin, 390:207
β-cell, 391:291
cell adhesion, 387:101, 391:359
cell aggregation, 387:343
cell calcium influx, 389.215
cell–cell and/or cell–substratum adhesion, 388:679
cell contraction, 389:465
cell cycle, 386:1, 386:349, 387:257, 387:639, 387:659, 388:185, 388:705, 389:443, 392:457
cell-cycle arrest, 388:827
cell death, 391:383
cell density, 392:383
cell growth, 388:393, 388:827
cell-lytic peptide, 390:177
cell–matrix interaction, 385:461
cell-mediated substrate cleavage, 392:527
cell migration, 391:359
cell motility, 385:737
cell-penetrating peptide, 390:407, 390:603
cell polarity, 388:177
cell proliferation, 385:779, 389:259, 391:383
cell signalling, 388:393, 388:445, 388:713
cell specificity, 390:177
cell spreading, 387:627
cell surface, 390:563
cell-surface expression, 388:355
cell survival, 388:827
cell wall, 389:803
cellobiohydrolase, 385:527
cellular differentiation, 385:433
cellular stress, 385:45
cellulase, 385:527, 385:581
cellulose, 385:479
cellulose-binding domain, 385:479
centralspindlin, 389:373
cephalopod, 386:331
cephalotocin, 387:85
ceramide, 385:685, 386:445, 388:169, 388:245, 391:59, 392:231
ceramide synthase, 390:263
cerebellum, 385:125, 387:685
CFB group bacteria, 385:703
cGMP, 392:221
cGMP-specific phosphodiesterase, 388:333
Chagas disease, 387:519
Chang cells, 390:521
channel gating, 387:195
channel-gating kinetics, 392:519
chaperone, 389:685, 392:145
chaperone activity, 387:835, 392:573
chaperone-like activity, 391:335
chaperone/usher pathway, 389:685
charged multivesicular body protein family (CHMP family), 387:17
checkpoint, 386:1, 388:705
checkpoint activation, 391:473
chelator, 390:351
chemical modification, 389:383
chemical rescue, 389:507
chemotherapy, 386:119, 391:425
cherry (*see Prunus avium*)
chicken leptin receptor, 390:475
chirality, 390:541
β-chitin, 388:851
chitinase A, 388:851
chitinase B, 388:851
chitosan, 391:167
chitosanolysis, 391:167
Chk1, 388:705
chloride intracellular channel (CLIC) protein, 390:333
2-chloroadenosine, 386:281
chloroplast, 387:669
chloroplast division, 387:669
chloroplast envelope, 387:669
cholesterol, 385:823, 387:553, 388:57, 390:541, 391:465, 391:549, 392:29
cholesterol efflux, 389:577, 390:273
cholesterol enantiomer, 390:541
cholesterol homoeostasis, 390:273
cholesterol metabolism, 388:857, 390:273
cholesterol recognition/interaction amino acid domain (CRAC domain), 392:29
cholesterol secretion, 387:779
cholesterol synthesis, 389:413
cholesteryl ester, 391:549
cholesteryl ester transfer protein (CETP), 385:189
choline-binding module, 387:479
choline-binding protein, 391:41
chondrocyte, 389:723
chondroitin 4-sulphotransferase (C4ST), 388:115
chondroitin sulphate (CS), 386:103, 388:115, 390:395
chondroitinase ABC, 386:103, 390:395
chondroitin sulphate-E, 389:675
chorismate mutase, 390:583
chromaffin cell, 392:283
chromatin, 387:257, 388:e1, 388:7
chromatin immunoprecipitation, 387:175, 391:371
chromatin organization, 391:371
chromatin remodelling, 389:657
chromosomal passenger, 389:373
chromosomal region maintenance 1 (CRM-1), 387:295
chromosome, 390:709
C1 inhibitor, 387:165
circadian rhythm, 386:575
circular dichroism, 385:37, 387:401, 389:491, 389:899, 391:95
cis-acting element, 388:227
cis-regulatory element, 388:913
citrate synthase, 387:835
c-Jun, 391:631
c-Jun N-terminal kinase (JNK), 386:525, 389:73, 389:127, 389:753
c-Jun N-terminal kinase-interacting protein (JIP), 389:73
Ck2, 386:281
CK2, 388:475
Claspin, 388:705
classical complement pathway, 387:165
classical pathway, 389:863
clathrin coat, 385:503
claudin, 387:553
clavulanic acid, 385:565
ClC-2, 390:655
CLOCK, 386:575
cloning, 387:85, 390:521, 392:655
cluster determinant 36 (CD36), 387:455
clusterin, 392:211
c-Met, 388:555
2-*C*-methyl-D-erythritol 4-phosphate, 386:127
c-Met receptor activation, 390:125
c-*myc*, 392:475
C NMR, 387:825
co-activator, 386:e1
coagulation, 390:485
cobra venom, 390:11
coenzyme binding, 388:657
coenzyme selectivity, 385:75
cofactor, 386:191, 387:789
cofilin, 387:627
coiled-coil domain, 387:325
co-immunoprecipitation, 388:435
COL4A5, 387:755
COL4A6, 387:755
co-receptor, 389:145
co-repressor, 392:1
collagen, 385:427, 387:601, 392:127
collagen I, 391:69
collagen receptor, 387:39
colloidal osmotic pressure (COP), 392:555
co-localization studies, 391:185
colon carcinogenesis, 390:493
colonic mucosa, 391:77
compartmentalization, 385:233
competitive inhibitor, 385:667
complement C2 receptor inhibitor trispanning (CRIT), 389:863
complement C2, 389:863
complementation, 388:879
complex crystal structure, 388:615
computational model, 389:187
computational modelling, 392:249
computer modelling, 386:169

© 2006 Biochemical Society

confocal microscopy, 385:649
confocal spectral imaging, 390:11
conformation, 390:e1, 392:703
conformational change, 387:695, 391:203, 392:443
conformational coupling, 386:291
conformational stability, 385:511
conjugated double bond, 389:731
consensus sequence, 390:293, 391:417
conserved cholesterol recognition/interaction amino acid consensus (CRAC) motif, 390:541
conserved promoter element, 389:705
constitutively active mutant, 388:317
constitutively active receptor (CAR), 388:623
contraction, 388:773
co-operativity, 388:657
copper, 387:247, 388:371, 390:777
copper binding, 387:93
copper (II) ion, 392:309
co-receptor, 389:145
core enzyme, 390:169
co-repressor, 392:1
core2 β(1,6)-*N*-acetylglucosaminyltransferase-I (C2GnT-I), 391:491
coronin, 387:325
corticotropin-releasing factor receptor 1 (CRF-R1), 390:455
Corynebacterium callunae, 387:437
COS-7 cell, 385:649
667-coumate, 385:715
coupled gating, 390:333
covalent binding, 387:835
COX2 mutant, 390:703
CPI-17, 389:763
CREB-binding protein, 392:589
Crigler–Najjar syndrome type 1, 392:685
C1r-like protease, 387:165
cross-linking, 387:67, 387:747, 388:135
cross-reactivity, 385:319
crotonase, 388:721
Cryptococcus neoformans, 385:225, 389:803
crystal structure, 386:453, 388:763, 389:325, 392:13, 392:21
α-crystallin, 392:573
αB-crystallin, 391:335
crystallography (*see also* x-ray crystallography), 385:1, 390:115
C-terminal module of LytA (C-LytA), 387:479
C-terminus, 385:729
CTP:phosphocholine cytidylyltransferase (CCT), 392:449
CTX gene family, 387:343
Cu_A centre, 392:625
cullin, 389:307
cyanobacteria, 390:513
cyclin, 386:349
cyclin A, 387:257
cyclic ADP ribose (cADPR), 389:269
cyclin-dependent-kinase (Cdk), 387:659
cyclin-dependent kinase (CDK), 386:349
cyclin-dependent kinase 11 (CDK11), 392:65
cyclin-dependent kinase inhibitor (Cki), 387:639
cyclo-oxygenase (COX), 385:815, 391:561
cyclo-oxygenase 1 (COX-1), 385:57
cyclo-oxygenase 2 (COX-2), 390:737
cyclo-oxygenase-2 inhibitor, 391:561
cyclopiazonic acid, 386:291
CymA, 390:689
cystathionine β-synthase domain (CBS domain), 390:41
cysteine, 386:227, 392:685
L-cysteine, 389:797
cysteine desulphurase, 389:797
cysteine protease, 385:181
cysteine sulphinic acid, 389:233
cysteine switch, 387:797
cysteine-rich domain, 391:69
cysteine-rich secretory protein (CRISP), 385:105
cystic fibrosis, 387:911
cystine-stabilized helix–loop–helix structural motif, 388:263
cystinyl aminopeptidase, 390:351
cytochrome, 388:485
cytochrome b_{562}, 389:587
cytochrome biogenesis, 389:587
cytochrome *c'*, 388:545
cytochrome *c*, 386:73, 389:197, 392:399, 392:583
cytochrome *c* maturation (Ccm), 389:587
cytochrome *c* nitrite reductase (Nrf), 390:689
cytochrome *c* oxidase (Cox), 387:865, 390:501, 390:703, 392:625
cytochrome *c* peroxidase, 388:545
cytochrome P450, 388:857, 390:719, 391:631
cytochrome P450C24, 389:753
cytochrome P450 (CYP), 388:227
cytochrome P450 26A1 gene (*Cyp26A1*), 392:241
cytochrome P450 2B (CYP2B), 388:407
cytochrome P450 mono-oxygenase, 386:57
cytochrome P450 reductase, 388:857
cytochrome P450 2J2 (CYP2J2), 391:631
cytokine, 385:493, 385:537, 387:737, 390:317, 390:437
cytokinesis, 389:373
cytokine-inducible, 390:665
cytoplasmic Ca^{2+} and Mg^{2+}, 390:333
cytoplasmic domain, 387:849
cytoplasmic motif, 388:103
cytoprotection, 390:447
cytosine/thymidine, 385:613
cytoskeleton, 388:773, 389:127, 392:163, 392:435
cytoskeletal reorganization, 389:215
cytosol, 391:623
cytosolic phospholipase A_2 (cPLA$_2$), 388:527
cytostome, 392:467
cytotoxicity, 390:11
cytotoxin, 390:11

D6.1A, 389:99
Danio rerio, 386:367, 388:745, 392:153
dantrolene, 387:905
ddNTP, 387:221
deacylation, 392:55
death-effector domain, 387:315
decay rate, 385:575
decondensation, 390:709
deconjugation, 392:271
decorin, 385:381
deep pore region, 388:355
defensin-like peptide, 391:215
deglycosylation, 390:303
degradation, 387:897, 390:367
degree of polymerization, 385:527
3-dehydroecdysone, 389:637
3-dehydro-20-hydroxyecdysone, 389:637
deletion variant, 389:403
delivery vector, 390:407
Delta class glutathione transferase, 388:763
denaturation, 388:255
denatured collagen, 387:39
dendritic cell, 385:85, 392:615
dendritic-cell-specific intercellular molecule-3-grabbing non-integrin (DC-SIGN), 392:615
deneddylation, 389:307
denitrosation, 391:351
3-deoxy-D-*arabino*-heptulosonate 7-phosphate (DAHP), 390:223
3-deoxy-D-*arabino*-heptulosonate 7-phosphate synthase (DAHPS), 390:223, 390:583
5′-deoxy-5′-methylthioadenosine phosphorylase (MTAP), 387:175
1-deoxy-D-xylulose 5-phosphate reducto-isomerase, 386:127
1-deoxy-D-xylulose 5-phosphate, 386:127
deoxyhypusine synthase, 385:779
deoxynucleotide metabolism, 392:363
depletion-activated calcium influx, 386:291
dermatan sulphate, 386:103, 390:395
desaturation, 388:135, 389:483
desensitization, 386:177
desert locust (*see Schistocerca gregaria*)
desferoxamine, 388:731
desferrioxamine, 387:703
desiccation, 385:301
desiccation tolerance, 388:151
O-desulphation, 387:841
detergent, 387:489
detergent-resistant membrane, 388:563
detoxification, 388:299
DHPR–RyR interaction, 387:429
diabetes, 388:393, 389:813, 392:345, 392:e1, 392:633
diabetic nephropathy, 388:537
diacylglycerol, 387:393, 392:449
diacylglycerol (DAG) generation, 388:169
di-(*o*-aminobenzoyl)-GSSG, 391:351
diastereomeric peptide, 390:695
4,4′-dibenzamido-2,2′-stilbenedisulphonate (DBDS), 388:343
dicarboxylic amino acid, 386:331
Dicer, 387:561
Dictyostelium, 389:207
dicyclohexylcarbodi-imide, 386:245
differential display, 385:165
differential scanning calorimetry (DSC), 386:599, 388:427
differentiation, 392:389
α-difluoromethylornithine (DFMO), 392:335
dihydrofolate reductase (DHFR) fusion, 385:173
dihydropyridine receptor (DHPR) II–III loop, 387:429
dihydropyridine receptor, 385:803
1,25-dihydroxyvitamin D_3, 389:753
β-diketone, 388:721
dikinase, 385:355
dimer, 388:835
dimerization, 385:363
dioxin, 392:153
4,6-dioxoheptanoic acid (DHA), 392:173
dioxygenase, 386:305, 388:721
dipeptidyl peptidase (DPP), 386:315
diphenylene iodonium, 388:485
disialic acid (diSia), 392:665
disintegrin, 385:461, 387:101
dissociation constant, 386:271
distal renal tubular acidosis (dRTA), 392:425
disulphide, 389:549
disulphide exchange, 391:351
DLD1 cell, 389:465
DnaA box, 389:471
DnaA protein, 389:471
DNA bending, 386:297, 390:49
DNA binding, 388:921
DNA-binding protein type II, 390:49
DNA damage, 387:703, 388:7, 388:705, 388:813, 388:e1, 391:325
DNA damage recognition, 385:519
DNA degradation, 389:355
DNA glycosylase, 389:13
DNA ligase I, 389:13

© 2006 Biochemical Society

DNA methyltransferase (DNMT), 385:557
DNA microarray, 391:203
DNA polymerase, 389:259
DNA polymerase β, 389:13
DNA–protein interaction, 387:401
DNA repair, 387:859
DNA replication, 386:557, 387:859, 389:259, 389:541
DNase I *in vivo* genomic footprinting, 389:37
DNase I, 389:355
DNase γ, 389:355
DNase X, 392:511
DNASE1, 389:355
DNASE1-like 3 (DNASE1L3), 389:355
DNA site size, 390:49
docking, 385:347
docosahexaenoic acid, 387:695
domain selectivity, 389:739
domain structure, 385:355
dopachrome tautomerase, 391:249
dopamine, 387:247
dopamine receptor, 386:341
double dimer, 392:545
double-strand break repair, 391:473
doxorubicin, 386:119, 389:527
D1 protein, 388:159
Drosophila melanogaster, 385:695, 388:195, 388:333, 386:357, 390:501, 391:277, 392:353
drug binding to membrane channel, 388:343
drug discovery, 390:29
drug induction, 392:173
drug resistance, 387:221
DT40 cell, 389:853
dual-chain avidin, 392:485
dual reporter, 389:137
dunce, 388:333
dyad F/K, 388:455
dynamin, 391:601
dynamin-associated protein of 160 kDa (DAP-160), 388:195
dynein, 389:333, 389:611
α-dystroglycan, 390:303
dystrophin, 391:261

EAP20, 387:17
E-box, 386:575
ecdysone receptor, 389:637
echistatin, 387:57
ecto-ATPase, 385:729
ectodomain, 387:497
ectodomain shedding, 389:739
ecto-nucleoside triphosphate diphosphohydrolase-2 (NTPDase2, 385:729
effector, 390:1
EF-hand, 391:677
efflux characteristics, 386:607
egg-laying deficiency protein nine-like protein (EGLN), 387:711
EGL nine homologous protein 3 (EGLN3), 390:189
elastase inhibitor, 388:273
elastic fibre, 388:1
electrogenicity, 388:309
electron, 388:485
electron microscopy, 385:445, 387:747, 388:689
electron paramagnetic resonance (EPR), 391:527
electron spin-echo envelope modulation (ESEEM), 391:527
electron transfer, 388:869
electron transport, 390:501
electron transport chain, 391:191
electrophoretic mobility-shift assay (EMSA), 388:913, 389:91, 389:423
electrophysiology, 386:607
electrospray ionization MS (ESI-MS), 387:393
electrostatic potential surface, 392:47
E3 ligase, 391:153
ELISA, 385:105
embryonic development, 392:241
embryonic stem cell, 389:91
EMD 57033, 388:905
Ena/vasodilator-stimulated phosphoprotein-like protein (EVL), 388:631
enantiomeric cholesterol, 391:389
endocytic recycling compartment, 389:223
endocytosis, 387:649, 389:27, 389:207, 390:145, 390:273, 390:603, 392:467
β-1,3-endoglucanase, 389:117
endo-β-glucanase, 385:581
endo-β-1,3-glucanase, 386:515
endoperoxide, 389:197
endoplasmic reticulum (ER), 387:897, 388:355, 389:57, 390:455, 392:291, 392:435
endoplasmic reticulum chaperone, 391:135
endoplasmic-reticulum-associated degradation (ERAD), 387:897, 388:647
endoproteolysis, 387:129
endosomal escape, 387:1
endosomal sorting complex required for transport (ESCRT), 387:17, 391:677
endothelial cell, 390:317, 390:427
endothelial differentiation gene 6 (EDG6), 389:187
endothelial nitric oxide synthase (eNOS), 386:567, 390:199
endothelin, 387:763
endotoxin, 385:135
endo-xylogalacturonan hydrolase, 387:719
energy transduction, 387:677
englitazone, 389:913
enhanced RNA interference (eri), 390:e5
enterocyte, 388:679
Entner–Doudoroff pathway, 390:529
enveloped virus, 392:191
enzymatic characterization, 392:665
enzyme activator, 388:123
enzyme characterization, 388:763
enzyme deficiency, 392:675
enzyme inactivation, 392:565
enzyme inhibition kinetics, 392:527
enzyme kinetics, 389:259
enzyme regulation, 392:39
enzyme replacement therapy, 389:619
eosinophil, 388:485
EphB2, 389:465
epidermal growth factor (EGF), 386:215, 391:143
epidermal growth factor receptor (EGFR), 392:417
epididymis, 392:211
epimerase, 389:173
epithelium, 392:335
epitope mapping, 385:659, 388:889
epitope, 389:145
epolactaene, 387:835
epoxidase, 386:57
epoxide hydrolase, 390:633
EPR, 387:473
Eps15 homology domain (EH domain), 388:195
ER-associated degradation (ERAD), 392:601
ErbB-2, 386:35
ErbB receptor, 392:417
ERC motif, 388:317
error-prone PCR, 385:575
erythrose 4-phosphate, 388:795
Escherichia coli, 386:489, 388:879, 389:885, 392:55
Escherichia coli-expressed and enzyme-digested RNA (esiRNA), 390:675, 390:e5
esterified lipid, 389:577
etoposide, 390:419
Ets transcription factor, 387:355
E3 ubiquitin ligase, 389:457
E3 ubiquitin protein ligase, 388:647
eukaryote, 389:259
eukaryotic initiation factor-2 (eIF2), 385:371
eukaryotic translation initiation factor 5A (eIF5A), 385:779
eumelanin, 391:249
evolution, 392:299
excitation–contraction coupling, 385:803, 387:429
exocrine pancreas, 385:721
exocytosis, 385:721, 387:195, 391:699
exon junction complex, 387:295
exonic splicing enhancer (ESE), 389:403
exotoxin A, 385:667
extended transducer, 388:741
extracellular domain, 392:519
extracellular matrix, 386:15, 386:367
extracellular protease, 390:231
extracellular RNA, 385:831
extracellular-signal-regulated kinase (ERK), 385:695, 387:155, 387:315, 387:507, 387:573, 388:973, 390:749, 391:143, 392:249
extracellular-signal-regulated kinase 1/2 (ERK1/2), 389:753, 392:75
extracellular-signal-regulated kinase 1/2 activation (ERK 1/2 activation), 389:215
extracellular-signal-regulated kinase/mitogen-activated protein kinase (ERK/MAPK), 390:729
extracellular superoxide dismutase (EC-SOD), 385:427
extremophile, 385:581

Face-1, 387:129
Factor IXa, 390:157
Factor VII-activating protease (FSAP), 385:831
Factor Xa, 387:871
Factor X activation, 390:157
familial amyloidotic polyneuropathy (FAP), 385:339, 388:615
family GH-16, 385:703
farnesol (FOH), 392:449
farnesyl diphosphate synthase (FPP synthase), 385:787
farnesyl protein transferase inhibitor, 386:177
FAS/FASL, 390:427
Fas ligand (Fas L), 389:527
F_1-ATPase, 386:591
fatty acid, 387:677, 390:695
fatty acid amide hydrolase, 389:241
fatty acid oxidation, 389:397
fatty acid synthase (FAS), 388:895
fatty acid synthesis, 389:413, 392:201
fatty-acid-binding protein (FABP), 391:549
FcεRIβ, 386:191
feline immunodeficiency virus (FIV), 389:559
Fe-protein, 391:527
ferredoxin, 388:869
ferritin, 388:143
ferrochelatase, 386:381, 386:599
Ferroplasma acidiphilum, 391:269
F_1F_o-ATPase, 390:377
fo(1,3)-fucosyltransferase-VII (FucT-VII), 391:491
FhuA, 389:869
fibrate, 389:413
fibre assembly, 389:685
fibrillin-1, 388:1

© 2006 Biochemical Society

fibroblast growth factor 23, 390:325
fibroblast growth factor (FGF), 388:185, 389:145
fibrosis, 387:601
fibulin-5, 388:1
fidelity, 387:221
filament, 385:347
filamin A, 387:849
fingerprint, 388:669
fish oil diet, 385:787
five-bladed β-propeller, 390:19
fixation artifact, 390:603
5′-flanking region, 390:521
Flap endonuclease 1 (Fen1), 389:13
flash photolysis, 392:693
flavoenzyme, 389:731
flavonoid, 386:471
flippase, 389:517
fluorescence, 390:787
fluorescence anisotropy, 388:755
fluorescence polarization, 390:29
fluorescence quenching, 385:575, 388:657, 389:517, 391:601
fluorescence recovery after photobleaching (FRAP), 388:509
fluorescence resonance energy transfer (FRET), 385:243, 385:589, 385:625, 388:47, 391:221
fluorescence self-quenching, 391:351
fluorescence spectroscopy, 385:519, 387:333, 389:899
fluorescent labelling, 392:649
fluorescent polymeric model substrate, 385:527
flux control, 386:245
focal adhesion, 388:631
focal adhesion kinase, 391:359
folate, 391:503
folding, 392:375
footprint, 388:669
10-formyltetrahydrofolate dehydrogenase, 391:503
four and a half LIM domain protein 3 (FHL3), 386:191
Fourier transform IR spectroscopy (FTIR), 392:565
Fox (forkhead box) subclass A protein 1 (Foxa1), 389:831
FOXO, 385:795
FoxO6, 391:623
Fragile-X, 392:499
Fragile X mental retardation 1 (FMR1), 386:297
free radical, 390:719
freeze fracture, 388:689
FRTL5 thyroid cell, 388:803
fructation, 392:263
fructoselysine, 392:263, 392:e1
fructosyltransferase, 390:19
FtsZ, 387:669
FtsZ polymerization, 387:669
fucose, 389:325
fumarate, 392:39
functional receptor, 390:455
fungal feeding, 389:117
fura 2, 388:237
fushi tarazu factor 1 (Ftz-F1), 389:19
fusion inhibitor, 389:559
fusion pore, 392:191

4.1G, 392:75
G$\beta\gamma$, 391:667
Gab, 391:143
Gab2, 390:359
$GABA_B$ receptor, 388:47
$GABA_{B(1b)}$ receptor, 386:423
galactose-1-phosphate uridylyltransferase, 387:77
galactose uptake, 387:77
galactosylceramide, 388:245
galactosyltransferase, 389:63
galectin, 391:1
ganglioside, 388:537, 390:85
GATA-like motif, 387:355
Gaucher fibroblast, 390:95
G_2 cell-cycle arrest, 391:383
GEF1, 390:655
gelatinolysis, 392:127
gelsolin, 386:47
gelsolin antibody, 385:659
gelsolin structure, 385:659
gene ablation, 391:549
gene deletion, 389:843
gene down-regulation, 389:465
gene duplication, 392:153
gene expression, 385:165, 386:161, 386:191, 387:77, 387:561, 389:279, 389:413, 391:613
gene promoter, 388:913
gene regulation, 385:557, 387:737, 388:913, 392:1
general control non-derepressible-2 (GCN2), 385:371
gene silencing, 387:561, 388:573, 390:447
gene structure, 385:125, 387:755
gene therapy, 388:639
gene transcription, 385:207, 387:239, 388:65, 389:813
G2 enhancer element, 389:831
genome structure, 387:85
GGA and Tom1 domain (GAT domain), 387:649
G_0/G_1 switch gene 2 (*G0S2*), 392:313
giant patch clamp, 386:607
glial cell line-derived neurotrophic factor family receptor α1 (GFRα1), 387:817
glial cell line-derived neurotrophic factor (GDNF), 387:817
glial lipoprotein, 387:779
global analysis, 386:245
globin gene, 390:253
glucagon, 388:419, 389:831
1,3-β-glucan, 390:77
β-glucanase, 389:803
glucokinase, 386:113
gluconate dehydratase, 387:271, 390:529
gluconeogenesis, 385:639, 387:825
glucosamine-6-phosphate synthase, 392:263
glucose, 385:485, 385:639, 392:633
glucoselysine, 392:e1
glucose-methanol-choline oxidoreductase (GMC oxidoreductase), 389:637
glucose-6-phosphatase, 389:57
glucose-6-phosphate dehydrogenase, 385:763, 391:335
glucose 6-phosphate transporter, 389:57
glucose repression, 388:697, 388:843
glucose signalling, 388:697
α-glucosidase, 391:269
glucose transport, 386:245
glucose transporter, 386:471
glucose uptake, 388:785
glucosylceramidase, 390:95
glucosyltransferase, 389:137, 391:269
glucuronic acid (GlcA), 390:493
GLUT2, 385:485
GLUT4, 388:785, 391:87
glutamate–cysteine ligase, 391:399
glutaminase, 386:535
glutamine, 386:535
glutamine metabolism, 387:825
glutamine synthetase, 390:215
glutathione, 386:215, 388:93, 389:785, 391:425, 392:693
glutathione conjugation, 388:299
glutathione peroxidase, 386:221
glutathione S-transferase (GST), 386:525, 387:879, 388:65
glutathione synthetase, 390:521, 391:567
glutathione transferase, 388:763
glutathione transferase gene, 388:763
glutathione transferase T1-1, 388:387
glutethimide, 392:173
N-glycan, 387:385
glycation, 385:339, 392:263, 392:e1
n-glycan biosynthesis, 388:515
glycerol dinitrate, 385:769
Glycine max, 391:567
glycine receptor, 390:447
glycoconjugate, 387:411
glycogen phosphorylase, 387:437
glycogen storage disease, 389:57
glycogen synthase kinase-3 (GSK3), 391:359, 392:633
glycohydrolase, 388:493
glycoinositolphospholipid (GIPL), 387:519
glycolysis, 392:675
glycoprotein, 388:435, 390:85
glycoprotein 36 (gp36), 389:559
β_2-glycoprotein I, 386:271, 389:665
glycosaminoglycan, 386:103, 386:227, 388:639, 389:145, 391:125
glycoside hydrolase, 385:581, 388:949
glycoside hydrolase 68 family (GH68 family), 390:19
glycoside hydrolase family 16 (GH16), 390:105
glycosome, 391:105
glycosphingolipid, 389:517
glycosylation, 386:153, 387:93, 387:911, 388:371, 388:555, 390:549, 392:511
N-glycosylation, 387:385, 390:137, 390:263, 390:367, 391:491
O-glycosylation, 388:731, 390:285
glycosyl hydrolase, 391:269
glycosylphosphatidylinositol, 391:285
glycosylphosphatidylinositol anchor (GPI anchor), 389:803, 389:853, 392:83, 392:211, 385:389
glycosyltransferase, 387:437, 388:515, 389:63
glycotyping, 388:371
glycyrrhizin, 392:191
G_2/M cell-cycle stage, 385:155
gold electrode, 385:745
Golgi apparatus, 387:889, 388:515
Golgi complex, 391:231
Golgi kinase, 390:285
Golgi-localized, γ-ear-containing, ADP-ribosylation-factor-binding protein (GGA protein), 387:649
golgin, 388:835
gonococci, 388:545
goose δ-crystallin, 392:545
Gordon's syndrome, 391:17
gp120, 390:573
GPIb/V/IX, 387:849
G-protein, 385:65, 385:197, 391:667, 391:e7
G-protein-coupled receptor (GPCR), 385:115, 385:197, 385:625, 386:341, 386:423, 387:85, 387:573, 388:317, 389:37, 389:187, 390:367, 390:455
G-protein regulator, 392:389
granule, 387:841
graph-spectral method, 391:1
green fluorescent protein (GFP), 385:589, 385:649, 388:65, 390:145, 390:787, 392:649
green fluorescent protein (GFP) variants, 385:265
GRIP domain protein, 388:835
growth arrest, 388:537, 392:313
growth-arrest-specific gene 6 (Gas6), 387:727

© 2006 Biochemical Society

growth factor, 389:161, 389:629, 391:51, 391:623
growth-factor-receptor-bound protein 2 (Grb2), 390:359
growth-regulated oncogene, 389:279
GSH, 391:581
GSH synthetase, 391:399
$G\beta\gamma$ subunit, 392:607
G_1 to S transition, 388:169
GTPase, 389:843
GTPase-activating protein (GAP), 391:87
GTPase signalling, 388:177
GTP binding, 391:601
GTP-binding-protein-coupled receptor (GPCR), 392:607
GTP cyclohydrolase I, 391:541
GtrII, 389:137
guaiacol, 390:465
guanidinium chloride, 386:515, 391:335
guanine, 388:813
guanylyl cylcase (guanylate cyclase)/natriuretic peptide receptor A, 388:103
gum tragacanth, 387:719
GUP1, 390:145
Gluconacetobacter diazotrophicus, 390:19

H11, 388:475
haem, 386:381, 392:173, 392:399
haem aa_3, 390:703
haematopoietic tumour cell, 390:665
haem-binding motif, 389:587
haem biosynthesis, 386:599
haem distal residue pair, 389:497
haemoglobin, 385:409, 389:297
haemolysin, 386:489
haemolytic assay, 389:863
haemoprotein, 392:583
haemostasis, 385:831, 392:21
haem oxidation, 390:625
haem oxygenase-1, 385:537
haemozoin, 385:409
halothane, 388:39
Hartnup disorder, 389:745
heart, 385:469
heat denaturation, 386:395
heat-shock cognate 70 (Hsc70), 392:145
heat-shock factor 1 (HSF1), 392:145
heat-shock protein (Hsp), 386:453, 387:789, 392:573
heat-shock protein 60 (Hsp60), 387:835, 391:185
heat-shock protein 70 (Hsp70), 385:45, 392:65, 392:145
heat-shock protein 90 (Hsp90), 385:45, 387:789
heavy-chain binding protein (BiP), 387:897
HEK-293 cell, 387:195
helicase, 389:541
Helicobacter pylori, 390:223
α-helix, 392:47
β-helix, 392:565
helix–loop, 388:227
heparan sulphate, 385:451, 389:383, 390:493, 391:125
heparan sulphate proteoglycan, 389:145, 390:603
heparin, 385:451, 389:675, 391:51, 391:125
heparin-binding exosite, 387:871
hepatic stellate cell, 387:601
hepatitis A virus, 385:363
hepatocyte growth factor (HGF), 388:555, 390:125, 390:311
hepatocyte growth factor receptor (MET), 390:311
hepatocyte nuclear factor (HNF), 387:609, 389:831
hepatocyte nuclear factor-4α (HNF-4α), 388:325
hepatocyte, 385:165, 385:207, 386:237
hepatoma cancer cell, 386:535
hepatoma cell, 385:787
hepatopancreas, 388:299
hepsin, 390:125
herpes simplex virus (HSV), 385:451
herpesvirus, 387:295
heterodimer, 388:47
heterogeneous nuclear ribonucleoprotein (hnRNP), 388:e1, 388:7
heterogeneous nuclear ribonucleoprotein K, 385:613
heterologous expression, 390:655
heterologous protein glycosylation, 385:511
hexokinase, 386:245
hexosamine pathway, 388:537
hexose transport, 386:245
Heyns product, 392:263
Hha, 388:755
hierarchical phosphorylation, 391:417
high-density lipoprotein (HDL), 385:189
high-mobility-group A1 (HMGA1), 389:91
high-mobility group box 1 cytokine (HMGB1 cytokine), 389:215
H4IIE liver cell, 385:551
Hill coefficient, 388:657
hippocalcin, 391:231
hirudin, 390:485
histidine, 391:285
histamine, 389:593
histamine receptor, 389:593
histatin 5, 388:689
histidine kinase, 392:103
histidine ligand, 388:869
histone, 388:813
histone acetylase, 387:257
histone-like HU protein, 390:49
histone-like nucle structuring protein, 391:203
HIV, 387:221, 387:333, 390:573
HIV-1, 392:191
HIV inhibitors, 390:29
HIV-1 Nef, 390:591
HIV-1 protease, 389:365
H-NS, 388:755
homodimer, 387:325, 388:47, 388:135, 388:835
homodimerization, 388:585
homogentisate, 386:305
homoglutathione synthetase, 391:567
homologous to the E6-accessory protein C-terminus (HECT), 386:461
homology modelling, 386:515
horizontal gene transfer, 389:117
Hrs, 389:629
Hsp40, 386:515
Hsp70, 386:453
human complement-related protein, 387:165
human embryonic kidney 293 cells (HEK-293 cells), 385:461, 388:103
human kidney, 387:825
human muscle (*see also* muscle), 392:345
human replication protein A, 385:519
human ribosome, 387:139
human serum albumin, 388:39
human smooth muscle cell, 389:37
human T-cell lymphotropic virus type-I (HTLV-1), 392:231
human umbilical-vein endothelial cells (HUVEC), 390:199
HXK2 gene, 388:697
hydrodynamic injection, 390:675, 390:e5
hydrodynamic particle, 391:41
hydrogen–deuterium (^1H–^2H) exchange, 389:559
hydrogen peroxide (H_2O_2), 385:763, 386:543, 387:203, 390:465, 392:443
hydrogen peroxide (H_2O_2)-sensitive thiol proteins, 389:785
hydrolase, 388:721
hydrolysis, 391:527
hydroperoxide, 388:813
hydrophobic extension, 385:135
hydrophobic protein, 392:211
hydrophobic strand, 391:221
hydrostatic pressure, 392:565
α-hydroxylase, 388:245
β-hydroxybutyrate, 389:397
3-hydroxyeicosa-(5*Z*,8*Z*,11*Z*,14*Z*)-tetraenoic acid (3-HETE), 390:737
3-hydroxyeicosanoid, 390:737
hydroxylation, 387:711
3-hydroxy-3-methylglutaryl-CoA reductase (HMG-CoA reductase), 385:787
hydroxymethylglutathione, 391:567
4-hydroxy-2-nonenal (HNE), 387:865
N-(4-hydroxyphenyl)retinamide (HPR), 392:231
5-hydroxytryptamine (5-HT), 387:463, 388:773, 389:821
5-hydroxytryptophan, 390:787
hyperlipidaemia, 385:189
hyperoxia, 388:93
hypertension, 391:e1, 391:17
hyperthermophilic archaea, 390:529
hypertrophy, 388:475, 388:537, 388:973
hypoallergenic mutant, 385:319
hypochlorite, 391:125
hypotaurine, 389:233
hypoxia, 386:557, 387:711, 390:427
hypoxia-inducible factor (HIF), 387:711, 390:189
hypoxia-inducible factor 1α (HIF-1α), 386:433
hypoxia-inducible factor proline hydroxylase 3 (HPH3), 390:189
hypoxia response element (HRE), 390:189
hypusine, 385:779

iduronate-2-sulphatase (IDS), 386:395
iduronic acid, 390:493
IgE epitope analysis, 385:319
IgG, 391:51
imaging, 390:787
iminoglycinuria, 386:417
immobilized metal affinity chromatography (IMAC), 388:371
immune cell, 389:127
immunocytochemistry, 387:419, 387:609
immunodeterminant, 387:411
immuno-electron microscopy, 385:503
immunofluorescence, 387:315, 390:85
immunoglobulin heavy-chain binding protein/78 kDa glucose-regulated protein (BiP/GRP78), 391:135
immunoglobulin-like domain (IGD), 390:475, 391:221
immunohistochemistry, 385:105, 387:27
immunosuppression, 388:465
indoleamine 2,3-dioxygenase, 388:205
indole ring, 388:205
inducible nitric oxide synthase (iNOS), 391:541
infectivity, 392:191
inflammation, 385:493, 385:537, 385:815, 387:911, 389:279, 391:115, 391:575
influx, 390:777
infrared spectroscopy, 385:511
inhibition process, 390:345
inhibitor, 385:181, 385:399, 389:365
inhibitor complex, 390:231
inhibitor–enzyme active-site interaction, 392:527

© 2006 Biochemical Society

inhibitor of apoptosis (IAP), 385:1, 385:11, 385:e1
inhibitory site, 386:591
initiation factor (*see* eIF5A), 385:695
innate immunity, 387:355, 389:249, 390:207
inner centromere protein (INCENP), 389:373
inosine 5′-monophosphate dehydrogenase (IMPDH), 390:41
inositol hexakisphosphate kinase 2, 385:595
inositol phosphate, 389:389
inositol phosphoceramide synthesis, 388:169
inositol phosphorylceramide synthase, 387:519
inositol 3,4,5,6-tetrakisphosphate 1-kinase, 389:389
inositol 1,4,5-trisphosphate, 389:181
inositol 1,4,5-trisphosphate 3-kinases A and B (IP3KA and IP3KB), 392:435
inositol 1,4,5-trisphosphate receptor (IP_3R), 392:601
insect cell, 385:225
insecticide resistance, 387:879
insertional mutagenesis, 391:409
in situ hybridization, 387:419
insulin, 385:165, 385:207, 385:639, 385:795, 386:113, 388:227, 388:393, 388:419, 388:713, 388:785, 388:929, 389:913, 391:465, 392:345, 392:633
insulin gene, 389:813
insulin gene transcription, 392:181
insulin-like growth factor binding protein-2 (IGFBP-2), 392:457
insulin-like growth factor-I (IGF-I), 389:723
insulin receptor substrate (IRS), 388:929
insulin receptor substrate-1 (IRS-1), 388:713, 392:345
insulin turbidity, 391:351
insulin-regulated aminopeptidase (IRAP), 390:351
integration host factor (IHF), 390:49
integrin, 385:309, 387:57, 387:101
β1 integrin, 385:461
integrin-linked kinase, 392:641
interaction domain, 390:541
intercellular adhesion molecule-1 (ICAM-1), 385:329
interface amino acid clusters and hubs, 391:1
interferon, 385:595
interferon-γ (IFNγ), 388:17
interleukin-1β, 389:315
interleukin 2 (IL-2), 388:379
interleukin 6 (IL-6), 390:737
interleukin-10, 390:591
interleukin-8 secretion, 385:493
intermediate filament, 388:773
internalization, 385:115
internally quenched fluorescent substrate, 385:389
internal-ribosome-entry-site (IRES)-specific *trans*-acting factor (ITAF), 385:155
intersectin, 388:195
inter-subunit communication, 388:657
intracellular calcium concentration, 392:75
intracellular parasite, 385:225
intracellular targeting, 392:519
intracellular trafficking, 385:503
intramolecular co-evolution, 385:243
intramolecular interaction, 387:67
intramolecular signal propagation, 388:741
in vivo footprinting, 389:705
involution, 391:581
iodoalkane, 388:387
iododiflunisal, 388:615
ion channel, 387:211, 392:375
ionic strength, 390:311
ionizing radiation, 389:877
ion transport regulation, 391:e1
IR spectroscopy, 387:747
Ire1, 391:135
iron-binding protein, 389:27, 389:797
iron chelator, 389:877
iron metabolism, 388:143, 392:383
iron regulatory protein (IRP), 388:143, 392:383
iron responsive element (IRE), 388:143, 392:383
iron-sulphur centre, 388:501
iron–sulphur cluster, 389:797
iron transport, 390:437
iron transporter, 389:869
iron uptake, 389:27
IscA, 389:797
ischaemia, 390:377
IscU, 389:797
islets of Langerhans, 389:813
isoform, 385:125
isoprenoid, 392:117
isoprenoid biosynthesis, 386:127
isoprenylation, 386:177
iso-tetrandrine, 385:551
isothermal titration calorimetry, 385:145, 386:599, 388:39

janus kinase/signal transduction and activator of transcription (JAK/STAT), 390:427
Jurkat T-cells, 388:379

kallikrein, 387:447
K^+ channel, 390:737
25 kDa synaptosome-associated protein (SNAP-25), 392:283
2-keto-3-deoxygluconate (KDG), 390:529
Kha1 exchanger, 390:655
Kha1p, 390:655
kidney, 390:325, 391:561, 392:425
kidney cell, 391:33
kidney epithelial cell, 392:29
kinase, 385:399, 392:589
kinase-inducible domain, 391:239
kinase interaction, 391:e1
kinase substrate tracking and elucidation (KESTREL), 389:775
kinesin dynamics, 390:345
kinetic analysis, 388:741
kinetic isotope effects, 388:123
kinetic mechanism, 388:123
kinetics, 386:315, 390:665
kinetochore, 386:1
kinetoplastid parasite, 390:419
kinin, 385:389
kininase I, 388:81
kir/Gem, 390:67
Krüppel-like factor (KLF), 392:1
Kv2.1 channel, 387:195
kynurenine, 388:205

labelled protein, 390:787
laccase, 385:745
β-lactam antibiotic, 385:565
β-lactamase, 388:889
lactation, 391:581
Lactococcus lactis, 385:419
lactoferricin, 385:135
lamin A, 387:129
laminarin, 389:117
laminin, 385:309, 387:627, 389:465, 390:303
laminin-like globular domain, 387:727
large unilamellar vesicles, 390:95
late embryogenesis abundant (LEA) protein, 388:151
late endosome, 390:549
leaving group, 389:549
lectin, 389:325, 390:303, 391:1
Leghorn male hepatoma cell line (LMH cell line), 392:173
Leishmania, 391:105
Leishmania donovani, 387:591, 390:419
Leishmania major, 390:465
lentiviral vector, 388:639
leptin, 388:929, 390:475
leptin A–B loop, 391:221
leptin-binding domain (LBD), 390:475
leptin receptor (ObR), 388:929
leucine-rich repeat, 388:81
leucine zipper, 387:325, 387:333
leukaemia, 386:535, 387:231
leukosialin, 387:377
levansucrase, 390:19
ligand binding, 388:103, 391:343
ligand-binding domain, 386:423
ligation-mediated PCR, 389:37
light perception, 392:103
LIM domain membrane, 388:631
limited proteolysis, 385:355, 390:485
limited proteolysis analysis, 385:289
N-linked oligosaccharide, 388:115
link protein, 385:381
lipid, 386:47, 390:549
lipid accumulation, 390:57
lipid binding, 389:249, 391:231
lipid-binding domain, 389:435
lipid-bound conformation, 387:747
lipid metabolism, 388:857, 389:47, 389:249
lipid microdomain, 387:309
lipid peroxidation, 387:685
lipid phosphatase, 387:281
lipid phosphate phosphatase (LPP), 391:25
lipid phosphate phosphatase-1 (LPP-1), 385:493
lipid raft, 385:329, 389:1, 391:465, 392:29
lipid transport, 392:299
lipoarabinomannan (LAM), 387:411, 392:615
lipolysis, 388:959
lipopeptide, 390:695
lipophilic activator, 392:449
lipopolysaccharide-binding protein (LBP), 391:115
lipopolysaccharide (LPS), 385:135, 391:575, 392:375
lipoprotein-binding surface, 387:747
lipoprotein lipase (LPL), 389:47, 389:913
liposome, 385:301, 387:1
lipoyl-bearing domain binding, 387:147
liquid chromatography/MS/MS (LC/MS/MS), 388:363
lissencephaly-related protein 1 (LIS1), 389:333
liver, 385:639, 386:137, 386:575, 387:601, 389:57, 391:465, 391:549
liver X receptor (LXR), 385:823
LK6, 385:695
LL-37, 388:689
LLC-PK cells, 387:609
load dependence, 390:345
loader protein, 389:541
localization signal, 387:419
locust (*see Schistocerca gregaria*)
long-chain acyl-CoA dehydrogenase (LCAD), 387:185
longevity assurance homologue (Lass), 390:263
loss-of-function phenotype, 388:605
low-affinity monocarboxylate transport, 392:655
Loxosceles reclusa, 391:317
LPA_1 receptor, 385:677
LRH-1, 389:19
L-type Ca^{2+} current, 389:763
luciferase, 387:175
lung, 387:27, 391:115, 392:457

© 2006 Biochemical Society

lung disease, 389:403
lung Krüppel-like factor (LKLF), 387:239
lupus, 389:665
lutein, 387:455
lymphocyte, 387:101
lymphopenia, 392:135
lymphopoiesis, 389:91
lysobisphosphatidic acid (LBPA), 387:17, 390:95
lysolipid, 387:109
lysophosphatidic acid (LPA), 385:493, 385:677, 387:281, 391:25, 391:317
lysophosphatidylcholine, 387:617, 391:317
lysosomal degradation, 387:39
lysosomal storage disorder, 389:619
lysosome, 387:703, 389:877, 390:11, 392:325

macrophage, 385:85, 385:823, 386:583, 387:355, 388:57, 389:877, 391:51, 391:575
Madin–Darby canine kidney cell, 390:777
MafA, 392:181
Maf-response element, 392:181
magnesium inhibition, 387:429
magnetic isolation, 390:549
Maillard reaction, 392:e1
major urinary protein, 391:343
malaria, 386:127, 392:117
malaria parasite, 392:221
malate dehydrogenase, 387:835, 392:39
male-specific protein, 391:343
malic enzyme, 392:39
malignant hyperthermia, 387:905
malonyl-CoA, 387:67, 389:397
Malpighian tubule, 386:357
maltodextrin, 387:437
MalY, 389:885
Mam3p, 386:479
mammalian cell, 388:29, 389:241
mammalian embryo, 387:367
mammalian homologue, 388:333
mammalian peroxisome, 389:717
mammalian target of rapamycin (mTOR), 388:973, 392:345
mammary-gland casein kinase, 390:285
manganese, 385:225, 386:479, 391:527
manganese peroxidase, 386:387
manganese superoxide dismutase, 391:277
mannosyltransferase, 389:27
Marburg strain, 390:583
marine bacterium, 385:703, 388:949
marine unicellular alga, 389:483
mass spectrometry (*see* MS)
mast cell, 388:465
matrilin, 386:367, 389:705
matrilysin, 386:263
matriptase, 388:679
matriptase-3, 390:231
matrix metalloproteinase (MMP), 386:263, 387:497, 392:127, 392:527
matrix metalloproteinase-12, 388:921
maturation, 386:325
maturity onset diabetes of the young (MODY), 388:325
MCF-7 cells, 390:57
MDA-MB-231 cells, 392:665
Mec1, 391:325
mechanical force, 390:345
mechanism, 390:e1
Med8, 388:697
MEF (mouse embryonic fibroblast), 389:91
melanocyte, 391:249
melanoma inhibitor of apoptosis (ML-IAP), 385:11, 385:e1
melatonin, 387:473, 388:205
membrane activity, 389:435
membrane-binding mode, 387:807
membrane domain, 390:1, 390:541
membrane fluidity, 392:191
membrane fusion, 385:347, 387:393, 388:75
membrane insertion, 389:435
membrane interaction, 389:249
membrane protein, 390:137, 392:425
membrane receptor, 385:255, 390:769
membrane ruffle, 389:343
membrane segregation, 387:309
membrane translocation, 390:407
membrane transport, 388:343
membrane-type serine protease 1 (MT-SP1), 388:679
mesangial cell, 388:537
messenger ribonucleoparticle (mRNP), 392:499
metabolic channelling, 389:397
metabolic pathway, 387:77
metabolomics, 388:669
metal binding, 385:145
metal ion, 387:247, 390:351
metalloendopeptidase, 388:255
metalloenzyme, 390:583
metallo-β-lactamase, 387:585
metallo-β-lactamase domain, 385:145
metalloprotease, 389:161
metalloprotein, 387:271
metalloproteinase, 386:15
metallothionein, 387:419, 391:95
metal mobility, 391:95
metamorphosis, 389:637
metastasis, 388:967
methacholine, 388:941
methanandamide, 388:465
methanol dehydrogenase, 388:123
methionine, 392:443
methylammonium, 390:215
2-*C*-methyl-D-erythritol 4-phosphate, 386:127
N-methyl-D-gluqcamine dithiocarbamate (MGD), 387:473
methylglyoxal, 385:339
3-*O*-methylsphingomyelin, 392:325
mice, 388:57
microaerobic growth, 388:545
microarray, 385:537
microarray analysis, 388:573, 388:857
microcalorimetry, 389:869
microcin, 389:869
micro-compartment, 385:445
microcystin, 392:641
microdomain, 389:1
microfibril, 388:1
microfibril-associated glycoprotein-1 (MAGP-1), 388:1
β2-microglobulin, 392:573
α_1-microglobulin/bikunin precursor gene, 387:609
microneme secretion, 389:269
microperoxidase, 392:583
β-microseminoprotein, 385:105
microsomal epoxidation and hydroxylation, 390:719
microsome, 389:57
microtubule, 389:333, 389:343, 389:611, 391:433, 391:e5
microtubule-associated protein 1B (MAP1B), 389:333
Mig1p, 388:843
migration, 389:333
milk oligosaccharide, 389:325
mimotope, 387:411
minimal functional domain, 386:423
misfolded protein, 387:897
mismatch repair, 388:879, 390:253
mithramycin A, 385:557
mitochondria biogenesis, 385:173
mitochondrial β-oxidation, 387:185
mitochondrial DNA, 392:363
mitochondrial DNA mutation, 387:773, 391:191
mitochondrial encephalomyopathy with lactic acidosis and stroke-like episodes (MELAS), 387:773
mitochondrial F_1-ATPase, 386:591
mitochondrial import, 389:647
mitochondrial intermembrane space, 387:203
mitochondrial respiration, 390:501
mitochondrial $tRNA^{Lys}$ gene, 387:773
mitochondrion, 385:445, 385:755, 385:769, 386:73, 386:119, 386:255, 386:381, 386:445, 386:557, 386:591, 387:67, 387:109, 387:147, 387:203, 387:617, 387:677, 387:865, 388:93, 389:83, 389:695, 390:85, 390:377, 390:501, 391:277, 391:613, 392:65, 392:291, 392:625
mitogen, 388:555
mitogen-activated protein kinase-activated protein kinase-K2, 391:433
mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase (MEK), 387:155
mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase kinase 4 (MEKK4), 388:17
mitogen-activated protein kinase-interacting kinase (Mnk), 388:973
mitogen-activated protein kinase (MAPK), 387:231, 387:573, 387:627, 388:445, 388:843, 389:127, 389:723, 390:359, 391:25, 391:443, 392:249, 392:389
mitogen- and stress-activated protein kinase (MSK1), 387:507, 390:749
mitosis, 388:185, 390:709, 391:177, 391:e5
mitotic aster formation, 389:611
mitotic exit, 386:1
mitotic extract, 389:611
mitotic kinesin-like protein (MKLP1), 389:373
mixed-lineage kinase (MLK), 386:201
MLO, 385:243
modelling, 392:675
model organism, 391:383
model simulation studies, 388:343
modification degree, 389:383
modular organization, 391:41
molecular chaperone, 387:789, 387:797
molecular cloning, 388:745, 389:181
molecular conjugate, 387:1
molecular dynamics, 386:471
molecular evolution, 390:207
molecular hydrophobicity potential, 387:807
molecular interaction, 387:817
molecular modelling, 387:639, 388:585, 392:527
molecular motor, 390:345
mollusc, 386:331
molybdenum, 388:501
molybdopterin, 388:501
mono-ADP-ribosyltransferase, 385:667
monocarboxylate transport, 388:309
MON105 cells, 390:475
monoclonal antibody, 387:727
monocyte, 385:85
monolysocardiolipin acyltransferase, 386:137
monomeric intermediate, 391:589
Monte Carlo simulation, 387:807
morphogen, 388:555
morphological change, 386:583
mortalin/mitochondrial Hsp70, 391:185
motogen, 388:555
mouse enhanced RNA interference gene (*meri-1*), 390:675
mouse liver, 385:787

© 2006 Biochemical Society

mouse model, 388:639, 389:593
mRNA, 388:227, 391:291
mRNA binding, 390:681
mRNA export, 387:295
mRNA localization signal, 392:475
mRNA stability, 387:763
mRNA targeting, 387:419
MS, 385:301, 385:511, 386:433, 386:525, 387:695, 387:905, 389:383, 389:559, 391:17
MSK2, 387:507
MUC1 mucin, 387:377
MUC4, 386:35
mucin, 386:35, 387:911, 391:77
mucopolysaccharidosis type II (MPS II), 386:395
multidrug resistance, 388:563
multidrug-resistance-associated protein 1 (MRP1), 391:481
multidrug transporter, 389:517
multihaem *c*-type cytochrome, 390:689
multivesicular endosome, 387:17, 391:677
muscle, 385:309, 388:217, 389:127, 392:345, 392:511
muscle contraction, 388:905
muscle endopin 1, 388:273
muscle protein, 386:145
muscular dystrophy, 388:585, 390:303
mutagenesis, 386:423, 386:453, 387:101, 387:849, 389:173, 389:187, 390:395, 391:105, 391:285, 392:39, 392:601
mutant protein, 386:395
mutation, 386:153, 390:447
mutational analysis, 391:417
MutH, 388:879
MutL, 388:879
mycobacteria, 392:615
Mycobacterium, 387:411
Mycobacterium leprae, 387:541
Mycobacterium tuberculosis, 387:541
myelin, 388:245
myeloid cell leukaemia-1 (Mcl-1), 387:659
myelomonocytic cells, 387:531
myeloperoxidase, 388:205, 391:125
myoblast, 385:309
myocilin, 389:675
myoclonic epilepsy with ragged-red fibres (MERRF), 387:773
myocyte, 388:973
myoglobin, 389:497
myosin, 385:589
myosin light-chain phosphatase, 389:763, 392:641
myosin phosphorylation, 392:641
myotube, 385:309
myricetin, 386:471
myristoylation, 387:17, 388:827
Myrothamnus flabellifolius, 385:301
MZF-1, 386:191

NAD^+, 389:853
NADH, 385:75, 385:763
NADH kinase (NADHK, ATP:NADH 2′-phosphotransferase, EC 2.7.1.86), 385:217
NADH–quinane oxidoreductase-1 (NDH-1) complex, 390:513
NADH:ubiquinone oxidoreductase, 387:677
NAD^+ kinase (NADK), 385:217
NADPH, 385:75, 385:763
NAD(P)H dehydrogenase, 390:513
NADPH oxidase, 385:649, 386:255, 386:401, 386:549, 388:485, 389:315, 390:591, 390:761
Na^+,K^+-ATPase, 386:63
Na^+–K^+–$2Cl^-$ co-transporter-1 (NKCC1), 391:17
NapC/NirT family, 390:689
naringin, 386:237
necrosis, 387:47
neuronal differentiation, 388:941
Nedd8, 389:307
negative co-operativity, 391:641
Neisseria gonorrhoeae, 388:545
nematode, 388:151, 390:207
Nepl, 389:307
neprilysin, 386:357
nerve growth factor (NGF), 387:155
neural precursor cell expressed, developmentally down-regulated 4-2 (NEDD4-2), 386:461
neurite outgrowth inhibitor protein, 391:433
neuroblastoma, 385:545
neuroblastoma cell, 388:941
neuroblastoma cell line, 386:63
neurodegeneration, 386:e5, 392:675
neurodegenerative disorder, 392:309
neuron, 386:63, 388:929, 392:389
neuronal axonal membrane protein (NAP-22), 390:541
neuronal calcium sensor-1, 391:231
neuronal death-induced protein kinase, 386:113
neuronal survival, 385:685
neurotransmitter transporter family, 386:417, 389:745
neurotrophin, 391:59
neutral endopeptidase, 386:357
neutrophil, 387:841
neutrophil elastase, 392:703
neutrophil gelatinase-associated lipocalin, 391:441
nicotinamide (pyridine) nucleotide, 385:217
nicotinate transport, 388:309
nicotinic acid–adenine dinucleotide phosphate (NAADP), 386:497
Niemann–Pick type C, 387:779, 390:549, 391:465
nigericin, 390:243
NIH 3T3 cell, 388:959
nitric oxide donor, 391:191
nitric oxide, 385:769, 385:815, 387:685, 388:545, 389:315, 389:821, 391:581, 390:625
nitric oxide synthase, 386:567, 389:315
nitrobenzylthioinosine, 386:281
nitrogenase, 391:527
nitrogen metabolism, 390:215
nitrogen starvation, 388:169
nitroglycerin, 385:769, 390:625
nitrophenethyl bromide, 388:387
nitrosoglutathione (GSNO), 387:473
1-nitrosomelatonin (NOM), 387:473
nitrotyrosine, 386:263
Nkx2.5, 387:463
NMR, 385:301, 385:363, 387:333, 388:263, 388:755, 391:95, 392:47
NMR protein dynamics determination, 387:57
NO (*see* nitric oxide)
nocodazole, 385:45
$NO^{\bullet}$-donor, 387:473
Nogo, 385:125
noise transmission, 387:77
non-crystalline, 385:479
non-peptidyl lipophilic cation, 386:591
non-phosphorylated Entner–Doudoroff pathway, 387:271
non-small-cell lung cancer (NSCLC), 387:239
non-steroidal anti-inflammatory drug (NSAID), 391:693
Nop53p, 388:819
Nor1, 390:749
NO synthase, 392:583
Notch, 392:13
novel synthetic inhibitor, 392:527
NOX1, 386:255, 390:761
Nox2, 385:649
NPe6, 392:325
N^{31}P-NMR, 387:807
NR5A, 389:19
Nramp, 385:225
NrfA, 389:587
N-terminal fragment, 388:679
N-terminal nucleophile hydrolase, 385:565
N-terminal peptide, 392:703
N-terminal shedding, 389:161
N-terminal truncation, 392:545
nuclear envelope, 387:393
nuclear enzyme, 390:665
nuclear export, 388:509
nuclear factor κB (NF-κB), 385:371, 387:47, 387:531, 389:83, 391:399, 391:581
nuclear factor κB1 (NF-κB1), 390:317
nuclear factor erythroid 2 (NFE2), 390:521
nuclear factor erythroid 2-related factor 1 (Nrf1), 390:521
nuclear factor of activated T-lymphocytes (NFAT), 389:527
nuclear factor-Y (NF-Y), 387:175, 387:367
nuclear ferritin, 388:731
nuclear hormone receptor, 388:509
nuclear import, 387:1
nuclear localization, 387:659
nuclear localization signal (NLS), 388:731
nuclear mitotic apparatus protein (NuMA), 391:177, 391:e5
nuclear Overhauser spectroscopy, 391:215
nuclear protein, 388:291
nuclear receptor, 388:407, 388:623, 389:19, 392:241
nuclear speckle, 388:509
nuclease, 389:355
nucleic acid, 388:427, 390:41
nucleo-cytoplasmic shuttling, 391:623
nucleoid-associated protein, 388:755
nucleolus, 388:e1
nucleophosmin, 388:7, 388:e1
nucleoside diphosphate kinase (NDPK), 392:201
nucleoside transporter, 386:281
nucleosome assembly, 391:371
nucleotide, 392:201
nucleotide-affinity preincubation specificity test of recognition (NAPSTER), 388:921
nucleotide-binding domain (NBD), 391:481
nucleus, 388:509
nucleotide phosphodiesterase, 386:153
Nur77, 390:749
Nurr1, 390:749
nutrient regulation, 386:161
nutrient starvation, 391:649

O-antigen, 389:137
obesity, 385:715, 387:343, 388:895
occludin, 387:553
octameric mitochondrial creatine kinase, 385:445
octopressin, 387:85
oestrogen, 385:279
oestrogen receptor β, 385:279
off-resonance rotating-frame Overhauser enhancement spectroscopy (off-resonance ROESY), 387:57
O-glycosylproteins, 392:665
oil synthesis, 387:617
okadaic acid, 386:237
oleic acid, 387:695
olfactomedin, 389:675
oligomer, 391:167
oligomeric-protein structure graph, 391:1

© 2006 Biochemical Society

oligomerization, 385:625, 386:73, 391:203, 391:601
oligonucleotide derivative, 387:139
oligosaccharide, 387:719
oligosaccharide structure, 390:303
olive (*Olea europaea*) pollen, 390:77
oocyte, 389:73
open reading frame 57 (ORF 57), 387:295
opiate receptor, 386:341
Opisthacanthus madagascariensis, 388:263
Ophelia bicornis, 389:497
orexin, 387:573
organelle matrix, 387:841
organelle movement, 392:291
*ori*C (origin of chromosomal DNA replication), 389:471, 389:541
origin recognition complex subunit 1 (ORC1), 389:657
orisome (protein–*oriC* complex), 389:471
ornithine, 388:419
ornithine acetyltransferase, 385:565
ornithine decarboxylase (ODC), 385:21
Ornithorynchus anatinus venom peptide, 391:215
orphan transporter, 386:417
orthovanadate, 389:517
OSK1, 385:95
osmolarity, 385:255
osteoblast, 385:613
osteocalcin, 385:613
osteopontin, 390:285
Ostreococcus tauri, 389:483
outer membrane pore, 385:445
outer-membrane protein F (OmpF), 392:375
ovalocytosis, 390:137
ovarian carcinoma, 385:595
overlapping element, 392:181
oxalate, 387:609
oxidase assembly, 386:401
oxidation, 391:125
oxidative burst, 390:591
oxidative catabolism, 388:205
oxidative damage, 385:279, 385:427, 387:247
oxidative decarboxylation of pyruvate, 387:147
oxidative stress, 385:763, 387:47, 387:703, 387:865, 389:527, 389:785, 389:877, 391:277, 392:309, 392:443
8-oxo-7,8-dihydro-2′-deoxyguanosine, 388:813
oxygen, 386:557, 387:711
oxygen binding, 389:497
oxysterol-binding protein (OSBP), 387:889, 390:273
oxysterol-binding-protein related-protein 1 short (ORP1S), 387:889

p21, 389:443
p21-activated kinase (PAK), 386:201, 388:773
$p21^{CIP1/WAF1}$, 392:457
$p27^{Kip1}$, 387:639
p38, 385:485, 387:507, 390:749
$p47^{phox}$, 386:549
p53, 386:119, 389:443, 391:503
$p75^{NTR}$, 385:233
p94, 388:585
p110β, 392:607
p300, 391:239
p300/CBP, 392:589
pacifastin-like peptide precursor, 388:281
Pagrus major, 388:299
palmitate, 387:677
palmitoyl-CoA, 388:135
pancreatic duodenal homeobox factor-1 (PDX-1), 389:813
papain, 391:167
parasite, 389:269, 390:681
parathyroid hormone, 392:75
partial hepatectomy, 386:137
partial proteolysis, 391:135
partly folded state, 387:479
patch-clamp experiment, 388:485
patch-clamp recording, 385:551
PAZ Piwi domain protein (PPD protein), 387:561
PC12 cell, 387:155, 392:283, 392:389
P19 cell, 385:433
PEA3, 386:35
pectin, 387:719
pectin methylesterase (PME), 392:565
PEGylated Hb, 392:555
PEGylation, 392:555
penicillin-binding protein, 392:55
penta-EF-hand domain (PEF domain), 388:585
pentose biosynthesis, 391:409
pentraxin, 391:1
peptide C, 387:429
peptide conformation, 391:215
peptide isomerase, 391:215
peptide N-glycosidase F (PNGase F), 391:491
peptide substrate, 390:293
peptide synthesis, 385:95
pericellular proteolysis, 390:231
perinuclear localization, 392:475
peripherin/*rds*, 388:605
periplasmic nitrate reductase (Nap), 390:689
permeability transition pore, 386:73
permeabilized cell, 386:557
peroxidase, 385:815
peroxide tone, 389:279
peroxin (PEX), 391:105
peroxisomal membrane protein, 389:717
peroxisomal targeting signal 1 (PTS1), 391:105
peroxisome, 389:397
peroxisome-proliferator-activated receptor (PPAR), 389:913, 392:313
peroxisome-proliferator-activated receptor α (PPARα), 385:469, 386:575, 389:413
peroxisome-proliferator-activated receptor γ (PPARγ), 385:823, 391:693
peroxisome-proliferator-activated receptor γ co-activator 1α (PGC-1α), 389:47
peroxyl radical, 392:693
peroxynitrite, 389:233, 389:315
p53 function, 391:185
P-glycoprotein, 388:563, 389:517
pH profile, 386:315
phage display, 387:411, 388:889
phage T5, 389:869
phagocytic cell, 390:591
phagocytosis, 386:271
Phase 2 detoxification enzyme, 388:65
phase polymorphism, 388:281
pH-dependence, 386:263
phenobarbital response unit binding protein, 388:407
pheomelanin, 391:249
pheromone, 391:343
phorbol ester, 389:753, 392:163
phosphatase and tensin homologue deleted on chromosome ten (PTEN), 390:613
phosphatase 2A phosphatase activator (PTPA), 386:93
phosphate binding, 389:297
phosphate carrier, 391:613
phosphate transport, 389:717, 390:325
phosphatidic acid, 391:25
phosphatidylcholine, 392:449
phosphatidylcholine transfer protein, 388:57
phosphatidylglycerolphosphate synthase, 386:137
phosphatidylinositol, 387:393
phosphatidylinositol 4,5-bisphosphate [PtdIns(4,5)P_2], 389:181, 391:667
3-phosphoinositide-dependent kinase 1 (PDK1), 385:639, 387:507, 388:573
phosphoacceptor site recognition, 391:417
phosphodiesterase 3A (PDE3A), 392:163
phosphodiesterase (PDE), 385:145, 392:221
phosphodiesterase 4 splice form (PDE4 splice form), 388:803
phosphoenolpyruvate carboxykinase (PEPCK), 392:633
phosphoglycerate kinase, 390:787
phosphoinositide, 385:65, 389:207, 389:435, 391:231, 391:e7
3-phosphoinositide-dependent kinase 1 (PDK1), 388:573, 385:639, 387:507
phosphoinositide 3-kinase (PI3K), 388:713, 390:359, 390:613, 391:699, 392:607
phosphoinositide-specific phospholipase C, 387:393
phospholamban, 389:151
phospholipase, 389:181
phospholipase A_2 (PLA_2), 387:27, 387:239
phospholipase B, 387:489
phospholipase B1, 389:803
phospholipase C (PLC), 389:435, 391:e7
phospholipase C-η (PLC-η), 389:181
phospholipase C-η2 (PLC-η2), 391:667
phospholipase D (PLD), 389:207, 389:241, 391:285, 391:317
phospholipid, 386:497, 387:109, 387:807
phospholipid binding, 389:899
phospholipid hydroperoxide glutathione peroxidase, 389:279
phospholipid membrane, 390:157
phospholipid metabolism, 387:281
phospholipid resynthesis, 386:137
phosphoprotein, 387:271
phosphoprotein enriched in astrocytes 15 (PEA-15), 390:729
phosphoribosylpyrophosphate synthetase subunit 1, 391:239
phosphorylation, 385:355, 385:589, 385:639, 386:237, 386:281, 387:231, 389:629, 390:285, 390:293, 390:529, 390:613, 390:729, 390:769, 391:e1, 392:493
photoaffinity labelling, 387:905
photobleaching, 385:265
photocross-linking, 387:139
photodynamic therapy, 392:325
photosystem II assembly, 388:159
phox homology domain (PX domain), 388:177
phylogenetic analysis, 387:541
phylogeny, 389:19, 392:103, 392:299
phytochrome, 392:103
phytoestrogen, 385:279
Pi class glutathione S-transferase, 388:65
Pichia pastoris, 390:105
pigmentation, 391:249
pimaricin, 386:57
pinewood nematode (*see Bursaphelenchus xylophilus*)
p38 kinase, 388:527
PKD2, 387:211
plant cell survival, 389:695
plant mitochondria, 387:865
plasma hyaluronan-binding protease, 385:831
plasma membrane, 389:1, 389:695, 391:261
plasma membrane Ca^{2+}-ATPase, 391:687
plasmid pIP501, 387:401
plasmin, 388:81
plasminogen, 392:703
plasminogen activation, 388:81
Plasmodium, 392:221
Plasmodium falciparum, 392:117

© 2006 Biochemical Society

Plasmodium falciparum histidine-rich protein II (PfHRP II), 385:409
platelet, 386:271, 387:685, 387:727, 387:849, 390:243
platelet aggregation, 391:69
platelet-derived growth factor (PDGF), 390:761
platypus venom peptide, 391:215
pleckstrin homology domain (PH domain), 385:399, 389:435, 391:601
Pleurotus ostreatus, 386:387
PMA, 388:527
p38 MAPK (mitogen-activated protein kinase), 387:231, 389:127, 391:433
pneumococcal lysin, 391:41
^{31}P-NMR, 387:807
p75 neurotrophin receptor (p75^{NTR}), 391:59
polarity, 385:233
pollen germination, 390:77
poly(ADP-ribose), 391:e5
poly(ADP-ribose) glycohydrolase (PARG), 388:493, 392:499
poly(ADP-ribose) polymerase (PARP), 391:177
poly(ADP-ribose) polymerase-1 (PARP-1), 386:119, 389:423
poly(ADP-ribosylation), 388:493
polyamine, 385:21, 385:779, 386:543, 388:427, 392:335
polybromo, 389:657
polychaete annelid, 389:497
polycystin, 387:211, 392:29
polycystic kidney disease, 387:211
polyene, 386:57
polyketide, 388:721
polyketide synthase, 386:57
polymerase, 387:221
polymerase γ, 392:363
polymer degradation, 386:387
polymerization, 389:549
polymorphonuclear leucocyte, 386:549, 389:279
polyol, 389:289
polyphenolic phytochemical, 386:591
polyphosphoinositide, 386:47
polyprotein, 385:755
Poly R-478, 386:387
polyribosome analysis, 391:291
polyribosome profile, 389:843
polyunsaturated fatty acid, 389:483
Pompe disease, 389:619
porcine prion protein, 387:93
porphyrin, 386:599
positional scanning-synthetic combinatorial library (PS-SCL), 390:125
positively charged residues, 385:29
post-transcriptional regulation, 387:763, 388:227
post-translational modification, 386:525, 389:587, 391:449
potassium channel, 388:263, 388:355, 388:455
PP2A methyl esterase 1 (PME-1) (*see also* protein phosphatase 2A), 386:93
Pre4, 388:593
preferential localization, 391:473
pregnane X receptor (PXR), 387:601, 388:623
pre-implantation development, 387:367
prelamin A, 387:129
prenylation, 387:129
prenyltransferase, 386:169, 392:117
presenilin, 387:377, 391:513
pre-steady-state current, 386:607
primary bile acid, 385:419
primary cultured cell, 389:423
primary hepatocyte, 388:407
prion disease, 390:563
prion heterogeneity, 387:93
prion protein (PrP), 387:247, 388:371, 392:211, 392:309
prion-related protein (PrP), 390:563
p90 ribosomal S6 kinase (RSK), 387:507, 389:775
β-propeller domain, 391:285
pro-C1s, 387:165
procaspase, 392:325
processivity, 385:527, 390:169
product-progression profile, 387:719
product specificity, 386:169
Pro, Glu and Ser/Thr-rich motif (PEST motif), 389:223
programmed cell death 5 (PDCD5), 392:47
proinsulin, 391:291
prolactin, 390:665
proliferating cell nuclear antigen (PCNA), 387:859, 389:13
proliferation, 390:57, 390:359
proline, 386:315
proline hydroxylase domain 3 (PHD3), 390:189
proline-recognition domain, 390:641
proline-rich motif, 390:641
prolyl hydroxylase, 390:189
prolyl hydroxylase domain (PHD), 387:711
prolyl oligopeptidase, 388:29, 392:675
promastigote, 390:465
promoter, 385:207, 386:63, 386:161, 387:119, 387:175, 389:423, 391:613
promoter analysis, 387:755, 387:879
promoter regulation, 386:297, 386:505
promyelocytic leukaemia protein (PML), 392:271
Pronase, 391:167
prostacyclin receptor, 386:177
prostaglandin, 385:57, 391:561
prostaglandin E_2, 385:737, 387:27
prostaglandin $F_{2\alpha}$, 386:255
prostaglandin F2α (PGF2α), 390:761
prostaglandin $F_{2\alpha}$ receptor, 388:317
prostaglandin F2α receptor-regulatory protein (FPRP), 389:99
prostaglandin H synthase-2 (PGHS-2), 385:815
prostaglandin H synthase (PGH synthase), 385:57
prostate cancer, 388:967
prostate secretory protein of 94 amino acids (PSP94), 385:105
prostate-specific antigen (PSA), 387:447, 391:699
prostatic-specific acid phosphatase (PSAP), 391:699
protease, 385:755, 387:497
protease-activated receptor-2 (PAR-2), 388:967
protease inhibitor, 388:281
proteasomal 19 S regulatory complex, 389:457
proteasome, 385:545, 387:897, 388:593, 388:647, 391:513, 392:271
24p3 protein, 391:441
14-3-3 protein, 391:383, 392:163, 390:67
protein aggregate, 392:545
protein arginine N-methyltransferase 3 (PRMT3), 386:85
protein arginine methyltransferase 5 (PRMT5), 388:379
proteinase 3C, 385:363
protein biosensor, 385:589
protein complex, 390:1, 392:457
protein conformation, 386:395
protein disulphide-isomerase, 391:351
protein engineering, 392:485
protein folding, 387:479, 387:789, 388:255, 389:685, 389:885, 390:367
protein glycosylation, 390:105
protein interaction, 385:21
protein kinase, 385:695, 385:729, 388:705, 389:389, 390:293, 391:17
protein kinase A, 385:737
protein kinase A activation, 388:803
protein kinase B (Akt), 386:113
protein kinase B (PKB), 385:399, 389:775, 390:613
protein kinase B/Akt, 385:795
protein kinase C, 385:677, 390:729
protein kinase C (PKC), 388:677, 390:729, 392:163
protein kinase Cδ (PKCδ), 390:761
protein kinase Cζ, 388:785
protein kinase CK1, 391:417
p58^{PITSLRE} protein kinase, 385:155
protein MS, 390:105
protein–nucleic acid interaction, 391:449
protein phosphatase, 385:685, 391:359
protein phosphatase-1, 390:709
protein phosphatase 2A (PP2A), 386:93
protein phosphatase-1 nuclear targetting subunit (PNUTS), 390:709
protein phosphorylation, 387:147, 388:795, 391:359
protein radicals, 392:693
protein repair, 388:795
protein serine/threonine phosphatase 5 (Ppp5/PP5), 385:45
protein stability, 386:515, 388:39, 389:685
protein stoichiometry, 386:145
protein synthesis, 388:973, 391:291
protein topology, 390:145
protein transduction domain, 390:603
protein translocation, 385:173
protein transport, 385:755
protein tyrosine phosphatase (PTP), 389:343
protein–protein interaction, 385:803, 386:401, 386:567, 388:177, 388:755, 390:29, 391:105, 391:449, 392:135
proteoglycan, 386:15, 386:227, 390:407
proteoglycan synthesis, 389:723
proteoliposome, 389:717, 390:769
proteolysis, 387:497, 387:659, 388:81, 392:435, 392:443
proteolytic cascade, 390:125
proteolytic cleavage, 389:739
proteolytic processing, 387:93, 388:515
proteome, 388:819
proteomics, 388:e1, 388:7, 392:499
Proteus mirabilis glutathione S-transferase B1-1 (PmGSTB1-1), 385:37
prothrombin, 386:271, 387:871
proton/amino acid transporter, 386:607
proton current, 385:649
proton leak, 392:353
proton pump, 392:467
protoporphyrinogen, 386:381
Prp19, 388:593
Prunus avium, 385:319
PsbH, 388:159
PsbW, 388:159
P-selectin glycoprotein ligand-1 (PSGL-1), 391:491
pseudohypoaldosteronism type II (PHAII), 391:17, 391:e1
Pseudomonas aeruginosa, 385:605, 385:667, 388:879, 389:325
PSMB4, 388:593
PSP94-binding protein (PSPBP), 385:105
P-type H^+-ATPase, 392:467
pufferfish (*see Takifugu rubripes*)
pulmonary surfactant protein B (SP-B), 389:403
pulse radiolysis, 392:693
p53-up-regulated mediator of apoptosis (PUMA), 389:443
purine salvage, 387:591
Purkinje cell protein-2 (Pcp2), 392:389

© 2006 Biochemical Society

putrescine, 392:335
Pyk2, 388:17
pyridoxal 5′-phosphate, 389:885
pyroglutamyl-peptidase II inhibitor, 389:569
pyroglutamyl-peptidase II (PPII), 389:569
pyrophosphate, 389:717
pyruvate dehydrogenase kinase, 387:147

quality control, 390:367
quercetin, 386:471
quiescent cell proline dipeptidase (QPP), 386:315
quinone reductase, 385:279
quinoprotein, 388:123

Rab, 391:87
Rab11, 389:223
Rab coupling protein, 389:223
Rac, 385:737, 386:201, 388:527
Rad, 390:67
Rad51, 391:473
Rad9–Rad1–Hus1 complex (9-1-1 complex), 389:13
radiation, 388:7
Raf, 387:155
raft, 389:99
random mutagenesis, 385:575
Rap1, 389:465
5′ rapid amplification of cDNA ends (RACE), 390:207
rapid kinetics, 390:633
Ras, 386:177, 388:445, 389:1
rat, 385:165
rate constant, 392:693
rat liver, 388:407
reaction intermediate, 389:365
reaction mechanism, 389:731
reactive nitrogen species, 385:815, 391:191
reactive oxygen species (ROS), 386:401, 386:453, 387:47, 387:531, 388:93, 389:83, 389:289, 390:377, 390:501, 391:191, 392:93
reactive sulphur species, 389:233
receptor desensitization, 385:677
receptor internalization, 387:573
receptor internalization and trafficking, 388:103
receptor-mediated endocytosis, 387:39
receptor phosphorylation, 385:677
receptor tyrosine kinase, 387:727, 391:153, 392:249
receptor tyrosine kinase (RTK) specificity, 392:417
reciprocal regulation, 385:65
recombinant protein expression, 386:103
recombinant von Willebrand factor-A domain, 389:863
recombination activating gene 2 (RAG2), 389:91
reconstitution, 390:169
red fluorescent protein from *Discosoma* sp. (DsRed), 392:649
redox activity, 385:409
redox-active iron, 387:703
redox metabolism, 388:669
redox potential, 385:745
red sea bream, 388:299
redox signalling, 386:215, 389:785
redox state, 392:399
reducing-end labelling, 388:851
reductive alkylation, 392:555
refolding, 385:181, 391:335
reggie-1, 392:29
regulators of G-protein signalling (RGS), 385:65
regulatory element, 388:763
regulatory particle, 391:301
RelA homodimer, 390:317
relaxase, 387:401
Rem2, 390:67
renal tubular epithelial cells, 385:461, 387:609
reperfusion, 390:377
replication protein A hyperphosphorylation (RPA hyperphosphorylation), 391:473
replication protein A (RPA), 391:473
reproduction, 387:447
reservosome, 392:467
respiratory burst, 386:549
respiratory chain, 387:677
respiratory enzyme, 389:695
resveratrol, 389:259
RET, 387:817
retaining mechanism, 387:437
reticulocyte, 390:681
reticulon (RTN), 385:125
retina, 389:675
retinal degeneration, 388:605
retinitis pigmentosa, 388:605, 390:41
retinoblastoma gene product, 385:685
retinoic acid, 388:363, 388:941, 392:241
retinoic acid response element (RARE), 392:241
retinoid, 388:363
reverse transcriptase, 387:221
reverse transcriptase–PCR (RT-PCR), 386:535
RGD disintegrin, 387:57
Rgt1, 388:697
Rhesus family (Rh family), 391:33
Rho, 386:201
RhoA GTPase, 391:261
Rho GDP-dissociation inhibitor (RhoGDI), 390:1
Rho GTPase, 390:1
Rho-kinase (ROK), 386:201, 385:589
ribokinase, 387:591
ribose 5-phosphate, 388:795
ribosomal protein, 385:289, 387:139
ribosomal protein S2 (rpS2), 386:85
ribosome, 386:85, 388:819, 389:843
ribosome biogenesis, 385:289, 388:819
ribulosamine/erythrulosamine 3-kinase, 388:795
Rieske-type [2Fe-2S] cluster, 388:869
RING finger, 388:647
RING finger protein 2 (RNF2), 389:457
RING motif, 389:457
RINGO, 386:349
RIPE3b, 392:181
RNA binding, 385:363
RNA-binding motif, 385:289
RNA-binding protein, 387:763, 390:41
RNA-induced silencing complex (RISC), 387:561
RNA interference (RNAi), 387:561, 388:573, 389:423, 390:675, 390:e5, 391:425, 391:503
RNA secondary structure, 392:475
RNA splicing, 389:403
RNA stability, 387:355, 388:291
rough lipopolysaccharide, 391:115
rRNA, 388:819
RSC, 389:657
RTP801 gene, 392:93
ryanodine receptor, 385:803, 386:291, 387:905
ryanodine receptor Ca^{2+} channel, 390:333
ryanodine receptor (RyR), 387:429

S6′, 389:457
Saccharomyces cerevisiae, 385:265, 386:93, 386:479, 387:77, 387:489, 387:649, 387:889, 388:669, 388:697, 390:613, 390:655, 391:311, 391:383, 392:537
saliva, 389:111
Salmonella typhimurium, 390:769
salt bridge, 390:49
SAMS peptide, 392:201
Sanfilippo type B, 388:639
saposin C, 390:95
saposin-like protein, 389:249
sarcolemma, 387:309
sarcolipin, 389:151
sarcoplasmic/endoplasmic-reticulum Ca^{2+}-ATPase (SERCA), 389:151
scaffold, 387:155
scavenger receptor class B type I (SR-BI), 387:455
Schistocerca gregaria, 388:281
Schizosaccharomyces pombe, 387:211
SCO2 protein, 392:625
scorpion toxin, 385:95, 388:263, 388:455
screening test, 385:389
Scs7p protein, 388:245
SDS/PAGE, 388:803, 388:819
sea urchin, 386:497
second messenger, 391:e7
secondary structure, 385:511, 390:563, 391:41
secretase, 389:161
γ-secretase, 385:545, 387:377, 391:513
secretion, 385:347, 386:489, 389:117, 389:803
secretory phospholipase A_2, 391:383
selectin, 391:491
selection pressure, 392:299
selective reaction monitoring, 388:363
selenium, 385:e5, 386:221
selenium transport, 386:e5
selenocysteine, 386:221
selenoprotein, 386:e5
selenoprotein P, 386:e5, 386:221
semenogelin, 387:447
seminal plasma, 387:447
semiochemistry, 391:343
senescence, 391:185
senescence evasion factor (SNEV), 388:593
sensitivity analysis, 386:245
sentrin-specific protease 1 (SENP1), 386:325
septin, 385:347
SERCA2b, 388:291
serine esterase, 387:165
serine peptidase, 388:281
serine phosphorylation, 388:713
serine proteinase, 388:273
serotonin (*see* 5-hydroxytryptamine)
serotype conversion, 389:137
serpin, 388:273, 390:231
Serratia marcescens, 388:851
serum albumin, 387:695
seven-transmembrane domain protein, 385:243
severe acute respiratory syndrome coronavirus E protein (SARS-CoV E protein), 392:135
severe acute respiratory syndrome virus (SARS virus), 392:135
SF-1, 389:19
Sf9 cells, 392:665
SGLT1, 385:485
Sgs1, 391:325
sheddase, 389:739
shedding, 387:497
Shigella, 389:137
shikimate, 390:223
short calcium-binding mitochondrial carrier (SCaMC), 392:537
short-hairpin RNA (shRNA), 392:607
SHP2, 391:143
SH-SY5Y cell, 388:941
sialidase, 390:85
sialophorin, 387:377
α2,8-sialyltransferase (ST8Sia), 392:665
Sic1, 387:639
sickle cell, 390:253
signal peptide, 390:455
signal recognition particle, 391:291

© 2006 Biochemical Society

signal transduction, 385:197, 387:737, 388:185, 389:1, 389:629, 390:641, 390:729
signal transducer and activator of transcription (*see* STAT)
signal-transducing adaptor molecule (STAM), 389:629
signalling, 391:e7, 392:13
signalling network, 392:249
signalosome, 389:307
sildenafil, 388:333
silencer, 391:613
silkworm, 391:371
simian virus 40 (SV40), 386:557
simultaneous hydrolysis of two substrates, 391:641
single-chain avidin, 392:485
single-molecule technique, 392:375
single-particle tracking, 389:1
single-stranded DNA, 385:519
single-stranded oligonucleotide, 390:253
singlet oxygen, 389:197, 392:399
site specificity, 390:293
site-directed mutagenesis, 385:75, 385:115, 386:169, 386:227, 387:437, 387:591, 388:103, 388:115, 388:317, 388:741, 388:949, 390:115, 391:221, 392:519
site-specific base, 390:253
sitosterol, 391:389
skate, 389:297
skeletal muscle, 385:803, 388:905, 389:151, 391:261
Ski-related novel protein N (SnoN), 386:461
slaty, 391:249
SLC5, 392:655
slc5a8, 388:309
slow thrombin, 392:21
Slx, 391:325
Smac/DIABLO (second mitochondrial activator of caspases/direct IAP binding protein with low pI), 385:11, 385:e1
Smad activation domain (SAD), 386:e1
Smad, 386:29, 386:461, 386:e1
small-angle X-ray scattering, 387:401
small bowel, 390:437
small heat-shock protein, 388:475, 391:335
small interfering RNA (siRNA), 387:239, 388:379, 388:573, 390:675, 390:e5, 391:143, 391:513
small-intestine epithelial cell, 388:679
small nuclear RNA (snRNA), 385:289
small ubiquitin-related modifier (SUMO), 386:325
small ubiquitin-related modifier-1 (SUMO1), 392:271
smooth muscle, 387:309
snake venom metalloproteinase, 391:69
SNARE complex, 385:347
SNARE protein, 387:195
sodium, 390:e1, 390:485, 392:21
sodium channel, 388:455, 392:519
sodium-coupled monocarboxylate transporter (SMCT), 388:309, 392:655
sodium dependence, 388:309
sodium–potassium–chloride co-transporter-1 (*see* Na^+–K^+–$2Cl^+$ co-transporter-1)
Solanum tuberosum expoxide hydrolase 1 (StEH1), 390:633
β-solenoid, 387:479
soluble guanylate cyclase, 385:769, 390:625
soluble *N*-ethylmaleimide-sensitive fusion protein attachment protein receptor (SNARE), 388:75, 392:283
solute carrier family 39 (zinc transporter), member 3 (SLC39A3), 390:777
solution structure, 392:47
Southeast Asian ovalocytosis (SAO), 392:425
Sox9-binding site, 389:705
soya bean (*see Glycine max*)
26 S proteasome, 391:301
Sp1, 386:161, 388:325, 392:1
Sp1 and Ets *cis*-elements, 385:433
Sp3, 387:737
specificity protein 1 (Sp1), 385:557, 386:297, 389:423, 389:443, 392:589
specificity protein 3 (Sp3), 385:557
spectrin repeat, 388:631
spectroscopy, 390:573
Speedy, 386:349
sperm, 389:577
sperm-associated antigen 9, 389:73
spermatogenesis, 385:1, 386:357
spermatozoa–egg interaction, 389:73
spermidine/spermine N^1-acetyltransferase (SSAT), 386:543
spermine, 391:77
spermine oxidase [SMO(PAOh1)], 386:543
sphingolipid, 388:169, 388:245, 388:827, 390:263
sphingolipid metabolism, 387:281
sphingolipid synthesis, 387:519
sphingolipidosis, 391:465
sphingomyelinase, 386:445
sphingomyelinase D, 391:317
sphingomyelin synthase, 387:281
sphingosine, 388:827, 391:77
sphingosine 1-phosphate (S1P), 389:187, 391:25
sphingosine 1-phosphate receptor 4 ($S1P_4$ receptor), 387:281, 389:187
spider (*see Loxosceles reclusa*)
spinal muscular atrophy, 385:433
spindle, 386:1, 391:e5, 391:177
spindle checkpoint, 389:307
spindle midzone/midbody, 389:373
splice variant, 385:57, 385:729, 387:119, 389:647
spliceosome, 388:593
spot 14, 390:57
Spred, 388:445
Sprouty, 387:627, 388:445
5.8 S rRNA, 387:139
Src-homology-2-domain-containing phosphatase (SHP2), 388:17
Src homology 3 domain (SH3 domain), 388:177, 388:195, 390:641
stable isotope, 389:383
staphopain A, 385:181
staphostatin A, 385:181
starch, 385:355
STAT, 388:17, 388:929, 390:359, 392:335
statherin, 389:111
stearoyl-CoA desaturase, 388:135
Stenotrophomonas, 387:585
sterile 2 alpha factor receptor protein (Ste2p), 385:265
steroid receptor, 391:449
steroid sulphatase inhibitor, 385:715
sterol esterification, 391:389
sterol 27-hydroxylase (CYP27A1), 385:823
sterol regulatory element-binding protein (SREBP), 385:787, 386:113, 386:161, 389:413
sterol regulatory element binding protein 1 (SREBP1), 392:633
sterol-regulatory-element-binding protein 1c (SREBP-1c), 385:207
stoichiometry, 385:265
stoned-B protein, 388:195
stop-flow kinetics, 389:549
stopped-flow fluorimetry, 391:33
stopped-flow kinetics, 388:343
store-operated calcium channel, 385:551
store-operated calcium influx, 386:291
store-operated current, 388:237
Streptococcus pneumoniae, 389:63
Streptomyces, 389:491
streptozotocin, 385:165
stress response, 385:255, 385:371, 392:145
stress sensor, 391:135
stroma, 387:669
structural modelling, 388:29, 391:41
structure, 390:e1
structure determination, 388:263
structure–function analysis, 385:243
structure–function relationship, 387:817, 388:317, 388:455
subcellular distribution, 388:679
subcellular localization, 388:47, 390:85, 392:435
submucosal gland secretion, 387:911
substrate binding, 386:453, 389:731
substrate selectivity, 388:387, 386:169, 387:489, 388:255, 390:125
subunit assembly, 392:545
subunit association, 388:435
subunit fusion, 392:485
α-subunit of eukaryotic initiation factor 2 (eIF-2α), 385:155
subunit Rpn10/p54, 391:301
Sulfolobus, 385:581, 387:859
Sulfolobus solfataricus, 387:271
sulphonyl radical, 389:233
sulphotransferase, 385:451, 389:383, 391:77
SUMO-specific proteases, 386:325
sumoylation, 386:325
superactivation, 386:341
superoxide anion, 387:203, 390:591
superoxide, 389:315
superoxide dismutase (SOD), 387:203, 388:93, 392:309
suppressor of cytokine signalling (SOCS), 387:737
SURF1, 392:625
surface binding, 390:157
surface catalysis, 390:157
surface plasmon resonance (SPR), 385:363, 389:665, 390:475, 391:659
surface plasmon resonance, 387:639, 390:177
surface rheology, 389:111
surfactant protein A (SP-A), 391:115
survival factor, 391:441
survival motor neuron gene, 385:433
switching/sucrose non-fermenting (SWI/SNF), 389:657
synaptic vesicle, 391:659
synaptobrevin, 388:75, 391:659
synaptosome-associated protein of 25 kDa (SNAP-25), 388:75
synaptotagmin-like protein, 391:699
syncollin, 385:721
syntaxin, 387:195, 388:75, 392:283
systems biology, 392:249

3T3-L1 adipocyte, 388:959
tafazzin, 387:617
Takifugu rubripes, 388:745, 390:777, 392:153
tandem MS, 387:185
tankyrase, 391:177, 391:e5
Tap42, 386:93
targeting, 386:381, 390:1
target of rapamycin (TOR), 386:93
Tar receptor, 385:29
TATA-less promoter, 387:367
Tat peptide, 390:407
taurine, 389:233

© 2006 Biochemical Society

Tax protein, 392:231
αT3-1 cells, 392:601
T-cell apoptosis, 392:135
T-cell receptor, 391:153
T-cell receptor signalling, 388:379
Tc80 proteinase, 388:29
TEAD (TEF-1, TEC1, ABBA domain), 388:217
TEB4, 388:647
telomerase, 390:169
telomere, 390:169
telophase, 390:709
temperature regulation, 391:203
terpene, 392:117
Tes, 388:631
testes, 386:357, 389:577
testicular protein kinase (TESK), 387:627
tetrahydrobiopterin, 391:541
tetrahydropterin, 392:583
tetrakis(3-aminopropyl)ammonium, 388:427
tetrameric intermediate, 391:589
tetraspanin-enriched microdomain (TEM), 389:99
β-thalassaemia, 390:253
thale cress (*see Arabidopsis thaliana*)
therapeutic drug delivery, 390:407
Tetraodon nigroviridis, 388:745
thermal denaturation, 388:427
thermal stability, 386:599, 389:899
thermoacidophilic archaeon, 387:271
thermodynamics, 385:479, 389:325
Thermus thermophilus, 388:427
thiazolidinedione, 389:913
thimet oligopeptidase, 388:255
thin filament, 386:145
thiol–disulphide interchange, 389:549
thiol reactivity, 391:95
thiolation-mediated maleimide chemistry, 392:555
thioredoxin, 389:785
thioredoxin-1, 386:215
thioredoxin-2, 386:215
three-dimensional structure, 390:29
three-finger toxins, 387:807
thrombin, 390:243, 390:e1, 390:485
thromboxane, 391:561
thromboxane A_2, 386:177, 389:763
thylakoid, 388:159
thylakoid membrane, 390:513
thymidylate synthase (TS), 390:681
thymocyte, 391:153
thyroid hormone, 386:505
thyroid-stimulating hormone (TSH), 388:803
thyrotropin-releasing hormone-degrading ectoenzyme inhibitor, 389:569
thyrotropin-releasing hormone (TRH), 389:569
thyrotropin-releasing hormone-degrading ectoenzyme (TRH-DE), 389:569
tick saliva, 387:871
tight junction, 387:553
Tip-associated protein (TAP), 387:295
tissue inhibitor of metalloproteinase (TIMP), 386:15, 387:497
TMPRSS2, 388:967
TNFα-converting enzyme (TACE), 387:797
Toll-like receptor 4 (TLR4), 387:355
2-(*p*-toluidino)naphthalene-6-sulphonic acid (TNS), 385:37
tonoplast, 389:695
topoisomerase II, 390:419
topology, 385:659, 390:137, 390:263
tosylphenylalanylchloromethane (TPCK), 386:549
toxicity, 386:479
toxicology, 392:153
toxin, 386:237
trafficking, 385:233, 388:355, 392:475
Trametes hirsuta, 385:745
transactivation, 388:921
transcript profiling, 388:281
transcription, 385:795, 386:e1, 386:35, 387:257, 388:325
transcription factor, 386:63, 387:609, 387:737, 388:913, 391:613, 392:1, 392:181
transcription factor-binding motif, 389:37
transcription of tRNA genes, 391:371
transcription regulation, 385:613
transcriptional activator, 388:843
transcriptional activity, 391:623
transcriptional co-activator with PDZ-binding motif (TAZ), 388:217
transcriptional co-activator, 388:217
transcriptional enhancer factor-1 (TEF-1), 388:217
transcriptional regulation, 385:433, 386:29, 387:463, 387:367, 389:753, 389:831, 392:241
transcriptional repressor, 388:843
transdifferentiation, 387:601
transfection, 390:447
transferrin, 390:273
transferrin receptor, 388:143
transferrin receptor 1 (TfR1), 392:383
transforming growth factor-α (TGF-α), 389:161
transforming growth factor-β (TGF-β), 386:461, 386:e1, 386:29
transforming growth factor-β (TGF-β) receptor, 390:199
transgenic *Drosophila*, 386:145
transgenic gene, 389:593
transgenic mice, 385:189, 389:705
transgenic mouse, 386:505, 388:605, 389:333
transglutaminase, 388:889
transglycosylation, 391:269
transient receptor potential, 387:211
transient transfection, 388:959
transition state, 389:365
translation, 387:119
translation factor, 385:695
translation initiation, 392:511
translation repression, 390:681
translational control, 385:371
translational regulation, 392:499
translocase of the inner membrane, 385:173
translocation, 385:595, 388:731, 391:623
translocon, 390:455
transmembrane domain, 385:29, 390:465
transmigration, 385:329
transmissible spongiform encephalopathies, 390:563
transplantation, 391:541
transport mechanism, 389:745
transposable element, 389:647
transthyretin, 388:615
trans fatty acid, 390:719
trans-Golgi network (TEN), 388:835
trans-stilbene oxide, 390:633
triacylglycerol, 389:913
triacylglycerol hydrolase, 388:959
tribbles 3, 386:113
Trichinella spiralis, 390:681
1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT), 387:879
3,4,5 tri-*O*-galloylquinic acid, 385:301
triosephosphate isomerase barrel (TIM barrel), 391:589
triosephosphate isomerase, 392:675
Triticum aestivum (wheat), 391:567
TrkA, 385:233
$tRNA^{[Ser]Sec}$, 386:221
tropoelastin, 388:1
troponin, 388:905
troponin T, 386:145
Trypanosoma cruzi, 387:519, 388:29, 392:467
trypanosome, 391:425
trypanothione, 391:425
trypomastigote, 388:29
T1 site, 385:745
T2 site, 385:745
TSG101, 391:677
tryptophan fluorescence, 391:589, 391:601
tryptophan mutant, 385:37
tuberculosis, 392:615
tubulin, 389:549
γ-tubulin, 389:611
tumour, 392:283
tumour necrosis factor (TNF), 385:537, 387:797, 389:83
tumour necrosis factor α (TNFα), 386:445, 390:317, 390:437, 391:399, 391:575, 392:325
tumour suppressor, 391:503
tunicamycin, 385:85, 388:115
two-component system, 390:769
two-dimensional electrophoresis, 389:785
two-dimensional PAGE, 387:93
Type II diabetes, 388:393
type II transmembrane serine protease (TTSP), 388:967, 390:231
type III inositol 1,4,5-trisphosphate receptor, 392:493
type IV collagen chain, 387:755
type XII collagen, 385:381
tyrosine catabolism, 386:305
tyrosine kinase, 388:393
tyrosine phosphorylation, 388:713
tyrosine residue, 386:263

ubiquilin, 391:513
ubiquitin, 388:647, 391:153, 392:271
ubiquitin interaction motif (UIM), 389:629
ubiquitination, 387:315, 392:601
ubiquitin-like protein, 386:325
ubiquitinylation (*see* ubiquitination)
UDP-GlcNAc, 387:385, 392:685
UDP glucuronosyltransferase isoform 1A1 (UGT1A1), 392:685
UDP-glucuronate, 391:409
UDP-glucose dehydrogenase, 391:409
UDP-*N*-acetylglucosamine, 389:173
unconjugated sterol, 385:419
uncoupling protein (UCP), 389:47
uncoupling protein-3 (UCP3), 386:505
undecaprenyl pyrophosphate synthase, 386:169
unfolded protein response (UPR), 391:135
3′-untranslated region (3′-UTR), 392:475, 387:419, 388:291, 387:763
5′-untranslated region (5′-UTR), 387:463, 387:119
upstream of N-ras, 385:155
upstream stimulatory factor 1 (USF1), 386:297
uracil, 387:859
uracil DNA glycosylase (UDG), 387:859
urea, 388:255, 389:885
urine, 391:343
urofacial syndrome, 386:479
urokinase plasminogen activator receptor-associated protein (uPARAP), 387:39
urokinase-type plasminogen activator receptor (u-PAR), 390:311
urokinase-type plasminogen activator (u-PA), 390:311
Uromyces fabae, 389:289

© 2006 Biochemical Society

urotensin II, 385:115
urotensin II receptor, 385:115
utrophin stabilization, 391:261
utrophin up-regulation, 391:261
UV irradiation, 385:371

vacuole, 386:479
valproate, 387:825
Vanishin, 387:315
vascular cell adhesion molecule-1 (VCAM-1), 385:329
vascular endothelial growth factor (VEGF), 390:427
vascular endothelial growth inhibitor, 388:913
vascular endothelium-dependent relaxation, 390:199
vascular smooth muscle, 388:237, 389:763, 389:821, 392:641
vasopressin, 388:237, 389:821
VE-cadherin, 385:329
vector, 387:1
veratryl alcohol, 386:387
versican, 385:381
vesicle-associated membrane protein (VAMP), 391:659
vesicle trafficking, 388:785
vesicular trafficking, 391:699
vesicular transport, 387:889
vimentin, 388:773
viral entry, 385:451
virulence factor, 389:63
viscosity, 392:555
vision, 386:331
vitamin A, 388:363
vitamin D receptor, 388:509, 388:623, 390:325
vitamin K-dependent coagulation enzyme, 390:157
voltage-dependent anion channel (VDAC), 386:73
voltage-gated K^+ channel, 385:95
von Willebrand factor A-like, 386:367
von Willebrand factor (vWF), 389:863, 391:69
Vpr, 387:333

water stress, 388:151
WciS, 389:63
Wnt signalling, 390:493
wound-repair assay, 389:215
WW domain, 390:641

xanthine oxidase, 388:501
xanthine oxidoreductase, 388:501
xanthophyll, 387:455
xenobiotic, 388:623
xenobiotic metabolism, 385:605
xenobiotics, 388:299
X-ray absorption spectroscopy, 385:145
X-ray crystallography, 385:605, 385:667, 389:365, 392:55
X-ray crystal structure, 385:715
XT3, 386:417
XTRP3, 386:417
β-1,3-xylan, 388:949
β-1,3-xylanase, 388:949
X-linked IAP (XIAP), 385:11, 385:e1
xylogalacturonan, 387:719
xyloglucan endotransglycosylase (XET), 390:105
xylose, 391:409
xylose fermentation, 385:75
xylose reductase, 389:507
xylosyltransferase, 388:515
xylosyltransferase I, 386:227
Xenopus laevis oocyte, 386:607, 388:435, 392:655
Xenopus oocyte, 386:349, 389:611

y-box-binding protein-1 (YB-1), 388:921
yeast, 388:669, 388:843, 388:93, 390:145, 390:169
yeast one-hybrid, 387:239
yeast (*Saccharomyces cerevisiae*), 390:655, 390:703
yeast two-hybrid analysis, 388:835
Yes-associated protein 65 kDa (YAP65), 388:217
YloQ, 389:843

zaprinast, 388:333, 392:221
Zea mays (maize), 391:567
zebrafish (*see Danio rerio*)
zidovudine (AZT), 392:363
zinc, 387:447, 391:301, 392:443
zinc affinity, 385:145
zinc co-ordination, 387:585
zinc finger, 386:85
zinc-finger domain, 392:1
zinc importer, 388:745
zinc transport, 388:745
zinc uptake transporter, 390:777
zipper-interacting protein kinase, 392:641
Zmpste24, 387:129
Zobellia galactanivorans, 385:703
zymogen, 387:797

© 2006 Biochemical Society

Biochemical Society Symposia **NEW!**

Transcription

ISBN-10: 1 85578 163 8
ISBN-13: 978 1 85578 163 4

Edited by **S Roberts, R Weinzierl and R White**

Hardback	•	January 2006	•	241 pages	•	£67.00

BIOCHEMICAL SOCIETY MEMBERS SAVE 25% - £50.25

Transcription is the published proceedings of the Biochemical Society's Annual Symposium held at Imperial College London on 13-15 April 2005.

Gene transcription has remained at the forefront of modern biomedical science due to genome-sequencing projects, the renewed interest in the role of chromatin, the availability of high-resolution structures of key parts of the transcriptional machineries and new insights into the physiological role of transcription. This book provides an overview of the current state of research into gene-expression mechanisms.

Topics covered:

- Basal transcriptional machinery
- Regulation of gene expression
- Nuclear organization
- Chromatin modification and remodelling

List of contributors:

Alexandre Akoulitchev
Wendy Bickmore
Stephen Busby
Peter Cook
Patrick Cramer
Michael Green
Douglas Higgs
Nicholas La Thangue
Brian McStay
Thomas Oelgeschläger
Tom Owen Hughes
Neil Perkins
Richard Reece
Stefan Roberts
Andrew Sharrocks
Làszlò Tora
Patrick Varga Weisz
Robert Weinzierl
Robert White
Joost Zomerdijk

Online subscriptions also available – visit http://symposia.biochemistry.org

Send orders to:
Portland Customer Services, Portland Press Ltd, Commerce Way, Colchester CO2 8HP, UK
☎ +44 (0) 1206 796351 +44 (0) 1206 799331
sales@portland-services.com www.portlandpress.com

Postage UK: please add £2.50 per book to a maximum of £7.50
Please quote ref: ZPPA2829 when ordering

Composed by TechBooks, Delhi
Printed in Great Britain by the Charlesworth Group, Wakefield